

Copper T	M150
0.05 - 5 mg/L Cu ^{a)}	Cu
Biquinoline	

Instrument specific information

The test can be performed on the following devices. In addition, the required cuvette and the absorption range of the photometer are indicated.

Instrument Type	Cuvette	λ	Measuring Range
MD 100, MD 110, MD 200, MD 600, MD 610, MD 640, MultiDirect, PM 600, PM 620, PM 630, Test Kit	ø 24 mm	560 nm	0.05 - 5 mg/L Cuª)
MD50	ø 24 mm	555 nm	0.05 - 5 mg/L Cu ^{a)}
SpectroDirect, XD 7000, XD 7500	ø 24 mm	559 nm	0.05 - 5 mg/L Cu ^{a)}

Material

Required material (partly optional):

Reagents	Packaging Unit	Part Number
Copper No. 1	Tablet / 100	513550BT
Copper No. 1	Tablet / 250	513551BT
Copper No. 2	Tablet / 100	513560BT
Copper No. 2	Tablet / 250	513561BT
Set Copper No. 1/No. 2 100 Pc.#	100 each	517691BT
Set Copper No. 1/No. 2 250 Pc.*	250 each	517692BT
ValidCheck Copper 2 mg/l	1 pc.	48141525

Application List

- Cooling Water
- Boiler Water
- Waste Water Treatment
- Pool Water Control
- Drinking Water Treatment
- · Galvanization



Preparation

1. Strong alkaline or acidic water samples must be adjusted to pH 4 to 6 before analysis.



Determination of Copper, free with tablet


Select the method on the device.

In addition, choose the test: free

For this method, a ZERO measurement does not have to be carried out every time on the following devices: XD 7000, XD 7500







Fill 24 mm vial with **10 mL** Clos **sample**.

Close vial(s).

Place **sample vial** in the sample chamber. Pay attention to the positioning.






Press the ZERO button.

Remove the vial from the sample chamber.

For devices that require no ZERO measurement , start here.









Crush tablet(s) by rotating slightly.

Close vial(s).






Dissolve tablet(s) by inverting.



Place **sample vial** in the sample chamber. Pay attention to the positioning.



Press the **TEST** (XD: **START**)button.



Wait for 2 minute(s) reaction time.

Once the reaction period is finished, the measurement takes place automatically.

The result in mg/L free Copper appears on the display.



Determination of Copper, total with tablet


Select the method on the device.

In addition, choose the test: total

For this method, a ZERO measurement does not have to be carried out every time on the following devices: XD 7000, XD 7500







Fill 24 mm vial with **10 mL** Clos **sample**.

Close vial(s).

Place **sample vial** in the sample chamber. Pay attention to the positioning.






Press the ZERO button.

Remove the vial from the sample chamber.


For devices that require no ZERO measurement , start here.



Add COPPER No. 1 tablet



Crush tablet(s) by rotating slightly and dissolve.



Add COPPER No. 2 tablet .







Crush tablet(s) by rotating slightly.



Dissolve tablet(s) by inverting.







Place **sample vial** in the sample chamber. Pay attention to the positioning.

Press the **TEST** (XD: **START**)button.

Wait for 2 minute(s) reaction time.

Once the reaction period is finished, the measurement takes place automatically.

The result in mg/L total Copper appears on the display.



Determination of Copper, differentiated determination with Tablet


Select the method on the device.

In addition, choose the test: differentiated

For this method, a ZERO measurement does not have to be carried out every time on the following devices: XD 7000, XD 7500







Fill 24 mm vial with **10 mL** Clos **sample**.

Close vial(s).

Place **sample vial** in the sample chamber. Pay attention to the positioning.






Press the ZERO button.

Remove the vial from the sample chamber.

For devices that require no ZERO measurement , start here.










Crush tablet(s) by rotating slightly.


Close vial(s).







Place **sample vial** in the sample chamber. Pay attention to the positioning.



Press the **TEST** (XD: **START**)button.



Wait for 2 minute(s) reaction time.




Remove the vial from the

sample chamber.



Add COPPER No. 2 tablet .



Crush tablet(s) by rotating slightly.






Dissolve tablet(s) by inverting.

Close vial(s).





sample chamber. Pay attention to the positioning. START)button.

tion time.

Once the reaction period is finished, the measurement takes place automatically.

The result in mg/L free Copper; combined Copper; total Copper appears on the display.



Chemical Method

Biquinoline

Appendix

Calibration function for 3rd-party photometers

Conc. = $a + b \cdot Abs + c \cdot Abs^2 + d \cdot Abs^3 + e \cdot Abs^4 + f \cdot Abs^5$

	ø 24 mm	□ 10 mm	
а	-4.78562 • 10 ⁻²	-5.12445 • 10 ⁻²	
b	3.79263 • 10 ⁺⁰	8.20998 • 10 ⁺⁰	
с			
d			
е			
f			

Interferences

Persistant Interferences

1. Cyanide CN⁻ and Silver Ag⁺ interfere with the test result.

Method Validation

Limit of Detection	0.05 mg/L
Limit of Quantification	0.15 mg/L
End of Measuring Range	5 mg/L
Sensitivity	3.8 mg/L / Abs
Confidence Intervall	0.026 mg/L
Standard Deviation	0.011 mg/L
Variation Coefficient	0.42 %

Bibliography

Photometrische Analyse, Lange/Vedjelek, Verlag Chemie 1980

^{a)} determination of free, combined and total | [#] including stirring rod, 10 cm