Lovibond[®] Water Testing

Tintometer® Group



Reviewed on 01/22/2018

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 01/22/2018

1 Identification

- · Product identifier
- Trade name: Fluoride A-Z
- · Catalogue number: 00511401, 511400BT, 4511400BT, 00511409
- · Application of the substance / the mixture: Reagent for water analysis
- Manufacturer/Supplier: Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany
- · Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard



. 1B H360 May damage fertility or the unborn child.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS). • **Hazard pictograms**



· Signal word Danger

· Hazard-determining components of labeling: sodium bisulfate boric acid · Hazard statements H318 Causes serious eye damage. H360 May damage fertility or the unborn child. · Precautionary statements P201 Obtain special instructions before use. P280 Wear protective gloves/protective clothing/eye protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P405 Store locked up. · Other hazards No further relevant information available.

(Contd. on page 2)

Printing date 01/22/2018

Trade name: Fluoride A-Z

Reviewed on 01/22/2018

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of organic and inorganic compounds
- Composition and Information on Ingredients:
- Percent ranges are used due to the confidential product information.

CAS: 7681-38-1 EINECS: 231-665-7 Index number: 016-046-00-X RTECS: VZ1860000	sodium bisulfate	🚸 Eye Dam. 1, H318	60–70%
CAS: 10043-35-3 EINECS: 233-139-2 Index number: 005-007-00-2 RTECS: ED 4550000	boric acid	🚸 Repr. 1B, H360	30–40%
· Additional information: For	the wording of the listed hazard phrases refer to section 16.		

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air.
- Seek medical treatment.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- Seek medical treatment.
- · After eye contact:
- Rinse opened eye for several minutes (at least 15 min) under running water.
- Call a doctor immediately.
- After swallowing:
- Rinse out mouth and then drink 1-2 glasses of water. Seek medical treatment.
- Most important symptoms and effects, both acute and delayed
- Irritation and corrosion after inhalation:
- mucosal irritations, cough, breathing difficulty
- after swallowing: resorption
- sickness
- vomiting
- diarrhoea
- after absorption of large amounts:
- **CNS** disorders
- ataxia (impaired locomotor coordination)
- drop in temperature
- cardiovascular disorders
- fatigue
- · Danger: Danger of pulmonary edema.
- · Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- The product is not combustible.
- Formation of toxic gases is possible during heating or in case of fire.
- Sulfur oxides (SOx)
- Sodium oxide
- · Advice for firefighters
- Protective equipment:
- Wear self-contained respiratory protective device.

Printing date 01/22/2018

Trade name: Fluoride A-Z

- Wear fully protective suit.
- Additional information
- Collect contaminated fire fighting water separately. It must not enter the sewage system.
- Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
- Ambient fire may liberate hazardous vapours.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures
 Advice for non-emergency personnel: Wear protective equipment. Keep unprotected persons away. Avoid substance contact. Ensure adequate ventilation
 Advice for emergency responders: Protective equipment: see section 8
 Environmental precautions: Do not allow product to reach sewage system or any water course.
 Methods and material for containment and cleaning up:

- Ensure adequate ventilation.
- Pick up mechanically.
- Dispose contaminated material as waste according to item 13.
- **Reference to other sections** See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling
- · Advice on safe handling: Ensure good ventilation/exhaustion at the workplace.
- · Hygiene measures:
- Do not get in eyes, on skin, or on clothing.
- Take off immediately all contaminated clothing.
- Store protective clothing separately.
- Wash hands before breaks and at the end of work.
- Do not eat, drink or smoke when using this product.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:
- Store under lock and key and with access restricted to technical experts or their assistants only.
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Protect from exposure to the light.
- Protect from humidity and water.
- This product is hygroscopic.
- Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

Components with limit values that require monitoring at the workplace:				
CAS: 10043-	CAS: 10043-35-3 boric acid			
TLV (USA)	Short-term value: 6* mg/m³ Long-term value: 2* mg/m³ *as inhalable fraction, A4 (ACGIH 2008)			
EL (Canada)	Short-term value: 6 mg/m³ Long-term value: 2 mg/m³			
	(Contd. on page 4)			

(Contd. of page 2)

US

Reviewed on 01/22/2018

Printing date 01/22/2018

Trade name: Fluoride A-Z

Reviewed on 01/22/2018

(Contd. of page 3) EV (Canada) Short-term value: 6 mg/m ³ Long-term value: 2 mg/m ³
inorganic, inhalable
· Additional information: The lists that were valid during the creation were used as basis.
• Engineering measures: Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.
 Personal protective equipment: Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol. Recommended filter device for short term use: Filter P3 Protection of hands: Protective gloves Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.11 mm Penetration time of glove material Value for the permeation: Level ≤ 1 (10 min) The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing
· Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

 Information on basic physical and che Appearance: 	• •
Form / Physical state:	Tablets
Color:	Beige
Odor:	Odorless
Odor threshold:	Not applicable.
[.] pH-value (8.11 g/l) at 20 °C (68 °F):	1.7
• Melting point/freezing point:	Not determined.
Initial boiling point and boiling range:	Not determined.
Flash point:	Not applicable.
· Flammability (solid, gas):	The product is not combustible.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Flammability or explosive limits:	
Lower:	Not applicable.
Upper:	Not applicable.
Oxidizing properties:	none
Vapor Pressure:	Not applicable.
· Density:	Not determined.
Relative density:	Not determined.
Vapor density:	Not applicable.
Evaporation rate:	Not applicable.
Solubility(ies)	
Water:	Soluble.
Partition coefficient (n-octanol/water):	Not applicable

(Contd. on page 5) US —

Printing date 01/22/2018

Reviewed on 01/22/2018

Trade name: Fluoride A-Z

		(Contd. of page 4)
· Viscosity:	Not applicable.	
 Solvent content: Organic solvents: Solids content: 	0.0 % 100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions"
- · Chemical stability Stable at ambient temperature (room temperature).
- Possibility of hazardous reactions

Forms hydrogen in aqueous solution with metals (Danger of explosion!).

If moisture is present, boric acid can be corrosive to iron.

Liberates acid in contact with water or alcohol.

- Reacts with strong alkalis and oxidizing agents.
- · Conditions to avoid Strong heating (decomposition)
- · Incompatible materials: metals
- · Hazardous decomposition products: see section 5

11 Toxicological information

· Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

• Acute toxicity estimate (ATE_{(MIX})) - Calculation method:

Oral GHS ATE_{MIX)} 2670 mg/kg (.)

• LD/LC50 values that are relevant for classification:

	The following statements relef to the individual components:			
ſ	CAS: 7681-38-1 sodium bisulfate			
	Oral	LD50	2490 mg/kg (rat) (IUCLID)	
Dermal LD50. >2000 mg/kg (rabbit)			>2000 mg/kg (rabbit)	
	CAS: 1004	CAS: 10043-35-3 boric acid		
	Oral	LD50	2660 mg/kg (rat) (OECD 401) (GESTIS, ECHA registrant)	
	Dermal	LD50.	>2000 mg/kg (rat) (ECHA, registrant: no deaths occurred.)	
		LD₀	1500 mg/kg (child) (MERCK)	
	Inhalative	LC50.	>2.03 mg/l/4h (rat) (OECD 403, aerosol) (ECHA, registrant: no deaths occured)	
		NOAEL	9.6 mg/kg (rat) (NTP)	

· Primary irritant effect:

· on the skin: Based on available data, the classification criteria are not met.

· on the eye:

Causes serious eye damage.

Risk of corneal clouding.

· Information on components:				
CAS: 7681-38-1	CAS: 7681-38-1 sodium bisulfate			
Irritation of skin	OECD 404	(rabbit: no irritation)		
Irritation of eyes	OECD 405	(rabbit: severe irritations)		
CAS: 10043-35-	CAS: 10043-35-3 boric acid			
Irritation of skin	OECD 404	(rabbit: no irritation)		
		(Registrant, ECHA)		
		(Contd. on page 6)		

— US —

Printing date 01/22/2018

Reviewed on 01/22/2018

Trade name: Fluoride A-Z

	(Orable of an and F
Irritation of	eyes OECD 405 (rabbit: slight irritation) (IUCLID)
	on: Based on available data, the classification criteria are not met.
	n on components:
	3-35-3 boric acid
Sensitizatio	n OECD 406 (guinea pig: negative)
-	nic categories national Agency for Research on Cancer)
-	ingredients is listed.
· NTP (Natio	nal Toxicology Program)
None of the	ingredients is listed.
· OSHA-Ca (Occupational Safety & Health Administration)
None of the	ingredients is listed.
· Other infor	mation: see section 8 / 15
· Synergistic	c Products: None
The followir Repr. 1B • Germ cell r • Carcinoger	ts (carcinogenity, mutagenicity and toxicity for reproduction): ng statements refer to the mixture: mutagenicity Based on available data, the classification criteria are not met. nicity Based on available data, the classification criteria are not met. ive toxicity May damage fertility or the unborn child.
STOT (spe STOT (spe Aspiration	cific target organ toxicity) -single exposure Based on available data, the classification criteria are not met. cific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met. hazard Based on available data, the classification criteria are not met.
CAS 10043 OECD 414: OECD 473:	n on components: -35-3: evaluation for carcinogenicity: negative in animals (NTP) Teratogenicity testing Mutagenicity testing 474, 476, 487: Germ cell mutagenicity testing
	3-35-3 boric acid
	(negative) (Bacterial Reverse Mutation Test - Ames test)
	(negative) (In Vitro Mammalian Cell Gene Mutation Test) (mouse lymphomea test)
OECD 414	(negative) (oral, rat) (ECHA, registrant: no evidence of developmental toxicity up to 55 mg/kg bw. At 76 mg/kg bw there was reduced fetal bodyweight, short and wavy ribs, and these effects disappeared during the postnatal period.) (negative) (in vivo, mice)
• Additional CAS 10043 Boric acid / could occur	toxicological information: -35-3: Absorption through gastro-intestinal tract, mucous membranes Borate may cause developmental changes based on published data, at doses many times in excess of those that through inhalation of dust in occupational settings. with humans: CAS 10043-35-3: Can cause kidney damages.
2 Ecologic	al information
· Toxicity	
· Aquatic to	kicity:
-	38-1 sodium bisulfate
EC50 190 (IUC	mg/l/48h (Daphnia magna) LID)
	3-35-3 boric acid
	mg/l/48h (Daphnia magna) DTOX)
(ECC	

Printing date 01/22/2018

Trade name: Fluoride A-Z

	(Contd. of page 6)
LC50 50–100 mg/l/96h (rainbow trout)	
(ECOTOX)	
Bacterial toxicity:	
sulfates toxic > 2.5 g/l	
CAS: 7681-38-1 sodium bisulfate	
EC10 >1000 mg/l (Pseudomonas putida) (16 h)	
Other information:	
Toxic for fish:	
sulfates > 7 g/l	
· Persistence and degradability No further relevant information available.	
· Bioaccumulative potential	
Pow = n-octanol/wasser partition coefficient	
log Pow < 1 = Does not accumulate in organisms.	
CAS: 10043-35-3 boric acid	
log Pow -1.09 (.) (OECD 107, 22°C)	
(Merck)	
Mobility in soil No further relevant information available.	
· Other adverse effects	
Forms corrosive mixtures with water even if diluted.	
Harmful effect due to pH shift.	
Avoid transfer into the environment.	

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

· Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number	
· DOT, IMDG, IATA	none
· UN proper shipping name	
· DOT, IMDG, IATA	none
· Transport hazard class(es)	
DOT, IMDG, IATA	
Class	none
· Packing group	
DOT, IMDG, IATA	none
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MA	ARPOL73/78
and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.

(Contd. on page 8)

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 01/22/2018

Reviewed on 01/22/2018

Trade name: Fluoride A-Z

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (Extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
All ingredients are listed.

Proposition 65

· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· New Jersey Right-to-Know List:	
None of the ingredients is listed.	
· New Jersey Special Hazardous Substance List:	
None of the ingredients is listed.	
· Pennsylvania Right-to-Know List:	
None of the ingredients is listed.	
· Pennsylvania Special Hazardous Substance List:	
None of the ingredients is listed.	
· EPA (Environmental Protection Agency)	
CAS: 10043-35-3 boric acid	l (oral)
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

· Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning young persons must be observed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H318 Causes serious eye damage.

H360 May damage fertility or the unborn child.

· Recommended restriction of use: professional/industrial use only

· Date of preparation / last revision 01/22/2018 / 37

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH[®] - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans •A4 - Not classifiable as a human carcinogen

US ·

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 01/22/2018

Reviewed on 01/22/2018

Trade name: Fluoride A-Z

(Contd. of page 8) •A5 - Not suspected as a human carcinogen IARC - International Agency for Research on Cancer •Group 1 - Carcinogenic to humans •Group 2A - Probably carcinogenic to humans •Group 2B - Possibly carcinogenic to humans •Group 3 - Not classifiable as to carcinogenicity to humans •Group 4 - Probably not carcinogenic to humans NTP - National Toxicology Program, U.S. Department of Health and Human Services Group K - Known to be Human Carcinogens
 Group R - Reasonably Anticipated to be Human Carcinogens ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Repr. 1B: Reproductive toxicity - Category 1B Sources Data arise from safety data sheets, reference works and literature. GESTIS- Stoffdatenbank (Substance Database, Germany) ECHA: European CHemicals Agency http://echa.europa.eu

IUCLID (International Uniform Chemical Information Database) ECOTOX Database

NTP (National Toxicology Program)

* * Data compared to the previous version altered.