

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 09/29/2017

Reviewed on 09/29/2017

1 Identification

- **Product identifier**
- **Trade name:** **Nitrite LR**
- **Catalogue number:** 00512311, (4)512310BT, (4)512311BT, 00512319BT
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**
Tintometer Inc.
6456 Parkland Drive
Sarasota, FL 34243
USA
phone: (941) 756-6410
fax: (941) 727-9654
www.lovibond.us
Made in Germany
- **Emergency telephone number:** + 1 866 928 0789 (English, French, Spanish)

* 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**

· **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).

- **Hazard pictograms**



GHS05



GHS07

- **Signal word** Danger

- **Hazard-determining components of labeling:**

sodium bisulfate
sulphanilic acid

- **Hazard statements**

H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.

- **Precautionary statements**

P261 Avoid breathing dust.
P280 Wear protective gloves / eye protection.
P302+P352 If on skin: Wash with plenty of soap and water.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a doctor.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/29/2017

Reviewed on 09/29/2017

Trade name: Nitrite LR

(Contd. of page 1)

· **Other hazards** No further relevant information available.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of organic and inorganic compounds
- **Composition and Information on Ingredients:**
Percent ranges are used due to the confidential product information.

CAS: 7681-38-1 EINECS: 231-665-7 Index number: 016-046-00-X RTECS: VZ1860000	sodium bisulfate	☠ Eye Dam. 1, H318	10–20%
CAS: 121-57-3 EINECS: 204-482-5 Index number: 612-014-00-X RTECS: WP 3895500	sulphanilic acid	⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	1–≤2.5%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation or rash occurs: Get medical advice/attention.
- **After eye contact:**
Rinse opened eye for several minutes (at least 15 min) under running water.
Call a doctor immediately.
- **After swallowing:**
Rinse out mouth and then drink 1-2 glasses of water.
Seek medical treatment in case of complaints.
- **Most important symptoms and effects, both acute and delayed**
burns
irritations
allergic reactions
after inhalation:
mucous membrane irritation
breathing difficulty
after swallowing:
sickness
vomiting
diarrhoea
cramps
- **Danger:**
Danger of pulmonary edema.
risk of skin sensitization
- **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
The product is not combustible.
Formation of toxic gases is possible during heating or in case of fire.
In case of fire, the following can be released:
Hydrogen chloride (HCl)
Sulfur oxides (SOx)
Nitrogen oxides (NOx)

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/29/2017

Reviewed on 09/29/2017

Trade name: Nitrite LR

(Contd. of page 2)

Sodium oxide

· **Advice for firefighters**· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**· **Advice for non-emergency personnel:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· **Advice for emergency responders:** Protective equipment: see section 8· **Environmental precautions:** Do not allow product to reach sewage system or any water course.· **Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

· **Reference to other sections**

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Handling:**· **Precautions for safe handling**· **Advice on safe handling:** No special precautions are necessary if used correctly.· **Hygiene measures:**

Do not inhale dust / smoke / mist.

Avoid contact with the skin.

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

· **Conditions for safe storage, including any incompatibilities**· **Storage:**· **Requirements to be met by storerooms and receptacles:** Store in a cool location.· **Information about storage in one common storage facility:** Store away from oxidizing agents.· **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from exposure to the light.

Store in dry conditions.

Protect from humidity and water.

This product is hygroscopic.

· **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Control parameters**· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the creation were used as basis.· **Engineering measures:**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/29/2017

Reviewed on 09/29/2017

Trade name: Nitrite LR

(Contd. of page 3)

See item 7.

- **Personal protective equipment:**

- **Breathing equipment:** Use respiratory protective device against the effects of fumes/dust/aerosol.

- **Recommended filter device for short term use:** Filter P2

- **Protection of hands:**

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

- **Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

- **Penetration time of glove material**

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Tightly sealed goggles

- **Body protection:** Protective work clothing

- **Limitation and supervision of exposure into the environment:**

Do not allow product to reach sewage system or any water course.

* 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **Appearance:**

Form / Physical state:	Tablets
Color:	White

- **Odor:** Odorless

- **Odor threshold:** Not applicable.

- **pH-value (12.4 g/l) at 20 °C (68 °F):** 1,8

- **Melting point/freezing point:** Not determined.

- **Initial boiling point and boiling range:** Not determined.

- **Flash point:** Not applicable.

- **Flammability (solid, gas):** The product is not combustible.

- **Decomposition temperature:** Not determined.

- **Auto-ignition temperature:** Product is not self-igniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Flammability or explosive limits:**

Lower:	Not applicable.
Upper:	Not applicable.

- **Oxidizing properties:** none

- **Vapor Pressure:** Not applicable.

- **Density:** Not determined.

- **Relative density:** Not determined.

- **Vapor density:** Not applicable.

- **Evaporation rate:** Not applicable.

- **Solubility(ies)**

Water:	Soluble.
---------------	----------

- **Partition coefficient (n-octanol/water):** Not applicable.

- **Viscosity:** Not applicable.

- **Solvent content:**

Organic solvents:	0,0 %
Solids content:	100,0 %

(Contd. on page 5)

— US —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/29/2017

Reviewed on 09/29/2017

Trade name: Nitrite LR

(Contd. of page 4)

Other information	No further relevant information available.
--------------------------	--

10 Stability and reactivity

- **Reactivity** see section "Possibility of hazardous reactions"
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions**
 Aqueous solution reacts with metals.
 Forms hydrogen in aqueous solution with metals (Danger of explosion!).
 Reacts with acids, alkalis and oxidizing agents.
 --> Forms heat.
 Liberates acid in contact with water or alcohol.
- **Conditions to avoid** Strong heating (decomposition)
- **Incompatible materials:** metals
- **Hazardous decomposition products:** see section 5

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

Acute toxicity estimate (ATE_(mix)) - Calculation method:		
Oral	GHS ATE _(mix)	3037 mg/kg (.)

LD/LC50 values that are relevant for classification:		
The following statements refer to the individual components.		

CAS: 7681-38-1 sodium bisulfate		
Oral	LD50	2490 mg/kg (rat) (IUCLID)
Dermal	LD50.	> 2000 mg/kg (rabbit)

CAS: 121-57-3 sulphanilic acid		
Oral	LD50	12300 mg/kg (rat) (IUCLID)

Information on components:		
CAS: 7681-38-1 sodium bisulfate		
Irritation of skin	OECD 404	(rabbit: no irritation)
Irritation of eyes	OECD 405	(rabbit: severe irritations)

CAS: 121-57-3 sulphanilic acid		
Irritation of skin	OECD 404	(rabbit: slight irritation) (IUCLID)
Irritation of eyes	OECD 405	(rabbit: irritation) (IUCLID)

Information on components:		
CAS: 121-57-3 sulphanilic acid		
Sensitization	OECD 406	(guinea pig: positive)

IARC (International Agency for Research on Cancer)		
None of the ingredients is listed.		

(Contd. on page 6)

— US —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/29/2017

Reviewed on 09/29/2017

Trade name: Nitrite LR

(Contd. of page 5)

· NTP (National Toxicology Program)
None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)
None of the ingredients is listed.

· **Other information:** see section 8 / 15· **Synergistic Products:** None· **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):** The following statements refer to the mixture:· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.· **Carcinogenicity** Based on available data, the classification criteria are not met.· **Reproductive toxicity** Based on available data, the classification criteria are not met.· **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.· **Aspiration hazard** Based on available data, the classification criteria are not met.

· Information on components:
CAS: 121-57-3 sulphanilic acid
OECD 471 (negative) (NTP, Salmonella typhimurium)

· **Additional toxicological information:**

The following applies to aromatic amines in general: systemic effect - methaemoglobinaemia with headache, cardia dysrhythmia, drop in blood pressure, dyspnoea, spasm,
principal symptom: cyanosis (blue discoloration of the blood)

12 Ecological information

· **Toxicity**

· Aquatic toxicity:
CAS: 7681-38-1 sodium bisulfate
EC50 190 mg/l/48h (Daphnia magna) (IUCLID)
CAS: 121-57-3 sulphanilic acid
EC50 85.7 mg/l/48h (Daphnia magna) (IUCLID)
IC50 91 mg/l/72h (Desmodesmus subspicatus) (IUCLID)
LC50 100.4 mg/l/96h (fathhead minnow) (IUCLID)

· **Bacterial toxicity:**

sulfates toxic > 2.5 g/l

CAS: 7681-38-1 sodium bisulfate
EC10 > 1000 mg/l (Pseudomonas putida) (16 h)

· **Other information:**

Toxic for fish:

sulfates > 7 g/l

· Persistence and degradability
CAS: 121-57-3 sulphanilic acid
OECD 301 B 31% / 28d (.) (CO2 Evolution Test)

· **Bioaccumulative potential**

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 121-57-3 sulphanilic acid
log Pow -2.16 (.)

· **Mobility in soil** No further relevant information available.· **Other adverse effects**

Forms corrosive mixtures with water even if diluted.

(Contd. on page 7)

— US —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/29/2017

Reviewed on 09/29/2017

Trade name: Nitrite LR

Avoid transfer into the environment.

(Contd. of page 6)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to hazardous waste disposers.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT, IMDG, IATA	none
· UN proper shipping name · DOT, IMDG, IATA	none
· Transport hazard class(es) · DOT, IMDG, IATA · Class	none
· Packing group · DOT, IMDG, IATA	none
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

*15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (Extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **New Jersey Right-to-Know List:**

None of the ingredients is listed.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/29/2017

Reviewed on 09/29/2017

Trade name: Nitrite LR

(Contd. of page 7)

· New Jersey Special Hazardous Substance List:
None of the ingredients is listed.
· Pennsylvania Right-to-Know List:
None of the ingredients is listed.
· Pennsylvania Special Hazardous Substance List:
None of the ingredients is listed.
· EPA (Environmental Protection Agency)
None of the ingredients is listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.

- **Information about limitation of use:** Employment restrictions concerning young persons must be observed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.

· **Date of preparation / last revision** 09/29/2017 / 2

· Abbreviations and acronyms:

- OECD: Organisation for Economic Co-operation and Development
- STOT: specific target organ toxicity
- SE: single exposure
- RE: repeated exposure
- EC50: half maximal effective concentration
- IC50: half maximal inhibitory concentration
- NOEL or NOEC: No Observed Effect Level or Concentration
- ACGIH® - American Conference of Governmental Industrial Hygienists
- A1 - Confirmed human carcinogen
- A2 - Suspected human carcinogen
- A3 - Confirmed animal carcinogen with unknown relevance to humans
- A4 - Not classifiable as a human carcinogen
- A5 - Not suspected as a human carcinogen
- IARC - International Agency for Research on Cancer
- Group 1 - Carcinogenic to humans
- Group 2A - Probably carcinogenic to humans
- Group 2B - Possibly carcinogenic to humans
- Group 3 - Not classifiable as to carcinogenicity to humans
- Group 4 - Probably not carcinogenic to humans
- NTP - National Toxicology Program, U.S. Department of Health and Human Services
- Group K - Known to be Human Carcinogens
- Group R - Reasonably Anticipated to be Human Carcinogens
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
- Skin Sens. 1: Skin sensitisation – Category 1

· Sources

Data arise from safety data sheets, reference works and literature.
IUCLID (International Uniform Chemical Information Database)

· * **Data compared to the previous version altered.**