Lovibond® Water Testing

Tintometer® Group



Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 12/14/2017 Reviewed on 12/14/2017

1 Identification

· Product identifier

· Trade name: Sulfide No.1

· Catalogue number: 00512931, 502930

· Application of the substance / the mixture: Reagent for water analysis

· Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA

phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Repr. 1B H360 May damage fertility or the unborn child.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- · Hazard pictograms





GHS05 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

sodium bisulfate boric acid

N,N-Diethyl-p-phenylenediamine sulfate

(1:1)

· Hazard statements

H318 Causes serious eye damage.

H360 May damage fertility or the unborn child.

· Precautionary statements

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P308+P310 IF exposed or concerned: Immediately call a poison center/doctor.

P405 Store locked up.

(Contd. on page 2)

Printing date 12/14/2017 Reviewed on 12/14/2017

Trade name: Sulfide No.1

(Contd. of page 1)

· Other hazards No further relevant information available.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of organic and inorganic compounds
- · Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

CAS: 10043-35-3 EINECS: 233-139-2 Index number: 005-007-00-2 RTECS: ED 4550000	boric acid Repr. 1B, H360	50–60%
CAS: 7681-38-1 EINECS: 231-665-7 Index number: 016-046-00-X RTECS: VZ1860000	sodium bisulfate ♦ Eye Dam. 1, H318	30–40%
CAS: 6283-63-2 EINECS: 228-500-6 RTECS: SS 9625000	N,N-Diethyl-p-phenylenediamine sulfate (1:1) Other Control of the	2.5–5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air.

Seek medical treatment.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

· After eye contact:

Rinse opened eye for several minutes (at least 15 min) under running water. Then consult a doctor.

Call a doctor immediately.

After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

Seek medical treatment.

· Most important symptoms and effects, both acute and delayed

irritations

after inhalation:

mucosal irritations, cough, breathing difficulty

after swallowing:

resorption

sickness

vomiting diarrhoea

after resorption:

fatigue

CNS disorders

ataxia (impaired locomotor coordination)

drop in temperature

cramps

- · Danger: Danger of pulmonary edema.
- Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

Printing date 12/14/2017 Reviewed on 12/14/2017

Trade name: Sulfide No.1

(Contd. of page 2)

· Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Nitrogen oxides (NOx)

Sulfur oxides (SOx)

Sodium oxide

- · Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

- · Advice for emergency responders: Protective equipment: see section 8
- Environmental precautions: Do not allow product to reach sewage system or any water course.
- Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- · Advice on safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

· Hygiene measures:

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Store protective clothing separately.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions:

Store under lock and key and with access restricted to technical experts or their assistants only.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from exposure to the light.

Protect from humidity and water.

This product is hygroscopic.

- · Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

-US-

Printing date 12/14/2017 Reviewed on 12/14/2017

Trade name: Sulfide No.1

(Contd. of page 3)

8 Exposure controls/personal protection

- · Control parameters
- Components with limit values that require monitoring at the workplace:

At this time, the other constituents have no known exposure limits.

CAS: 10043-35-3 boric acid

TLV (USA) Short-term value: 6* mg/m³
 Long-term value: 2* mg/m³
 *as inhalable fraction, A4 (ACGIH 2008)

EL (Canada) Short-term value: 6 mg/m³
 Long-term value: 2 mg/m³

EV (Canada) Short-term value: 6 mg/m³
 Long-term value: 2 mg/m³
 inorganic, inhalable

· Additional information: The lists that were valid during the creation were used as basis.

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- · Personal protective equipment:
- · Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.
- Recommended filter device for short term use: Filter P3
- · Protection of hands:

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed goggles
- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment: Avoid release to the environment.

9 Physical and chemical properties

· Information on basic physical and chemical properties · Appearance:		
Form / Physical state: Color:	Tablets White	
· Odor: · Odor threshold:	Odorless Not applicable.	
· pH-value (19.8 g/l) at 20 °C (68 °F):	1.7	
· Melting point/freezing point: · Initial boiling point and boiling range:	Not determined. Not determined.	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	The product is not combustible.	
Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not self-igniting.	
Danger of explosion: Flammability or explosive limits:	Product does not present an explosion hazard.	
Lower:	Not applicable.	
Upper:	Not applicable.	
· Oxidizing properties:	none	

(Contd. on page 5

Printing date 12/14/2017 Reviewed on 12/14/2017

Trade name: Sulfide No.1

(Contd. of page 4)

	(Conta. or pag
· Vapor Pressure:	Not applicable.
· Density at 20 °C (68 °F):	1.91 g/cm³ (15.94 lbs/gal)
· Relative density:	Not determined.
· Vapor density:	Not applicable.
· Evaporation rate:	Not applicable.
· Solubility(ies)	
Water:	Soluble.
· Partition coefficient (n-octanol/	/water): Not applicable.
· Viscosity:	Not applicable.
· Solvent content:	
Organic solvents:	0 %
Solids content:	100 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions"
- · Chemical stability Stable at ambient temperature (room temperature).
- Possibility of hazardous reactions

Forms hydrogen in aqueous solution with metals (Danger of explosion!).

Aqueous solution reacts with metals.

Reacts with alkali (lyes).

Reacts with strong oxidizing agents.

Liberates acid in contact with water or alcohol.

If moisture is present, boric acid can be corrosive to iron.

- · Conditions to avoid To avoid thermal decomposition do not overheat.
- · Incompatible materials: metals
- · Hazardous decomposition products: see section 5

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

Acute toxicity estimate (ATE max Calculation method: Oral GHS ATE Max Calculation method: CAS: 10043-35-3 boric acid Oral LD50 2660 mg/kg (rat) (OECD 401) (GESTIS, ECHA registrant) Dermal LD50 > 2000 mg/kg (rat) (ECHA, registrant) Dermal LD50 1500 mg/kg (child) (MERCK) Inhalative LC50 > 2.03 mg/l/4h (rat) (OECD 403, aerosol) (ECHA, registrant: no deaths occurred.) Inhalative LC50 > 2.03 mg/l/4h (rat) (OECD 403, aerosol) (ECHA, registrant: no deaths occured) NOAEL 9.6 mg/kg (rat) (NTP) CAS: 7681-38-1 sotium bisulfate Oral LD50 2490 mg/kg (rat) (IUCLID) Dermal LD50 > 2000 mg/kg (rabbit) CAS: 6283-63-2 N,N-Diethyl-p-phenylenediamine sulfate (1:1) Oral LD50 497 mg/kg (rat) (MERCK) Oral LD50 497 mg/kg (rat) (MERCK) Oral (MERCK) (MERCK) (MERCK) (MERCK) (MERCK) Oral (MERCK) (MERCK)	Acate tox	ioity. Da	sed on available data, the diassilledion offend are not met.	
LD/LC50 values that are relevant for classification: CAS: 10043-35-3 boric acid Oral LD50 2660 mg/kg (rat) (OECD 401) (GESTIS, ECHA registrant) Dermal LD50. >2000 mg/kg (rat) (ECHA, registrant: no deaths occurred.) LD₀ 1500 mg/kg (child) (MERCK) Inhalative LC50. >2.03 mg/l/4h (rat) (OECD 403, aerosol) (ECHA, registrant: no deaths occurred) NOAEL 9.6 mg/kg (rat) (NTP) CAS: 7681-38-1 sodium bisulfate Oral LD50 2490 mg/kg (rat) (IUCLID) Dermal LD50. >2000 mg/kg (rabbit) CAS: 6283-63-2 N,N-Diethyl-p-phenylenediamine sulfate (1:1) Oral LD50 497 mg/kg (rat) (MERCK)				
CAS: 10043-35-3 boric acid Oral LD50 2660 mg/kg (rat) (OECD 401) (GESTIS, ECHA registrant) Dermal LD50. >2000 mg/kg (rat) (ECHA, registrant: no deaths occurred.) LD₀ 1500 mg/kg (child) (MERCK) Inhalative LC50. >2.03 mg/l/4h (rat) (OECD 403, aerosol) (ECHA, registrant: no deaths occured) NOAEL 9.6 mg/kg (rat) (NTP) CAS: 7681-38-1 sodium bisulfate Oral LD50 2490 mg/kg (rat) (IUCLID) Dermal LD50. >2000 mg/kg (rabbit) CAS: 6283-63-2 N,N-Diethyl-p-phenylenediamine sulfate (1:1) Oral LD50 497 mg/kg (rat) (MERCK)	Oral GHS ATE _(MIX) 2251 mg/kg (.)			
Oral LD50 2660 mg/kg (rat) (OECD 401) (GESTIS, ECHA registrant) Dermal LD50. >2000 mg/kg (rat) (ECHA, registrant: no deaths occurred.) LD₀ 1500 mg/kg (child) (MERCK) Inhalative LC50. >2.03 mg/l/4h (rat) (OECD 403, aerosol) (ECHA, registrant: no deaths occured) NOAEL 9.6 mg/kg (rat) (NTP) CAS: 7681-38-1 sodium bisulfate Oral LD50 2490 mg/kg (rat) (IUCLID) (IUCLID) Dermal LD50. >2000 mg/kg (rabbit) CAS: 6283-63-2 N,N-Diethyl-p-phenylenediamine sulfate (1:1) Oral LD50 497 mg/kg (rat) (MERCK)	· LD/LC50 v	values th	nat are relevant for classification:	
Dermal LD50. >2000 mg/kg (rat) (ECHA, registrant: no deaths occurred.) LD₀ 1500 mg/kg (child) (MERCK) Inhalative NOAEL 9.6 mg/kg (rat) (NTP) CAS: 7681-38-1 sotium bisulfate Oral LD50 2490 mg/kg (rat) (IUCLID) Dermal LD50 2000 mg/kg (rabbit) CAS: 6283-63-2 N,N-Diethyl-p-phenylenediamine sulfate (1:1) Oral LD50 497 mg/kg (rat) (MERCK)	CAS: 1004	43-35-3 k	poric acid	
Inhalative LC50. 1500 mg/kg (child) (MERCK) 1500 mg/kg (child) (MERCK) 1500 mg/kg (child) (MERCK) 1500 mg/kg (child) (MERCK) 1500 mg/kg (rat) (ECHA, registrant: no deaths occured) 1500 mg/kg (rat) (NTP) 1500 mg/kg (rat) (IUCLID) 1500 mg/kg (rat) (IUCLID) 1500 mg/kg (rabbit) 1500 mg/kg (rabbit) 1500 mg/kg (rat) (IUCLID) 1500 mg/kg (rat) (IUCLID) 1500 mg/kg (rat) (IUCLID) 1500 mg/kg (rat) (MERCK) 1500 mg/kg (members) 1500 mg/kg (member	Oral	LD50		
Inhalative LC50. >2.03 mg/l/4h (rat) (OECD 403, aerosol) (ECHA, registrant: no deaths occured) NOAEL 9.6 mg/kg (rat) (NTP)	Dermal	LD50.		
CAS: 7681-38-1 sodium bisulfate Oral LD50 2490 mg/kg (rab) (IUCLID) Dermal LD50. >2000 mg/kg (rabbit) CAS: 6283-63-2 N,N-Diethyl-p-phenylenediamine sulfate (1:1) Oral LD50 497 mg/kg (rat) (MERCK)		LD₀		
CAS: 7681-38-1 sodium bisulfate Oral	Inhalative	LC50.		
Oral LD50 2490 mg/kg (rat) (IUCLID) Dermal LD50. >2000 mg/kg (rabbit) CAS: 6283-63-2 N,N-Diethyl-p-phenylenediamine sulfate (1:1) Oral LD50 497 mg/kg (rat) (MERCK)		NOAEL		
Dermal LD50. >2000 mg/kg (rabbit)	CAS: 768	1-38-1 sc	odium bisulfate	
CAS: 6283-63-2 N,N-Diethyl-p-phenylenediamine sulfate (1:1) Oral LD50 497 mg/kg (rat) (MERCK)	Oral	LD50		
(1:1) Oral LD50 497 mg/kg (rat) (MERCK)	Dermal	LD50.	>2000 mg/kg (rabbit)	
Oral LD50 497 mg/kg (rat) (MERCK)	CAS: 628			
(MERČK)		(1	:1)	
	Oral	LD50	(MERCK)	

Printing date 12/14/2017 Reviewed on 12/14/2017

Trade name: Sulfide No.1

(Contd. of page 5)

Dermal LD50 1100 mg/kg (ATE)

· Primary irritant effect:

on the skin: Based on available data, the classification criteria are not met.

on the eye:

Causes serious eye damage. Risk of corneal clouding.

Information on components:

CAS 6283-63-2: DPD may cause allergic skin reaction

OAO 0200-00-2.	OAO 0200-00-2. Dr D may cause allergic skirr reaction			
CAS: 10043-35-	CAS: 10043-35-3 boric acid			
Irritation of skin		(rabbit: no irritation) (Registrant, ECHA)		
Irritation of eyes		(rabbit: slight irritation) (IUCLID)		
CAS: 7681-38-1 sodium bisulfate				
Irritation of skin	OECD 404	(rabbit: no irritation)		
Irritation of eyes	OECD 405	(rabbit: severe irritations)		

- · Sensitization: Based on available data, the classification criteria are not met.
- · Information on components:

CAS 6283-63-2: Sensitization possible in predisposed persons.

CAS: 10043-35-3 boric acid
Sensitization | OECD 406 | (guinea pig: negative)

Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Other information: see section 8 / 15
- · Synergistic Products: None
- \cdot CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

The following statements refer to the mixture:

Repr. 1B

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity May damage fertility or the unborn child.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

Information on components:

CAS 10043-35-3: evaluation for carcinogenicity: negative in animals (NTP)

CAS: 10043-35-3 boric acid		
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test)	
OECD 476	(negative) (In Vitro Mammalian Cell Gene Mutation Test) (mouse lymphomea test)	
	(negative) (oral, rat) (ECHA, registrant: no evidence of developmental toxicity up to 55 mg/kg bw. At 76 mg/kg bw there was reduced fetal bodyweight, short and wavy ribs, and these effects disappeared during the postnatal period.)	
OECD 474	(negative) (in vivo, mice)	

Additional toxicological information:

CAS 10043-35-3: Absorption through gastro-intestinal tract, mucous membranes

Boric acid / Borate may cause developmental changes based on published data, at doses many times in excess of those that could occur through inhalation of dust in occupational settings.

(Contd. on page 7)

Printing date 12/14/2017 Reviewed on 12/14/2017

Trade name: Sulfide No.1

· Experience with humans: CAS 10043-35-3: Can cause kidney damages.

(Contd. of page 6)

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 10043-35-3 boric acid

EC50 133 mg/l/48h (Daphnia magna)

(ECOTOX)

LC50 50-100 mg/l/96h (rainbow trout)

(ECOTOX)

CAS: 7681-38-1 sodium bisulfate

EC50 | 190 mg/l/48h (Daphnia magna) (IUCLID)

Bacterial toxicity:

sulfates toxic > 2.5 g/l

CAS: 7681-38-1 sodium bisulfate

EC10 >1000 mg/l (Pseudomonas putida) (16 h)

Other information:

Toxic for fish:

sulfates > 7 q/l

· Persistence and degradability No further relevant information available.

· Bioaccumulative potential

CAS: 10043-35-3 boric acid

log Pow -1.09 (.) (OECD 107, 22°C)

(Merck)

CAS: 6283-63-2 N,N-Diethyl-p-phenylenediamine sulfate

(1:1)

log Pow 2.24 (.) (calculated)

- Mobility in soil No further relevant information available.
- · Other adverse effects Avoid transfer into the environment.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

DOT, IMDG, IATA	none
· UN proper shipping name · DOT, IMDG, IATA	none

· Transport hazard class(es)

· DOT, IMDG, IATA

· Class none

· Packing group

· UN-Number

· DOT, IMDG, IATA none

(Contd. on page 8)

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 12/14/2017 Reviewed on 12/14/2017

Trade name: Sulfide No.1

• Environmental hazards: Not applicable.

· Special precautions for user Not applicable.

· Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code Not applicable.

· Transport/Additional information: Not dangerous according to the above specifications.

*15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

CAS No. 6283-63-2 is listed under CAS No. 6065-27-6 1,4-Benzenediamine, N1,N1-diethyl-, sulfate (1:?) All remaining ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

Pennsylvania Right-to-Know List:

None of the ingredients is listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

· EPA (Environmental Protection Agency)

CAS: 10043-35-3 boric acid

I (oral)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

i (Grai)

· Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning young persons must be observed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

Printing date 12/14/2017 Reviewed on 12/14/2017

Trade name: Sulfide No.1

(Contd. of page 8)

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

Date of preparation / last revision 12/14/2017 / 15

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

•Group 1 - Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans

•Group 2B - Possibly carcinogenic to humans

•Group 3 - Not classifiable as to carcinogenicity to humans

•Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services

Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Repr. 1B: Reproductive toxicity – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Data arise from safety data sheets, reference works and literature.

ECHA: European Chemicals Agency http://echa.europa.eu

GESTIS- Stoffdatenbank (Substance Database, Germany)

NTP (National Toxicology Program)

* Data compared to the previous version altered.