Lovibond® Water Testing

Tintometer® Group



Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 12/08/2017 Reviewed on 12/08/2017

1 Identification

· Product identifier

· Trade name: Silica No. 2

· Catalogue number: 00513141, 513140BT, 4513140BT, 513141BT, 4513141BT, 00513149BT

· Application of the substance / the mixture: Reagent for water analysis

· Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-6410 fax: (941) 727-9654

fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Repr. 1B H360 May damage fertility or the unborn child.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- · Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

boric acid

· Hazard statements

H360 May damage fertility or the unborn child.

Precautionary statements

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection. P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

· Other hazards No further relevant information available.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of organic and inorganic compounds
- Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

(Contd. on page 2)

Printing date 12/08/2017 Reviewed on 12/08/2017

Trade name: Silica No. 2

(Contd. of page 1)

CAS: 10043-35-3 EINECS: 233-139-2 Index number: 005-007-00-2 RTECS: ED 4550000	Repr. 1B, H360	2.5–5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes (at least 15 min) under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

If symptoms persist consult doctor.

Most important symptoms and effects, both acute and delayed

resorption

irritating effect possible

after swallowing of large amounts:

sickness

vomiting

after absorption of large amounts:

gastric or intestinal disorders

CNS disorders

cardiovascular disorders

cramps

· Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

nitrous gases

Sulfur oxides (SOx)

Nitrogen oxides (NOx)

Carbon monoxide (CO) and carbon dioxide (CO₂)

Sodium oxide

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

- · Advice for emergency responders: Protective equipment: see section 8
- Environmental precautions: Do not allow product to reach sewage system or any water course.

(Contd. on page 3)

Printing date 12/08/2017 Reviewed on 12/08/2017

Trade name: Silica No. 2

(Contd. of page 2)

· Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- · Advice on safe handling:

Thorough dedusting.

Prevent formation of dust.

Hygiene measures:

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Store protective clothing separately.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Store under lock and key and with access restricted to technical experts or their assistants only.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from exposure to the light.

Protect from humidity and water.

This product is hygroscopic.

- · Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

CAS: 10043-35-3 boric acid TLV (USA) Short-term value: 6* mg/m³ Long-term value: 2* mg/m³ *as inhalable fraction, A4 (ACGIH 2008) EL (Canada) Short-term value: 6 mg/m³ Long-term value: 2 mg/m³ EV (Canada) Short-term value: 6 mg/m³ Long-term value: 2 mg/m³ inorganic, inhalable

- · Additional information: The lists that were valid during the creation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- · Personal protective equipment:
- · Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter P3
- · Protection of hands:

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

(Contd. on page 4)

Printing date 12/08/2017 Reviewed on 12/08/2017

Trade name: Silica No. 2

(Contd. of page 3)

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

use against the effects of fumes / dust

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

Information on basic physical and chemical properties				
· Appearance: Form / Physical state:	Tablets			
Color:	Light beige			
· Odor:	Odorless			
· Odor threshold:	Not applicable.			
· pH-value (10 g/l) at 20 °C (68 °F):	2			
Melting point/freezing point:	Not determined.			
Initial boiling point and boiling range: Not determined.				
· Flash point:	Not applicable.			
· Flammability (solid, gas):	The product is not combustible.			
· Decomposition temperature:	> 170 °C (>338 °F) (CAS 10043-35-3)			
· Auto-ignition temperature:	Product is not self-igniting.			
· Danger of explosion:	As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.			
· Flammability or explosive limits:	·			
Lower:	Not determined.			
Upper:	Not determined.			
· Oxidizing properties:	none			
Vapor Pressure:	Not applicable.			
Density at 20 °C (68 °F): Relative density:	1.66 g/cm³ (13.85 lbs/gal) Not determined.			
· Vapor density:	Not determined. Not applicable.			
· Evaporation rate:	Not applicable.			
· Solubility(ies)				
Water:	Soluble.			
· Partition coefficient (n-octanol/water)	· Partition coefficient (n-octanol/water): Not applicable.			
· Viscosity:	Not applicable.			
Solvent content:				
Organic solvents:	0 %			
Solids content:	100 %			
· Other information	No further relevant information available.			

10 Stability and reactivity

- · Reactivity Dust can combine with air to form an explosive mixture.
- · Chemical stability Stable at ambient temperature (room temperature).

(Contd. on page 5)

Printing date 12/08/2017 Reviewed on 12/08/2017

Trade name: Silica No. 2

(Contd. of page 4)

· Possibility of hazardous reactions

Reacts with alkali (lyes).

Reacts with oxidizing agents.

- --> Forms heat.
- · Conditions to avoid To avoid thermal decomposition do not overheat.
- · Incompatible materials: aluminum
- · Hazardous decomposition products: see section 5

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:				
CAS: 10043-35-3 boric acid				
Oral	LD50	2660 mg/kg (rat) (OECD 401) (GESTIS, ECHA registrant)		
Dermal	LD50.	>2000 mg/kg (rat) (ECHA, registrant: no deaths occurred.)		
	LD₀	1500 mg/kg (child) (MERCK)		
Inhalative	LC50.	>2.03 mg/l/4h (rat) (OECD 403, aerosol) (ECHA, registrant: no deaths occured)		
	NOAEL	9.6 mg/kg (rat)		

- · Primary irritant effect:
- on the skin: Based on available data, the classification criteria are not met.
- · on the eye: Based on available data, the classification criteria are not met.

· Information on components:				
CAS: 10043-35-3 boric acid				
Irritation of skin		(rabbit: no irritation) (Registrant, ECHA)		
Irritation of eyes		(rabbit: slight irritation) (IUCLID)		

- · Sensitization: Based on available data, the classification criteria are not met.
- · Information on components:

CAS: 10043-35-3 boric acid

Sensitization | OECD 406 | (guinea pig: negative)

Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 999-99-9 one or more ingredient(s)

Group 3: Not classifiable as to carcinogenicity to humans

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- Other information: see section 8 / 15
- · Synergistic Products: None
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

The following statements refer to the mixture:

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity May damage fertility or the unborn child.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 12/08/2017 Reviewed on 12/08/2017

Trade name: Silica No. 2

(Contd. of page 5)

· Aspiration hazard Based on available data, the classification criteria are not met.

· Information on components:

CAS 10043-35-3: evaluation for carcinogenicity: negative in animals (NTP)

OECD 414: Teratogenicity testing OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 10043-35-3 boric acid

OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test)
OECD 476 (negative) (In Vitro Mammalian Cell Gene Mutation Test)
(mouse lymphomea test)

OECD 414 (negative) (oral, rat)

(ECHA, registrant: no evidence of developmental toxicity up to 55 mg/kg bw. At 76 mg/kg bw there was reduced fetal bodyweight, short and wavy ribs, and these effects disappeared during the postnatal period.)

OECD 474 (negative) (in vivo, mice)

· Additional toxicological information:

CAS 10043-35-3: Absorption through gastro-intestinal tract, mucous membranes

Boric acid / Borate may cause developmental changes based on published data, at doses many times in excess of those that could occur through inhalation of dust in occupational settings.

Experience with humans: CAS 10043-35-3: Can cause kidney damages.

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 10043-35-3 boric acid

EC50 133 mg/l/48h (Daphnia magna)

(ECOTOX)

LC50 50–100 mg/l/96h (rainbow trout)

(ECOTOX)

· Bacterial toxicity: sulfates toxic > 2.5 g/l

Other information:

Toxic for fish:

sulfates > 7 g/l

· Persistence and degradability No further relevant information available.

· Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 10043-35-3 boric acid

log Pow | -1.09 (.) (OECD 107, 22°C) (Merck)

- Mobility in soil No further relevant information available.
- Other adverse effects Avoid transfer into the environment.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

-US

Printing date 12/08/2017 Reviewed on 12/08/2017

Trade name: Silica No. 2

(Contd. of page 6)

14 Transport information

· UN-Number		
· DOT, IMDG, IATA	none	
· UN proper shipping name		
DOT, IMDG, IATA	none	
· Transport hazard class(es)		
· DOT, IMDG, IATA		
· Class	none	
-1400	Helle	
· Packing group		
DOT, IMDG, IATA	none	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78		
and the IBC Code	Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

New Jersey Right-to-Know List:

None of the ingredients is listed.

New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

Pennsylvania Right-to-Know List:

CAS: 7757-82-6 sodium sulphate

Pennsylvania Special Hazardous Substance List:

CAS: 7757-82-6 sodium sulphate

Ε

EPA (Environmental Protection Agency)

CAS: 10043-35-3 boric acid

I (oral)

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed. Employment restrictions concerning young persons must be observed.

Printing date 12/08/2017 Reviewed on 12/08/2017

Trade name: Silica No. 2

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H360 May damage fertility or the unborn child.

Date of preparation / last revision 12/08/2017 / 23

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen •A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

•Group 1 - Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans •Group 2B - Possibly carcinogenic to humans

•Group 3 - Not classifiable as to carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services
•Group K - Known to be Human Carcinogens
•Group R - Reasonably Anticipated to be Human Carcinogens

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Repr. 1B: Reproductive toxicity - Category 1B

Sources

Data arise from safety data sheets, reference works and literature.

GESTIS- Stoffdatenbank (Substance Database, Germany)

ECHA: European CHemicals Agency http://echa.europa.eu

IUCLID (International Uniform Chemical Information Database)

NTP (National Toxicology Program)

* Data compared to the previous version altered.