

### Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 07/20/2017

Reviewed on 07/20/2017

#### 1 Identification

- **Product identifier**
- **Trade name:** Aluminium No.1
- **Catalogue number:** 00515461, (4)515460BT, (4)515461BT, 515463(0), 00515460BT, 00515461BT, 00515469BT
- **SDS p/n:** Batch A
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**  
Tintometer Inc.  
6456 Parkland Drive  
Sarasota, FL 34243  
USA  
phone: (941) 756-6410  
fax: (941) 727-9654  
www.lovibond.us  
Made in Germany
- **Emergency telephone number:** + 1 866 928 0789 (English, French, Spanish)

#### 2 Hazard(s) identification

- **Classification of the substance or mixture** The product is not classified as hazardous.
- **Label elements**
- **GHS label elements** none
- **Hazard pictograms** none
- **Signal word** none
- **Hazard statements** none
- **Other hazards** The following applie to Mercaptane in genreal: offensive odour

#### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of organic and inorganic compounds
- **Composition and Information on Ingredients:**  
Percent ranges are used due to the confidential product information.

CAS: 70-49-5	mercaptosuccinic acid	2.5-5%
EINECS: 200-736-4	⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
RTECS: WM 8225000		

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

#### 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes (at least 15 min) under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink 1-2 glasses of water.  
If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**  
after swallowing of large amounts:  
sickness  
vomiting

(Contd. on page 2)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/20/2017

Reviewed on 07/20/2017

Trade name: Aluminium No.1

(Contd. of page 1)

diarrhoea  
 drop in blood pressure  
 respiratory paralysis  
 cardiovascular disorders

· **Danger:** Danger of disturbed cardiac rhythm.

· **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

### 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

· **Special hazards arising from the substance or mixture**

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Hydrogen chloride (HCl)

Nitrogen oxides (NOx)

Potassium oxide

· **Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

### 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

· **Advice for non-emergency personnel:** Wear protective equipment. Keep unprotected persons away.

· **Advice for emergency responders:** Protective equipment: see section 8

· **Environmental precautions:** Do not allow product to reach sewage system or any water course.

· **Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

· **Reference to other sections**

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· **Handling:**

· **Precautions for safe handling**

· **Advice on safe handling:** No special precautions are necessary if used correctly.

· **Hygiene measures:**

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Store away from oxidizing agents.

· **Further information about storage conditions:**

Protect from heat and direct sunlight.

Protect from exposure to the light.

Store in dry conditions.

Protect from humidity and water.

· **Maximum storage temperature:** 25°C (77°F)

· **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)

(Contd. on page 3)

US

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/20/2017

Reviewed on 07/20/2017

Trade name: Aluminium No.1

(Contd. of page 2)

- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Engineering measures:**  
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.
- **Personal protective equipment:**
- **Breathing equipment:** Use respiratory protective device against the effects of fumes/dust/aerosol.
- **Recommended filter device for short term use:** Filter P1
- **Protection of hands:**  
Preventive skin protection by use of skin-protecting agents is recommended.  
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**  
Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.11$  mm
- **Penetration time of glove material**  
Value for the permeation: Level  $\leq 1$  (10 min)  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**  
Safety glasses  
use against the effects of fumes / dust
- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment:**  
Do not allow product to reach sewage system or any water course.

### 9 Physical and chemical properties

• <b>Information on basic physical and chemical properties</b>	
• <b>Appearance:</b>	
Form / Physical state:	Tablets
Color:	Pink
• <b>Odor:</b>	Nearly odorless
• <b>Odor threshold:</b>	Not determined.
• <b>pH-value (11 g/l) at 20°C (68 °F):</b>	3.1
• <b>Melting point/freezing point:</b>	Not determined.
• <b>Initial boiling point and boiling range:</b>	Not determined.
• <b>Flash point:</b>	Not applicable.
• <b>Flammability (solid, gas):</b>	The product is not combustible.
• <b>Ignition temperature:</b>	Not applicable.
• <b>Decomposition temperature:</b>	Not determined.
• <b>Auto-ignition temperature:</b>	Product is not self-igniting.
• <b>Danger of explosion:</b>	Product does not present an explosion hazard.
• <b>Flammability or explosive limits:</b>	
Lower:	Not applicable.
Upper:	Not applicable.
• <b>Oxidizing properties:</b>	none
• <b>Vapor Pressure:</b>	Not applicable.
• <b>Density:</b>	Not determined.
• <b>Relative density:</b>	Not determined.

(Contd. on page 4)

US

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/20/2017

Reviewed on 07/20/2017

Trade name: Aluminium No.1

(Contd. of page 3)

· Vapor density:	Not applicable.
· Evaporation rate:	Not applicable.
· Solubility(ies) Water:	Soluble.
· Partition coefficient (n-octanol/water):	Not applicable.
· Viscosity:	Not applicable.
· Solvent content: Organic solvents:	0.0 %
Solids content:	100.0 %
· Other information	No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** see section "Possibility of hazardous reactions"
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions**  
Reacts with acids.  
Reacts with oxidizing agents.  
--> Forms heat.  
Reacts with alkalis releasing ammonia.
- **Conditions to avoid** Strong heating (decomposition)
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** see section 5

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

#### · Acute toxicity estimate (ATE<sub>(mix)</sub>) - Calculation method:

Oral	GHS ATE <sub>(mix)</sub>	2,584 mg/kg (rat)
------	--------------------------	-------------------

#### · LD/LC50 values that are relevant for classification:

The following statements refer to the individual components.

#### CAS: 70-49-5 mercaptosuccinic acid

Oral	LD50	800 mg/kg (rat)
	LD50 IVN	>1 mg/kg (rabbit)
	LD50 IPR	200 mg/kg (mouse)

- **Primary irritant effect:**
- **on the skin:** Based on available data, the classification criteria are not met.
- **on the eye:** Based on available data, the classification criteria are not met.
- **Sensitization:** Based on available data, the classification criteria are not met.
- **Carcinogenic categories**

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- **Other information:** see section 8 / 15

- **Synergistic Products:** None

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):** The following statements refer to the mixture:

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/20/2017

Reviewed on 07/20/2017

Trade name: Aluminium No.1

(Contd. of page 4)

- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Bacterial toxicity:** sulfates toxic > 2.5 g/l
- **Other information:**  
Toxic for fish:  
sulfates > 7 g/l  
Magnesium compounds: 100 - 400 mg/l  
NH<sub>4</sub><sup>+</sup> > 0.3 mg/l
- **Persistence and degradability** No further relevant information available.

· <b>Bioaccumulative potential</b>
<b>CAS: 70-49-5 mercaptosuccinic acid</b>
log Pow ≤0.88 (.) (calculated)

- **Mobility in soil** No further relevant information available.

- **Other adverse effects**

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of water supplies. Avoid transfer into the environment.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· <b>UN-Number</b>	
· <b>DOT, IMDG, IATA</b>	none
· <b>UN proper shipping name</b>	
· <b>DOT, IMDG, IATA</b>	none
· <b>Transport hazard class(es)</b>	
· <b>DOT, IMDG, IATA</b>	
· <b>Class</b>	none
· <b>Packing group</b>	
· <b>DOT, IMDG, IATA</b>	none
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/20/2017

Reviewed on 07/20/2017

Trade name: Aluminium No.1

(Contd. of page 5)

<b>· Transport/Additional information:</b>	Not dangerous according to the above specifications.
--	--

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

<b>· Section 355 (Extremely hazardous substances):</b>
--

None of the ingredients is listed.
------------------------------------

<b>· Section 313 (Specific toxic chemical listings):</b>
--

CAS: 7783-20-2 ammonium sulphate
----------------------------------

<b>· TSCA (Toxic Substances Control Act):</b>
---

All ingredients are listed.
-----------------------------

<b>· Proposition 65</b>
-------------------------

<b>· Chemicals known to cause cancer:</b>
---

None of the ingredients is listed.
------------------------------------

<b>· Chemicals known to cause reproductive toxicity for females:</b>
--

None of the ingredients is listed.
------------------------------------

<b>· Chemicals known to cause reproductive toxicity for males:</b>
--

None of the ingredients is listed.
------------------------------------

<b>· Chemicals known to cause developmental toxicity:</b>
---

None of the ingredients is listed.
------------------------------------

<b>· New Jersey Right-to-Know List:</b>
---

None of the ingredients is listed.
------------------------------------

<b>· New Jersey Special Hazardous Substance List:</b>
---

None of the ingredients is listed.
------------------------------------

<b>· Pennsylvania Right-to-Know List:</b>
---

CAS: 7783-20-2 ammonium sulphate
----------------------------------

<b>· Pennsylvania Special Hazardous Substance List:</b>
---

CAS: 7783-20-2 ammonium sulphate	E
----------------------------------	---

<b>· EPA (Environmental Protection Agency)</b>
--

None of the ingredients is listed.
------------------------------------

<b>· NIOSH-Ca (National Institute for Occupational Safety and Health)</b>
---

None of the ingredients is listed.
------------------------------------

- Information about limitation of use: Not required.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

- Date of preparation / last revision 07/20/2017 / 34

- Abbreviations and acronyms:

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

(Contd. on page 7)

US

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/20/2017

Reviewed on 07/20/2017

---

**Trade name: Aluminium No.1**


---

(Contd. of page 6)

- A2 - Suspected human carcinogen
- A3 - Confirmed animal carcinogen with unknown relevance to humans
- A4 - Not classifiable as a human carcinogen
- A5 - Not suspected as a human carcinogen
- IARC - International Agency for Research on Cancer
- Group 1 - Carcinogenic to humans
- Group 2A - Probably carcinogenic to humans
- Group 2B - Possibly carcinogenic to humans
- Group 3 - Not classifiable as to carcinogenicity to humans
- Group 4 - Probably not carcinogenic to humans
- NTP - National Toxicology Program, U.S. Department of Health and Human Services
- Group K - Known to be Human Carcinogens
- Group R - Reasonably Anticipated to be Human Carcinogens
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• **Sources** Data arise from safety data sheets, reference works and literature.

---

 US