

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 09/18/2023

Reviewed on 09/18/2023

1 Identification

- **Product identifier**
- **Trade name: Aluminium No. 2**
- **Catalogue number:** 00515471, 515471BT, 4515471BT, 515470BT, 4515470BT, 00515470BT, 00515471BT, 00515479BT
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**
Tintometer Inc.
6456 Parkland Drive
Sarasota, FL 34243
USA
phone: (941) 756-6410
fax: (941) 727-9654
www.lovibond.us
Made in Germany
- **Emergency telephone number:** + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flammable Solids 2 H228 Flammable solid.



GHS07

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- **Label elements**

· **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).

- **Hazard pictograms**



GHS02



GHS07

- **Signal word** Warning

- **Hazard-determining components of labeling:**

methenamine

- **Hazard statements**

H228 Flammable solid.

H317 May cause an allergic skin reaction.

- **Precautionary statements**

P210 Keep away from heat. - No smoking.

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P302+P352 If on skin: Wash with plenty of water.

- **Other hazards** No further relevant information available.

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/18/2023

Reviewed on 09/18/2023

Trade name: Aluminium No. 2

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of organic and inorganic compounds
- **Composition and Information on Ingredients:**
Percent ranges are used due to the confidential product information.

CAS: 100-97-0 EINECS: 202-905-8 Index number: 612-101-00-2 RTECS: MN 4725000	methenamine	⚠ Flammable Solids 2, H228; ⚠ Sensitization - Skin 1, H317	90–100%
---	-------------	--	---------

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately rinse with plenty of water.
If skin irritation or rash occurs: Get medical advice/attention.
- **After eye contact:**
Rinse opened eye for several minutes (at least 15 min) under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink 1-2 glasses of water.
Seek medical treatment in case of complaints.
- **Most important symptoms and effects, both acute and delayed**
allergic reactions
irritations
after inhalation:
mucous membrane irritation
coughing
breathing difficulty
after swallowing of large amounts:
gastric or intestinal disorders
pain
sickness
vomiting
- **Danger:** risk of skin sensitization
- **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Water, Carbon dioxide (CO₂), Foam, Fire-extinguishing powder
- **For safety reasons unsuitable extinguishing agents:**
For this substance / mixture no limitations of extinguishing agents are given.
- **Special hazards arising from the substance or mixture**
Can burn in fire.
Formation of toxic gases is possible during heating or in case of fire.
In case of fire, the following can be released:
Hydrogen cyanide (prussic acid HCN)
nitrous gases
Nitrogen oxides (NO_x)
Ammonia (NH₃)
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/18/2023

Reviewed on 09/18/2023

Trade name: Aluminium No. 2

(Contd. of page 2)

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
- **Advice for non-emergency personnel:**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
- **Advice for emergency responders:** Protective equipment: see section 8
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Suppress gases/fumes/haze with water spray.
- **Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Pick up mechanically.
Dispose contaminated material as waste according to section 13.
- **Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
- **Advice on safe handling:**
Use only in well ventilated areas.
Keep ignition sources away - Do not smoke.
Take precautionary measures against static discharge.
- **Hygiene measures:**
Avoid contact with the skin.
Take off immediately all contaminated clothing.
Wash hands before breaks and at the end of work.
Do not eat, drink or smoke when using this product.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:**
Protect from heat and direct sunlight.
Store in cool, dry conditions in well sealed receptacles.
Protect from exposure to the light.
Protect from humidity and water.
This product is hygroscopic.
- **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

CAS: 100-97-0 methenamine

TLV (USA)	Long-term value: 1 mg/m ³ *inhalable fraction, A4, DSEN
EL (Canada)	S(D)
EV (Canada)	Short-term value: 2 mg/m ³ , 0.35 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
See item 7.

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/18/2023

Reviewed on 09/18/2023

Trade name: Aluminium No. 2

(Contd. of page 3)

- **Personal protective equipment:**
Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.
- **Breathing equipment:** Use respiratory protective device against the effects of fume/dust/aerosol.
- **Protection of hands:**
Protective gloves
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**
Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
- **Penetration time of glove material**
Value for the permeation: Level ≤ 1 (10 min)
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**
Safety glasses
use against the effects of fumes / dust
- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment:**
Do not allow product to reach sewage system or any water course.
Risk of explosion.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **Appearance:**
- **Form / Physical state:** Tablets
- **Color:** White
- **Odor:** Amine-like
- **Odor threshold:** Not determined.
- **pH-value (9 g/l) at 20°C (68°F):** 7.5
- **Melting point/freezing point:** 263°C (505.4°F) (CAS 100-97-0)
- **Initial boiling point and boiling range:** Not applicable.
Decomposition
- **Flash point:** 250°C (482°F) (CAS: 100-97-0 methenamine)
- **Flammability (solid, gas):** Flammable solid.
- **Auto igniting:** Not applicable (solid).
- **Decomposition temperature:** $> 263^{\circ}\text{C}$ ($> 505.4^{\circ}\text{F}$) (CAS 100-97-0)
- **Auto-ignition temperature:** Product is not self-igniting.
- **Danger of explosion:** As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.
- **Flammability or explosive limits:**
 - Lower:** Not determined.
 - Upper:** 20 g/m³ (CAS: 100-97-0 methenamine)
- **Oxidizing properties:** none
- **Vapor Pressure:** Not applicable (solid).
- **Density at 20°C (68°F):** 1.36 g/cm³ (11.35 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** Not applicable.
- **Evaporation rate:** Not applicable.
- **Solubility(ies)**
- **Water:** Soluble.
- **Partition coefficient (n-octanol/water):** Not applicable (mixture).
- **Viscosity:** Not applicable.
- **Kinematic:** Not applicable (solid).
- **Other information**
- **Solids content:** 100.0 %
- **Solvent content:**
- **Organic solvents:** 0.0 %

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/18/2023

Reviewed on 09/18/2023

Trade name: Aluminium No. 2

(Contd. of page 4)

· Water:	0 %
-----------------	-----

10 Stability and reactivity

- **Reactivity** Dust can combine with air to form an explosive mixture.
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions**
In contact with nitrites, nitrates or nitrous acid possible release of nitrosamines (carcinogenic)!
with nitric acid, acetic anhydride, acetic acid, iodide
---> Danger of explosion.
Reacts with peroxides.
Reacts with strog acids and oxidizing agents.
- **Conditions to avoid** strong heating
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
nitrous gases
formaldehyde
Ammonia (NH₃)
In case of fire: see section 5.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 100-97-0 methenamine		
----------------------------------	--	--

Oral	LD50	9200 mg/kg (rat) (IUCLID)
Dermal	LD50.	>2000 mg/kg (rat) (OECD 402)

- **Primary irritant effect:**

- **on the skin:** Based on available data, the classification criteria are not met.
- **on the eye:** Based on available data, the classification criteria are not met.

· Information on components:

CAS: 100-97-0 methenamine		
----------------------------------	--	--

Irritation of skin	OECD 404	(rabbit: no irritation)
Irritation of eyes	OECD 492	(rabbit: no irritation)

- **Sensitization:** May cause an allergic skin reaction.

· Information on components:

CAS: 100-97-0 methenamine		
----------------------------------	--	--

Sensitization	OECD 406	(guinea pig: positive)
	Patch test (human)	(positive) (IUCLID)

- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)
--

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)
--

None of the ingredients is listed.

- **Other information:** see section 8 / 15

- **Synergistic Products:** None

- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):** The following statements refer to the mixture:

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/18/2023

Reviewed on 09/18/2023

Trade name: Aluminium No. 2

(Contd. of page 5)

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Information on components:**
 - OECD 414: Teratogenicity testing
 - OECD 473: Mutagenicity testing
 - OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 100-97-0 methenamine

OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test)
OECD 474	(negative) (Mammalian Erythrocyte Micronucleus Test) (IUCLID)

· **Additional toxicological information:**

Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments.

12 Ecological information

· **Toxicity**· **Aquatic toxicity:****CAS: 100-97-0 methenamine**

EC50	36 mg/l/48h (Daphnia magna) (IUCLID)
EC10	5 mg/l (fish)
LC50 (static)	41 mg/l/96h (bluegill) (US-EPA)

· **Bacterial toxicity:**

sulfates toxic > 2.5 g/l

CAS: 100-97-0 methenamine

EC50 (static)	>5000 mg/l (Bacterial toxicity) (DIN 38412) (Merck, Vibrio fischeri)
---------------	--

· **Other information:**

Toxic for fish:

Magnesium compounds: 100 - 400 mg/l

· **Persistence and degradability****CAS: 100-97-0 methenamine**

OECD 302 C	39–47 % / 28 d (not readily biodegradable) (Modified MITI Test (II))
------------	--

· **Bioaccumulative potential**

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 100-97-0 methenamine

log Pow	-2.84 (.) (experimental) (IUCLID)
---------	-----------------------------------

· **Mobility in soil** No further relevant information available.· **Other adverse effects** Avoid transfer into the environment.

13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/18/2023



Reviewed on 09/18/2023

Trade name: Aluminium No. 2

(Contd. of page 6)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

<ul style="list-style-type: none"> · UN-Number · DOT, IMDG, IATA 	UN1328
<ul style="list-style-type: none"> · UN proper shipping name · DOT · IMDG, IATA 	Hexamethylenetetramine HEXAMETHYLENETETRAMINE
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT 	<div style="text-align: center;">  <p>FLAMMABLE SOLIDS</p> </div>
<ul style="list-style-type: none"> · Class · Label 	4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1
<ul style="list-style-type: none"> · IMDG, IATA 	<div style="text-align: center;">  <p>FLAMMABLE SOLIDS</p> </div>
<ul style="list-style-type: none"> · Class · Label 	4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1
<ul style="list-style-type: none"> · Packing group · DOT, IMDG, IATA 	III
<ul style="list-style-type: none"> · Environmental hazards: 	Not applicable.
<ul style="list-style-type: none"> · Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category 	Warning: Flammable solids, self-reactive substances and solid desensitised explosives 40 F-A,S-G A
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
<ul style="list-style-type: none"> · Transport/Additional information: · DOT · Quantity limitations 	On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

— US —

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/18/2023

Reviewed on 09/18/2023

Trade name: Aluminium No. 2

(Contd. of page 7)

*15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- TSCA (Toxic Substances Control Act): All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

CAS: 100-97-0 | methenamine

· New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

· Pennsylvania Right-to-Know List:

None of the ingredients is listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Information about limitation of use:

Observe national regulations where applicable:
Employment restrictions concerning young persons must be observed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H228 Flammable solid.

H317 May cause an allergic skin reaction.

- Version number / date of revision: 56 / 09/18/2023

· Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

o.c.: open cup

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen

(Contd. on page 9)

— US —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/18/2023

Reviewed on 09/18/2023

Trade name: Aluminium No. 2

(Contd. of page 8)

IARC - International Agency for Research on Cancer
•Group 1 - Carcinogenic to humans
•Group 2A - Probably carcinogenic to humans
•Group 2B - Possibly carcinogenic to humans
•Group 3 - Not classifiable as to carcinogenicity to humans
•Group 4 - Probably not carcinogenic to humans
NTP - National Toxicology Program, U.S. Department of Health and Human Services
•Group K - Known to be Human Carcinogens
•Group R - Reasonably Anticipated to be Human Carcinogens
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flammable Solids 2: Flammable solids – Category 2
Sensitization - Skin 1: Skin sensitisation – Category 1

• Sources

Data arise from safety data sheets, reference works and literature.
IUCLID (International Uniform Chemical Information Database)

• * Data compared to the previous version altered.

US
