

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Product name: **Chloride T2**

· Catalog number: 00515921, 515920BT, 515921BT, 00515920BT, 00515921BT, 4515920BT, 4515921BT, 00515929BT

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the preparation: Reagent for water analysis

· 1.3 Details of the supplier of the safety data sheet

· Supplier:

Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com

phone: +49 (0)231 94510-0
e-mail: sales@lovibond.com

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom

phone : +44 1980 664800
e-mail: SDS@lovibond.uk

· Informing department:

e-mail: sds@lovibond.com
Product Safety Department

· 1.4 Emergency telephone number:

+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS05



GHS09

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

Product name: Chloride T2

(Contd. of page 1)

- **Signal word** Danger
- **Hazard-determining components of labelling:**
potassium monopersulfate
silver nitrate
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.
- **Precautionary statements**
P280 Wear protective gloves/protective clothing/eye protection.
P273 Avoid release to the environment.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a doctor.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards** No further relevant information available.
- **Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
- **Determination of endocrine-disrupting properties**
The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of organic and inorganic compounds

· Dangerous components:		
CAS: 70693-62-8 EINECS: 274-778-7	potassium monopersulfate ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	10–20%
CAS: 7761-88-8 EINECS: 231-853-9 Index No: 047-001-00-2 Reg.nr.: 01-2119513705-43-XXXX	silver nitrate ⚠ Ox. Sol. 2, H272; ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=100); ⚠ Acute Tox. 4, H302	1–≤2.5%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air or oxygen; call for doctor.
- **After skin contact**
Instantly wash with polyethylene glycol 400.
Instantly rinse with water.
Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.
- **After eye contact**
Rinse opened eye for several minutes (at least 15 min) under running water.
Call a doctor immediately.
- **After swallowing**
Rinse out mouth and then drink 1-2 glasses of water.
Do not induce vomiting; instantly call for medical help.
- **4.2 Most important symptoms and effects, both acute and delayed:**
after inhalation:
coughing
breathing difficulty
damage to the affected mucous membranes possible
after swallowing:
strong caustic effect.
sickness
vomiting
cramps
cardiovascular disorders

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

Product name: Chloride T2

(Contd. of page 2)

- **Danger**
 Danger of impaired breathing.
 Danger of gastric perforation.
- **4.3 Indication of any immediate medical attention and special treatment needed:**
 If swallowed or in case of vomiting, danger of entering the lungs
 Subsequent observation for pneumonia and pulmonary oedema

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture**
 The product is not combustible.
 Formation of toxic gases is possible during heating or in case of fire.
 Can be released in case of fire:
 nitrous gases
 Sulphur oxides (SO_x)
 Nitrogen oxides (NO_x)
 Oxygen (O₂)
 Dipotassium oxide
 Sodium oxide
- **5.3 Advice for firefighters**
- **Protective equipment:**
 Wear self-contained breathing apparatus.
 Wear full protective suit.
- **Additional information**
 Collect contaminated fire fighting water separately. It must not enter drains.
 Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
 Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
- **Advice for non-emergency personnel:**
 Wear protective equipment. Keep unprotected persons away.
 Avoid substance contact.
 Ensure adequate ventilation
 Use breathing protection against the effects of fumes/dust/aerosol.
- **Advice for emergency responders:** Protective equipment: see section 8
- **6.2 Environmental precautions:**
 Do not allow product to reach sewage system or water bodies.
 Inform respective authorities in case product reaches water or sewage system.
- **6.3 Methods and material for containment and cleaning up:**
 Ensure adequate ventilation.
 Collect mechanically.
 Dispose of contaminated material as waste according to item 13.
- **6.4 Reference to other sections**
 See Section 8 for information on personal protection equipment.
 See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
- **Advice on safe handling:** No special precautions necessary if used correctly.
- **Hygiene measures:**
 Do not inhale dust / smoke / mist.
 Do not get in eyes, on skin, or on clothing.
 Take off immediately all contaminated clothing.
 Wash hands during breaks and at the end of the work.
 Do not eat, drink or smoke when using this product.

(Contd. on page 4)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

Product name: Chloride T2

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and containers:** Store in cool location.
- **Information about storage in one common storage facility:**
Store away from flammable substances.
see chapter 10
- **Further information about storage conditions:**
Protect from heat and direct sunlight.
Store in cool, dry conditions in well sealed containers.
Protect from the effects of light.
Store in the dark.
Protect from humidity and keep away from water.
This product is hygroscopic.
- **Recommended storage temperature:** 20°C +/- 5°C
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

- **Components with limit values that require monitoring at the workplace:**

CAS: 7761-88-8 silver nitrate

WEL (Great Britain)	Long-term value: 0.01 mg/m ³ as Ag
IOELV (European Union)	Long-term value: 0.01 mg/m ³ as Ag

- **Regulatory information**

WEL (Great Britain): EH40/2020
IOELV (European Union): (EU) 2019/1831

- **DNELs**

CAS: 7761-88-8 silver nitrate

Inhalative	DNEL	0.016 mg/m ³ (Worker / long-term /systemic effects)
------------	------	--

- **Recommended monitoring procedures:**

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

- **Additional information:** The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

- **Engineering measures:**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- **Individual protection measures, such as personal protective equipment**

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- **Eye/face protection** Tightly sealed safety glasses.

- **Hand protection**

Protective gloves.
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.

- **Material of gloves**

nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm

- **Penetration time of glove material**

Value for the permeation: Level = 1 (< 10 min)
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Other skin protection (body protection):** Protective work clothing.

- **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.

- **Recommended filter device for short term use:** Filter P2

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

Product name: Chloride T2

(Contd. of page 4)

· **Environmental exposure controls** Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties	
· Physical state	Solid.
· Form:	Tablets
· Colour:	Whitish
· Odour:	Odourless
· Odour threshold:	Not applicable.
· Melting point/Freezing point:	Not determined.
· Boiling point or initial boiling point and boiling range	Not determined.
· Flammability	The product is not combustible.
· Explosive properties:	Product is not explosive.
· Lower and upper explosion limit	
Lower:	Not applicable.
Upper:	Not applicable.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Not applicable (solid).
· Decomposition temperature:	Not determined.
· pH (12.9 g/l) at 20°C	2.2
· Kinematic viscosity	Not applicable (solid).
· Solubility	
· Water:	Soluble
· Partition coefficient n-octanol/water (log value)	Not applicable (mixture).
· Vapour pressure:	Not applicable.
· Density and/or relative density	
· Density at 20°C:	1.5 g/cm ³
· Relative density:	Not determined.
· Relative gas density	Not applicable (solid).
· Particle characteristics	Not determined.

· 9.2 Other information

· Information with regard to physical hazard classes	
· Corrosive to metals	Void
· Other safety characteristics	
· Oxidising properties:	CAS 70693-62-8 : Oxidising potential
· Additional information	
· Solids content:	100.0 %

SECTION 10: Stability and reactivity

- **10.1 Reactivity** see section 10.3
- **10.2 Chemical stability**
Stable at ambient temperature (room temperature).
sensitivity to light
- **10.3 Possibility of hazardous reactions**
Reacts with alcohols
Reacts with halogenated compounds
Reacts with alkali (lyes)
Reacts with reducing agents
- **10.4 Conditions to avoid** To avoid thermal decomposition do not overheat.
- **10.5 Incompatible materials:**
combustible substances
aluminium
steel
- **10.6 Hazardous decomposition products:**
sodium monoxide

(Contd. on page 6)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

Product name: Chloride T2

(Contd. of page 5)

In case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 70693-62-8 potassium monopersulfate		
Oral	LD50	1204 mg/kg (rat) (IUCLID)
CAS: 7761-88-8 silver nitrate		
Oral	LD50	1173 mg/kg (rat) (RTECS)

· **Skin corrosion/irritation** Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.
Risk of blindness!

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· Information on components:

CAS 70693-62-8: Sensitization possible in predisposed persons.

CAS: 70693-62-8 potassium monopersulfate		
Sensitisation	OECD 406	(guinea pig: negative)

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.

· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

CAS: 7761-88-8 silver nitrate		
. (source: GESTIS)		
Main toxic effects:		
Acute: Irritant to caustic effect on mucous membranes and skin.		
After ingestion of high doses: gastrointestinal complaints, disorders of the cardiovascular system and disorders of the central nervous system.		
chronic: silver deposits in the tissues (argyria)		
Further information:		
Depending on the concentration, dust and solutions have an irritating to highly caustic effect on mucous membranes and skin.		
5-50% solutions caused severe eye damage, in some cases permanent corneal opacity.		

11.2 Information on other hazards

· **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

· Other information

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

· Aquatic toxicity:		
CAS: 70693-62-8 potassium monopersulfate		
NOEC	32 mg/l/96h (zebrafish)	(IUCLID)

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

Product name: Chloride T2

(Contd. of page 6)

CAS: 7761-88-8 silver nitrate

LC50	0.00022 mg/l/48h (Daphnia magna) (OECD 202) (Merck, Ag-Ion)
EC10	0.0021 mg/l (Daphnia magna) (21) (Registrant, ECHA)
NOEC	0.00037 mg/l (fathhead minnow) (OECD 210) (Merck)
LC50	0.0012 mg/l/96h (fathhead minnow) (US-EPA) (Merck, Ag-Ion)

- **Bacterial toxicity:** sulphates toxic > 2.5 g/l
- **Other information:**
 - Toxic for fish:
 - Sulphates > 7 g/l
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
 - This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects** Avoid transfer into the environment.
- **Water hazard:**
 - Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.
 - Danger to drinking water if even extremely small quantities leak into soil.


SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
 - Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 - Hand over to disposers of hazardous waste.

European waste catalogue	16 05 07* discarded inorganic chemicals consisting of or containing hazardous substances
---------------------------------	--

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

- | | |
|---|---|
| 14.1 UN number or ID number | UN3260 |
| ADR, IMDG, IATA | |
| 14.2 UN proper shipping name | 3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (potassium monopersulfate triple salt, SILVER NITRATE), ENVIRONMENTALLY HAZARDOUS |
| ADR | |
| IMDG | CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (potassium monopersulfate triple salt, SILVER NITRATE), MARINE POLLUTANT |
| IATA | CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (potassium monopersulfate triple salt, SILVER NITRATE) |
| 14.3 Transport hazard class(es) | |
| ADR | |
|  | |
| Class | 8 (C2) Corrosive substances. |

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31




Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

Product name: Chloride T2

(Contd. of page 7)

· Label	8
· IMDG	
 	
· Class	8 Corrosive substances.
· Label	8
· IATA	
	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances: silver nitrate
· Marine pollutant:	Yes
	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Kemler Number:	80
· EMS Number:	F-A,S-B
· Segregation groups	(SGG1) Acids
· Stowage Category	B
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ):	E2
· Limited quantities (LQ)	1 kg
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· Transport category	2
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	1 kg
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act UK**

· **Regulated explosives precursors**

None of the ingredients is listed.

· **Regulated poisons**

None of the ingredients is listed.

· **Reportable explosives precursors**

None of the ingredients is listed.

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

Product name: Chloride T2

(Contd. of page 8)

· Reportable poisons
None of the ingredients is listed.
· Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated
· Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)
None of the ingredients is listed.
· Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:
None of the ingredients is listed.
· Regulation (EC) No 273/2004 on drug precursors
None of the ingredients is listed.
· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
None of the ingredients is listed.
· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:
None of the ingredients is listed.
· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)
None of the ingredients is listed.
· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)
None of the ingredients is listed.

- **Substances of very high concern (SVHC) according to REACH, Article 57**
This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w).
- **Substances of very high concern (SVHC) according to UK REACH**
This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w).
- **Directive 2012/18/EU (SEVESO III):**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category** E1 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **Information about limitation of use:** Employment restrictions concerning young persons must be observed (94/33/EC).
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Training hints** Provide adequate information, instruction and training for operators.

- **Relevant phrases**

H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

- **Abbreviations and acronyms:**

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
EC50: effective concentration, 50 percent (in vivo)
OECD: Organisation for Economic Co-operation and Development
STOT: specific target organ toxicity
SE: single exposure
RE: repeated exposure
EC50: half maximal effective concentration
IC50: half maximal inhibitory concentration
NOEL or NOEC: No Observed Effect Level or Concentration
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 10)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 10 (replaces version 9)

Revision: 14.11.2023

Product name: Chloride T2

(Contd. of page 9)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 2: Oxidizing solids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· Sources

Data arise from safety data sheets, reference works and literature.

GESTIS- Stoffdatenbank (Substance Database, Germany)

ECCHA: European CHEmicals Agency <http://echa.europa.eu>

IUCLID (International Uniform Chemical Information Database)

RTECS (Registry of Toxic Effects of Chemical Substances)

· * Data compared to the previous version altered.

GB