

### Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

## 1 Identification

- **Product identifier**
- **Trade name:** **Manganese LR 2**
- **Catalogue number:** 00516091, 516090BT, 4516090BT, 516091BT, 4516091BT, 00516099BT
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**  
Tintometer Inc.  
6456 Parkland Drive  
Sarasota, FL 34243  
USA  
phone: (941) 756-6410  
fax: (941) 727-9654  
www.lovibond.us  
Made in Germany
- **Emergency telephone number:** + 1 866 928 0789 (English, French, Spanish)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.  
Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).
- **Hazard pictograms**



GHS05



GHS07

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
lithium hydroxide
- **Hazard statements**  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**  
P280 Wear protective gloves/protective clothing/eye protection.  
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
P310 Immediately call a doctor.

(Contd. on page 2)

US

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

Trade name: **Manganese LR 2**

(Contd. of page 1)

· **Other hazards** No further relevant information available.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of inorganic compounds.
- **Composition and Information on Ingredients:**  
Percent ranges are used due to the confidential product information.

|                                     |                   |   |        |
|-------------------------------------|-------------------|---|--------|
| CAS: 1310-65-2<br>EINECS: 215-183-4 | lithium hydroxide | ⚠ Acute Tox. 3, H301; ⚠ Skin Corr. 1A, H314; Eye Dam. 1, H318 | 10–20% |
|-------------------------------------|-------------------|---|--------|

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air or oxygen; call for doctor.
- **After skin contact:**  
Immediately rinse with plenty of water.  
Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.
- **After eye contact:**  
Rinse opened eye for several minutes (at least 15 min) under running water.  
Call a doctor immediately.
- **After swallowing:**  
Rinse out mouth and then drink 1-2 glasses of water.  
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed**  
burns  
after inhalation:  
coughing  
breathing difficulty  
damage to the affected mucous membranes  
after swallowing:  
strong caustic effect  
resorption  
after absorption of large amounts:  
sickness  
vomiting  
cardiovascular disorders  
CNS disorders  
ataxia (impaired locomotor coordination)  
cramps
- **Danger:**  
Danger of circulatory collapse.  
Danger of gastric perforation.  
Danger of disturbed cardiac rhythm.
- **Indication of any immediate medical attention and special treatment needed:**  
If swallowed or in case of vomiting, danger of entering the lungs.  
Later observation for pneumonia and pulmonary edema.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:**  
Water  
--> Aqueous solution reacts strongly alkaline.  
If possible use dry extinguishing agents.
- **Special hazards arising from the substance or mixture**  
The product is not combustible.  
Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

Trade name: **Manganese LR 2**

(Contd. of page 2)

Hydrogen chloride (HCl)  
Potassium oxide  
LiOx

- **Advice for firefighters**

- **Protective equipment:**

Wear self-contained respiratory protective device.  
Wear fully protective suit.

- **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Ambient fire may liberate hazardous vapours.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

- **Advice for non-emergency personnel:**

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

- **Advice for emergency responders:** Protective equipment: see section 8

- **Environmental precautions:** Do not allow product to reach sewage system or any water course.

- **Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

- **Reference to other sections**

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## \* 7 Handling and storage

- **Handling:**

- **Precautions for safe handling**

- **Advice on safe handling:** Prevent formation of dust.

- **Hygiene measures:**

Do not inhale dust / smoke / mist.

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:** Store in a cool location.

- **Information about storage in one common storage facility:**

Do not store together with acids.

Store away from oxidizing agents.

- **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from exposure to the light.

Store in dry conditions.

Protect from humidity and water.

This product is hygroscopic.

- **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)

- **Specific end use(s)** No further relevant information available.

— US —

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

Trade name: **Manganese LR 2**

(Contd. of page 3)

## 8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

**CAS: 1310-65-2 lithium hydroxide**

|             |  |
|-------------|--|
| WEEL (USA)  | Ceiling limit value: 1 mg/m <sup>3</sup>           |
| EL (Canada) | Ceiling limit value: 1 mg/m <sup>3</sup>           |
| EV (Canada) | Short-term value: 1 mg/m <sup>3</sup><br>anhydrous |

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Engineering measures:**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- **Personal protective equipment:**

- **Breathing equipment:** Use respiratory protective device against the effects of fumes/dust/aerosol.

- **Recommended filter device for short term use:** Filter P2

- **Protection of hands:**

Alkaline resistant gloves  
After use of gloves apply skin-cleaning agents and skin cosmetics.

- **Material of gloves**

Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.11$  mm

- **Penetration time of glove material**

Value for the permeation: Level  $\leq 1$  (10 min)  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Tightly sealed goggles

- **Body protection:** Alkaline resistant protective clothing

- **Limitation and supervision of exposure into the environment:**

Do not allow product to reach sewage system or any water course.

## \* 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **Appearance:**

|                        |         |
|------------------------|---------|
| Form / Physical state: | Tablets |
| Color:                 | White   |

- **Odor:** Odorless

- **Odor threshold:** Not applicable.

- **pH-value (11.7 g/l) at 20 °C (68 °F):** 12.9

- **Melting point/freezing point:** Not determined.

- **Initial boiling point and boiling range:** Not determined.

- **Flash point:** Not applicable.

- **Flammability (solid, gas):** The product is not combustible.

- **Decomposition temperature:** Not determined.

- **Auto-ignition temperature:** Product is not self-igniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Flammability or explosive limits:**

|        |                 |
|--------|-----------------|
| Lower: | Not applicable. |
| Upper: | Not applicable. |

- **Oxidizing properties:** none

- **Vapor Pressure:** Not applicable.

- **Density at 20 °C (68 °F):** ~2.1 g/cm<sup>3</sup> (~17.52 lbs/gal)

- **Relative density:** Not determined.

- **Vapor density:** Not applicable.

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

Trade name: **Manganese LR 2**

(Contd. of page 4)

|   |  |
|---|--|
| · <b>Evaporation rate:</b>  | Not applicable.                            |
| · <b>Solubility(ies)</b><br><b>Water:</b>                                       | Soluble.                                   |
| · <b>Partition coefficient (n-octanol/water):</b>                               | Not applicable.                            |
| · <b>Viscosity:</b>   | Not applicable.                            |
| · <b>Solvent content:</b><br><b>Organic solvents:</b><br><b>Solids content:</b> | 0.0 %<br>100.0 %                           |
| · <b>Other information</b>  | No further relevant information available. |

### 10 Stability and reactivity

- **Reactivity** see section "Possibility of hazardous reactions"
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions**  
Aqueous solution reacts alkaline.  
Aqueous solution reacts with metals.  
Corrodes aluminium and zinc.  
Reacts with acids.  
Reacts with oxidizing agents.  
--> Forms heat.  
Reacts with light alloys to form hydrogen.
- **Conditions to avoid** Exposure to moisture.
- **Incompatible materials:**  
organic substances  
aluminum  
zinc
- **Hazardous decomposition products:** see section 5

### \*11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Classification according to calculation procedure.

|  |                          |               |
|--|--------------------------|---------------|
| · <b>Acute toxicity estimate (ATE<sub>(mix)</sub>) - Calculation method:</b> |                          |               |
| Oral   | GHS ATE <sub>(mix)</sub> | 815 mg/kg (.) |

|   |      |  |
|---|------|--|
| · <b>LD/LC50 values that are relevant for classification:</b> |      |  |
| <b>CAS: 1310-65-2 lithium hydroxide</b>                       |      |  |
| Oral  | LD50 | 210 mg/kg (rat)<br>(RTECS)   |
|   | LC50 | >3.4 mg/l/4h (rat)<br>(Registrant, ECHA: no mortality at this concentration) |

- **Primary irritant effect:**
- **on the skin:** Causes severe skin burns.
- **on the eye:**  
Causes serious eye damage.  
Risk of blindness!
- **Sensitization:** Based on available data, the classification criteria are not met.
- **Carcinogenic categories**

|   |
|---|
| · <b>IARC (International Agency for Research on Cancer)</b> |
| None of the ingredients is listed.                          |

|  |
|--|
| · <b>NTP (National Toxicology Program)</b> |
| None of the ingredients is listed.         |

|  |
|--|
| · <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b> |
| None of the ingredients is listed.                                 |

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

Trade name: **Manganese LR 2**

(Contd. of page 5)

- **Other information:** see section 8 / 15
- **Synergistic Products:** None
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):** The following statements refer to the mixture:
  - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
  - **Carcinogenicity** Based on available data, the classification criteria are not met.
  - **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
  - The following applies to lithium compounds in general:
  - after absorption: CNS disorders, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance
  - Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Experience with humans:**
  - CAS 1310-65-2: Can cause liver damage.
  - CAS 1310-65-2: Can cause kidney damages.
  - CAS 1310-65-2: May cause lung damages.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Other information:**
  - the following applies for lithium compounds in general:
  - fish toxic from 100 mg/l, Daphnia toxic from 16 mg/l, plants toxic from 0,2 mg/l
- **Persistence and degradability .**
- **Other information:**
  - Mixture of inorganic compounds.
  - Methods for the determination of biodegradability are not applicable to inorganic substances.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Other adverse effects**
  - Harmful effect due to pH shift.
  - Avoid transfer into the environment.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
  - Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
  - Hand over to hazardous waste disposers.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## \*14 Transport information

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>                                | UN2680   |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>IMDG, IATA</b></li> </ul> | Lithium hydroxide<br>LITHIUM HYDROXIDE mixture |

(Contd. on page 7)

US

# Safety Data Sheet



acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

Trade name: **Manganese LR 2**

(Contd. of page 6)

|   |   |
|---|---|
| · Transport hazard class(es)  |   |
| · DOT   |   |
|  |   |
| · Class   | 8 Corrosive substances  |
| · Label   | 8   |
| · IMDG, IATA  |   |
|  |   |
| · Class   | 8 Corrosive substances  |
| · Label   | 8   |
| · Packing group   |   |
| · DOT, IMDG, IATA   | II  |
| · Environmental hazards:  | Not applicable.   |
| · Special precautions for user  | Warning: Corrosive substances   |
| · Danger code (Kemler):   | 80  |
| · EMS Number:   | F-A,S-B   |
| · Segregation groups  | Alkalis   |
| · Stowage Category  | A   |
| · Segregation Code  | SG35 Stow "separated from" acids.   |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code         | Not applicable.   |
| · Transport/Additional information:   |   |
| · DOT   |   |
| · Quantity limitations  | On passenger aircraft/rail: 15 kg<br>On cargo aircraft only: 50 kg  |
| · Limited quantity (LQ):  | 1 kg  |
| · Excepted quantities (EQ)  | Code: E2<br>Maximum net quantity per inner packaging: 30 g<br>Maximum net quantity per outer packaging: 500 g |
| · IMDG  |   |
| · Limited quantities (LQ)   | 1 kg  |
| · Excepted quantities (EQ)  | Code: E2<br>Maximum net quantity per inner packaging: 30 g<br>Maximum net quantity per outer packaging: 500 g |

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

### · Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

### · Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

### · TSCA (Toxic Substances Control Act):

All ingredients are listed.

### · Proposition 65

#### · Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 8)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

**Trade name: Manganese LR 2**

(Contd. of page 7)

|   |
|---|
| · <b>Chemicals known to cause reproductive toxicity for females:</b>      |
| None of the ingredients is listed.  |
| · <b>Chemicals known to cause reproductive toxicity for males:</b>        |
| None of the ingredients is listed.  |
| · <b>Chemicals known to cause developmental toxicity:</b>                 |
| None of the ingredients is listed.  |
| · <b>New Jersey Right-to-Know List:</b>                                   |
| None of the ingredients is listed.  |
| · <b>New Jersey Special Hazardous Substance List:</b>                     |
| None of the ingredients is listed.  |
| · <b>Pennsylvania Right-to-Know List:</b>                                 |
| None of the ingredients is listed.  |
| · <b>Pennsylvania Special Hazardous Substance List:</b>                   |
| None of the ingredients is listed.  |
| · <b>EPA (Environmental Protection Agency)</b>                            |
| None of the ingredients is listed.  |
| · <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b> |
| None of the ingredients is listed.  |

· **Information about limitation of use:** Employment restrictions concerning young persons must be observed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

· **Date of preparation / last revision** 12/21/2017 / 27

· **Abbreviations and acronyms:**

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

•Group 1 - Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans

•Group 2B - Possibly carcinogenic to humans

•Group 3 - Not classifiable as to carcinogenicity to humans

•Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services

•Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

(Contd. on page 9)

— US —



# Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

---

**Trade name: Manganese LR 2**

---

(Contd. of page 8)

TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Acute Tox. 3: Acute toxicity – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

**Sources**

Data arise from safety data sheets, reference works and literature.

ECHA: European Chemicals Agency <http://echa.europa.eu>

RTECS (Registry of Toxic Effects of Chemical Substances )

\* Data compared to the previous version altered.

---

US

---