Tintometer[®] Group **Water Testing**



Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2023 Version number 4 (replaces version 3) Revision: 15.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Vario Chlorine Total DPD F5, F10, F25, PD250
- · Catalog number:

00530089, 00530199, 00530139, 005301559, 530130, 530133, 530080, 530083, 530190, 530193, 530192, 530155, 530156, 00530191, 570138, 570134, 570130, 570198, 570194, 570190, 570088, 570084, 570080, 00570138, 00570139, 00570088, 00570084, 00570089, 00570198, 00570199

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

phone: +49 (0)231 94510-0 e-mail: sales@lovibond.com

The Tintometer Limited Lovibond® House Sun Rise Way Amesbury Wiltshire SP4 7GR

United Kingdom Informing department: e-mail: sds@lovibond.com

Product Safety Department

· 1.4 Emergency telephone number:

Languages: English

phone: +44 1980 664800 e-mail: SDS@lovibond.uk

+44 1235 239670

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labelling: potassium iodide
- **Hazard statements**

H372 Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.

(Contd. on page 2)

Printing date 15.11.2023 Version number 4 (replaces version 3) Revision: 15.11.2023

Product name: Vario Chlorine Total - DPD F5, F10, F25, PD250

(Contd. of page 1)

· Precautionary statements

P260 Do not breathe dust.

P264 Wash hands thoroughly after handling.

P314 Get medical advice/attention if you feel unwell.

· 2.3 Other hazards

The main intake pathways of potassium iodide are: inhalation of dust and solution aerosols, as well as oral ingestion.

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of organic and inorganic compounds

· Dangerous components:			
CAS: 7681-11-0 EINECS: 231-659-4 Reg.nr.: 01-2119966161-40-XXXX	potassium iodide STOT RE 1, H372	20–30%	
CAS: 139-33-3 EINECS: 205-358-3	Disodium dihydrogen ethylenediaminetetraacetate ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≤2.5%	
CAS: 6283-63-2 EINECS: 228-500-6	N,N-diethylbenzene-1,4-diammonium sulphate (1:1) Other Control of the Control of	≤2.5%	

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed:

irritations

allergic reactions

after swallowing and inhalation:

absorption

after absorption of large amounts:

headache

sickness

vomiting

gastric pain

diarrhoea

cardiovascular disorders

drop in blood pressure

weakness

methaemoglobinaemia

disorder of electrolyte balance

4.3 Indication of any immediate medical attention and special treatment needed:

Absorption: in case of iodine hypersensitivity, even after relatively low doses, acute respiratory and cardiovascular disorders (possibly shock), skin and mucous membrane reactions possible. (GESTIS) Symptoms of poisoning may even occur after several hours.

Printing date 15.11.2023 Version number 4 (replaces version 3) Revision: 15.11.2023

Product name: Vario Chlorine Total - DPD F5, F10, F25, PD250

(Contd. of page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Phosporus oxides (PxOx)

Sulphur oxides (SOx)

Nitrogen oxides (NOx)

Dipotassium oxide

Hydrogen iodide (HI)

Carbon monoxide (CO) and carbon dioxide (CO₂)

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

· Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Advice for emergency responders: Protective equipment: see section 8
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- · Advice on safe handling: Provide suction extractors if dust is formed.
- · Hygiene measures:

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and containers: Store in cool location.
- Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Store in a locked cabinet or with access restricted to technical experts or their assistants.

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed containers.

Protect from the effects of light.

Protect from humidity and keep away from water.

This product is hygroscopic.

Recommended storage temperature: 20°C +/- 5°C

(Contd. on page 4)

Printing date 15.11.2023 Version number 4 (replaces version 3) Revision: 15.11.2023

Product name: Vario Chlorine Total - DPD F5, F10, F25, PD250

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

Derived No Effect Level (DNEL)

CAS: 768	CAS: 7681-11-0 potassium iodide			
Oral	DNEL	0.01 mg/kg /bw/d (Consumer / acute / systemic effects)		
		0.01 mg/kg /bw/d (Consumer / long-term / systemic effects)		
Dermal	DNEL	1 mg/kg /bw/d (Worker / long-term /systemic effects)		
		1 mg/kg /bw/d (Consumer / long-term / systemic effects)		
Inhalative	DNEL	0.07 mg/m³ (Worker / long-term /systemic effects)		
		0.035 mg/m³ (Consumer / long-term / systemic effects)		
CAS: 139-	CAS: 139-33-3 Disodium dihydrogen ethylenediaminetetraacetate			
Oral	DNEL	25 mg/kg (Consumer / long-term / systemic effects)		
Inhalative	DNEL	2.5 mg/m³ (Worker / acute / local effects)		
		2.5 mg/m³ (Worker / acute / systemic effects)		
	2.5 mg/m³ (Worker / long-term / local effects)			
		2.5 mg/m³ (Worker / long-term /systemic effects)		
		1.5 mg/m³ (Consumer / acute / local effects)		
		1.5 mg/m³ (Consumer / acute / systemic effects)		
	1.5 mg/m³ (Consumer / long-term / local effects)			
		1.5 mg/m³ (Consumer / long-term / systemic effects)		

· PNECs

Predicted No Effect Concentration (PNEC)

i icaici	redicted No Effect Concentration (FNEC)	
CAS: 7	7681-11-0 potassium iodide	
PNEC	0.007 mg/l (Fresh water)	
PNEC	0.075 mg/kg (Aquatic intermittent release)	
	0.007 mg/kg /sediment (Fresh water sediment)	

- · Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

· Eye/face protection

Safety glasses

use against the effects of fumes / dust

Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.

· Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.

(Contd. on page 5)

Printing date 15.11.2023 Version number 4 (replaces version 3) Revision: 15.11.2023

Product name: Vario Chlorine Total - DPD F5, F10, F25, PD250

(Contd. of page 4)

- · Recommended filter device for short term use: Filter P3
- · Environmental exposure controls Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties
Physical state
Form:
Colour:
Odourless
Odour threshold:
Odour threshold:

• Melting point/Freezing point:
• Boiling point or initial boiling point and boiling range Not determined.

• Flammability The product is not combustible. • Explosive properties: Product is not explosive.

· Lower and upper explosion limit

Lower:
Upper:
Not applicable.
Not applicable.

Flash point:
Auto-ignition temperature:
Decomposition temperature:
Not applicable (solid).
Not determined.

· pH (10 g/l) at 20°C 6.3

· Kinematic viscosity Not applicable (solid).

· Solubility

· Water: Soluble

· Partition coefficient n-octanol/water (log value) Not applicable (mixture).

· **Vapour pressure:** Not applicable.

· Density and/or relative density

Density: Not determined.
 Relative density: Not determined.
 Relative gas density Not applicable (solid).
 Particle characteristics Not determined.

· 9.2 Other information

Information with regard to physical hazard classes

· Corrosive to metals Void

· Other safety characteristics

· Oxidising properties: none

Additional information

· Solids content: 100 %

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section 10.3
- 10.2 Chemical stability Stable at ambient temperature (room temperature).
- · 10.3 Possibility of hazardous reactions

Reacts with acids, alkalis and oxidizing agents

--> forms heat

Reacts with alkaline metals

Reacts with peroxides

Reacts with halogenated compounds

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: see section 5

Printing date 15.11.2023 Version number 4 (replaces version 3) Revision: 15.11.2023

Product name: Vario Chlorine Total - DPD F5, F10, F25, PD250

(Contd. of page 5)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values that are relevant for classification:			
CAS: 76	CAS: 7681-11-0 potassium iodide			
Oral	Oral LD50 2779 mg/kg (rat)			
Dermal	LD50	3160 mg/kg (rabbit)		
	NOAEL	0.01 mg/kg /bw/d (human) organ: Thyroid		
CAS: 13	CAS: 139-33-3 Disodium dihydrogen ethylenediaminetetraacetate			
Oral	LD50	2000 mg/kg (rat) (GESTIS)		
CAS: 62	CAS: 6283-63-2 N,N-diethylbenzene-1,4-diammonium sulphate (1:1)			
Oral	LD50	497 mg/kg (rat) (MERCK)		
Dermal	LD50	1100 mg/kg (ATE)		

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Information on components:

CAS 6283-63-2: DPD may cause allergic skin reaction

CAS: 139-33-3 Disodium dihydrogen ethylenediaminetetraacetate			
Irritation of skin	OECD 404	(rabbit: no irritation)	
Irritation of eyes	OECD 405	(rabbit: no irritation)	

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Information on components:

CAS 6283-63-2: Sensitization possible in predisposed persons.

The following applies to iodides in general: Sensitation possible at predisposed persons.

CAS: 139-33-3 Disodium dihydrogen ethylenediaminetetraacetate

Sensitisation | OECD 406 | (guinea pig: negative) (EPA OPP 81-6: Guinea pig maximisation test)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · Information on components:

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 7681-11-0 potassium iodide

OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test)
OECD 476 (negative) (In Vitro Mammalian Cell Gene Mutation Test)
Mouse (lymhoma L5178Y cells)

- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure

Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Information on likely routes of exposure
- "Main routes of exposure:

At workplaces, intake of potassium iodide (KI) is most likely to occur via the respiratory tract.

Outside the workplace, iodides are ingested with food (essential) and sometimes with medications.

Respiratory tract: KI can be inhaled as dust or aerosol from solutions. Inhalation studies were conducted with particulate aerosols containing sodium iodide using various animal species (monkey, mouse, sheep). Rapid and effective absorption via the respiratory tract was observed. This is also assumed for KI as its solubility is comparable.

Skin: From tests on volunteers who had an aqueous KI solution applied to their forearms (12.5 cm²), the amount of iodine absorbed was estimated at 0.1%. Absorption through the skin is therefore considered to be of little relevance.

Gastrointestinal tract: Soluble iodide is absorbed almost entirely via the gastrointestinal tract. This has been proven by results of studies with KI on adult volunteers." [GESTIS]

(Contd. on page 7)

Printing date 15.11.2023 Version number 4 (replaces version 3) Revision: 15.11.2023

Product name: Vario Chlorine Total - DPD F5, F10, F25, PD250

(Contd. of page 6)

CAS 6283-63-2 4-Amino-N,N-diethylaniline sulfate:

In analogy to CAS 93-05-0 Amino-N,N-diethylaniline at workplaces the main route of exposure is via the respiratory tract and the skin.

"The high systemic potential of Amino-N,N-diethylaniline observed in animal experiments after oral application of relatively low doses permits the assumption of an effective resorption via the digestive tract that must also be assumed for humans." [GESTIS]

Additional toxicological information:

CAS: 7681-11-0 potassium iodide

. (source: GESTIS)

Main Toxic Effects:

Acute: Irritation to the eyes, skin and airways, disturbance of thyroid function, cardiovascular effects, metabolic disturbances. Chronic: Disturbance of thyroid function, systemically conditioned skin damage and inflammation of the mucous membranes.

Furter Information (GESTIS, Merck):

Small amounts of iodine are essential for the body. However, long-term overdoses of iodine lead to disturbances in the thyroid function (hypo- and/or hyperthyroidism, possibly accompanied by thyroiditis). The effects are very complex.

Furthermore, symptoms of chronic iodine poisoning (iodine toxicosis, "iodism") can occur following intake of high doses of predisposed persons. They mainly consist of systemically conditioned irritation/inflammatory changes to the mucous membranes and skin.

lodide crosses the placenta and, when administered (orally) to pregnant women in very high doses, can lead to hypothyroidism and/or goiter in the fetus with deaths from tracheal compression

CAS: 6283-63-2 N,N-diethylbenzene-1,4-diammonium sulphate (1:1)

. (source: GESTIS)

Main toxic effects of CAS 93-05-0 4-Amino-N.N-diethylaniline:

Acute: Irritative effects to the mucosae and the skin, sensitising effects;

Chronic: Skin diseases. Only insufficient information available on the systemic effects.

- · 11.2 Information on other hazards
- · Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- Other information

Other dangerous properties can not be excluded.

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:				
CAS: 7681-1	CAS: 7681-11-0 potassium iodide			
EC50	7.5 mg/l/48h (Daphnia magna) (OECD 202) Merck			
LC50	LC50 3780 mg/l/96h (rainbow trout) (OECD 203) Merck			
CAS: 139-33	CAS: 139-33-3 Disodium dihydrogen ethylenediaminetetraacetate			
EC50 (static)	>100 mg/l/48h (Daphnia magna) (DIN 38412 Teil 11) (BASF)			
NOEC	≥36.9 mg/l (zebrafish) (35d, OECD 210) (BASF; read across)			
EC50	>100 mg/l/72h (Scenedesmus subspicatus) (88/302/EWG, part C) (BASF; read across)			
LC50 (static)	>100 mg/l/96h (bluegill) (BASF, read across)			

- · Bacterial toxicity: sulphates toxic > 2.5 g/l
- Other information:

Toxic for fish:

Sulphates > 7 g/l

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

log Pow 1-3 = Not worth-mentioning accumulating in organisms.

(Contd. on page 8)

Printing date 15.11.2023 Version number 4 (replaces version 3) Revision: 15.11.2023

Product name: Vario Chlorine Total - DPD F5, F10, F25, PD250

(Contd. of page 7)

CAS: 139-33-3 Disodium dihydrogen ethylenediaminetetraacetate

log Pow -4.3 (.) (BASF)

CAS: 6283-63-2 N,N-diethylbenzene-1,4-diammonium sulphate (1:1)

log Pow 2.24 (.) (calculated)

· Bioconcentration factor (BCF)

CAS: 139-33-3 Disodium dihydrogen ethylenediaminetetraacetate

BCF 1.8 (bluegill) (conc. 0.08 mg/l, 28d)

(ECHA, registrant: read across CAS 13235-36-4)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of water supplies. Avoid transfer into the environment.

· Water hazard:

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 06* laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleaning agent: Water, if necessary with cleaning agent.

CECTIC	NIAA. '	Tueseeses		1
SECTION	JN 14:	Transport		1[0]1

· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IM instruments	O Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

GB -

Printing date 15.11.2023 Version number 4 (replaces version 3) Revision: 15.11.2023

Product name: Vario Chlorine Total - DPD F5, F10, F25, PD250

(Contd. of page 8)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act UK
- Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated
- Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

- · Substances of very high concern (SVHC) according to REACH, Article 57
- This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).
- · Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

- · Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Information about limitation of use: Employment restrictions concerning young persons must be observed (94/33/EC).
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- · Training hints Provide adequate information, instruction and training for operators.
- · Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

(Contd. on page 10)

Printing date 15.11.2023 Version number 4 (replaces version 3) Revision: 15.11.2023

Product name: Vario Chlorine Total - DPD F5, F10, F25, PD250

(Contd. of page 9)

· Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure EC50: half maximal effective concentration IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency http://echa.europa.eu

GESTIS- Stoffdatenbank (Substance Database, Germany)

* Data compared to the previous version altered.

GB