# Tintometer<sup>®</sup> Group Water Testing



phone: +49 (0)231 94510-0

e-mail: sales@lovibond.com

phone: +44 1980 664800

e-mail: SDS@lovibond.uk

Page 1/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.11.2023 Version number 39 (replaces version 38) Revision: 13.11.2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Vario Molybdenum HR2 F10 / F25
- · Catalog number: 00530769, 00530799, 530760, 530790, 4530760, 4530790, 530762
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

The Tintometer Limited Lovibond® House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

· Informing department: e-mail: sds@lovibond.com Product Safety Department

· 1.4 Emergency telephone number:

+44 1235 239670 Languages: English

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

(Contd. of page 1)

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.11.2023 Version number 39 (replaces version 38) Revision: 13.11.2023

#### Product name: Vario Molybdenum HR2 F10 / F25

· Hazard pictograms



GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

disodium peroxodisulphate

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

**Precautionary statements** 

P261 Avoid breathing dust.

P280 Wear protective gloves/protective clothing/eye protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention. P308+P313

P302+P352 IF ON SKIN: Wash with plenty of water.

· 2.3 Other hazards No further relevant information available.

#### · Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

**Determination of endocrine-disrupting properties** 

The product does not contain substances with endocrine disrupting properties.

#### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of inorganic compounds.

· Dangerous	s components:
-------------	---------------

CAS: 7775-27-1 disodium peroxodisulphate 25-35% ♠ Ox. Sol. 3, H272; ♠ Resp. Sens. 1, H334; ♠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 EINECS: 231-892-1

Additional information For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air or oxygen; call for doctor.
- · After skin contact

Instantly rinse with water.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed:

allergic reactions

irritations

after inhalation:

mucosal irritations, cough, shortness of breath

asthma attacks

after swallowing:

mucous membrane irritation

(Contd. on page 3)

Printing date 13.11.2023 Version number 39 (replaces version 38) Revision: 13.11.2023

#### Product name: Vario Molybdenum HR2 F10 / F25

(Contd. of page 2)

sickness

vorniting

gastric or intestinal trouble

cardiovascular disorders

· Danger

Danger of impaired breathing.

Danger of pulmonary oedema.

risk of airways sensitization

risk of skin sensitization

• 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Has a fire-promoting effect due to release of oxygen.

Formation of toxic gases is possible during heating or in case of fire.

Sulphur oxides (SOx)

Oxygen (O<sub>2</sub>)

Sodium oxide

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid causing dust.

- · Advice for emergency responders: Protective equipment: see section 8
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling
- · Advice on safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Thorough dedusting.

· Hygiene measures:

Do not inhale dust / smoke / mist.

Avoid contact with the skin.

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

(Contd. on page 4)

Printing date 13.11.2023 Version number 39 (replaces version 38) Revision: 13.11.2023

Product name: Vario Molybdenum HR2 F10 / F25

(Contd. of page 3)

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

Protect from the effects of light.

Protect from humidity and keep away from water.

This product is hygroscopic.

- · Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Eye/face protection Safety glasses
- · Hand protection

Protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.11$  mm

Penetration time of glove material

Value for the permeation: Level = 1 ( < 10 min )

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter P2
- · Environmental exposure controls Do not allow product to reach sewage system or water bodies.

#### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state
Form:
Colour:
Odourless
Odour threshold:
Melting point/Freezing point:

Solid.
Powder
White
Odourless
Not applicable.
Not determined.

· Boiling point or initial boiling point and boiling range Not applicable.

Decomposition

(Contd. on page 5)

(Contd. of page 4)

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.11.2023 Version number 39 (replaces version 38) Revision: 13.11.2023

Product name: Vario Molybdenum HR2 F10 / F25

· Flammability The product is not combustible. Explosive properties: Product is not explosive.

The product is not capable of dust explosion in the form supplied;

Soluble

Void

Not applicable.

Not applicable (mixture).

enrichment with fine dust causes risk of dust explosion

· Lower and upper explosion limit

Lower: Not determined. Not determined. Upper: Not applicable. · Flash point: Auto-ignition temperature: Not applicable (solid). Decomposition temperature: > 180°C (CAS 7775-27-1)

· pH (10.8 g/l) at 20°C 5.6 Not applicable (solid).

Kinematic viscosity

· Solubility · Water:

· Partition coefficient n-octanol/water (log value)

· Vapour pressure:

· Density and/or relative density

· Density at 20°C: 2.32 g/cm<sup>3</sup> Relative density: Not determined. · Relative gas density Not applicable (solid). Not determined. · Particle characteristics

· 9.2 Other information

· Information with regard to physical hazard classes

Corrosive to metals

· Other safety characteristics

· Oxidising properties: Oxidising potential CAS 7775-27-1: is classified as oxidising.

· Additional information

· Solids content: 100.0 %

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity Dust can combine with air to form an explosive mixture.
- 10.2 Chemical stability Stable at ambient temperature (room temperature).
- 10.3 Possibility of hazardous reactions

Reacts with reducing agents

Reacts with alcohols

Reacts with strong acids and alkali

Reacts with heavy metals

10.4 Conditions to avoid

Exposure to moisture.

Strong heating (decomposition)

10.5 Incompatible materials:

combustible substances

aluminium

10.6 Hazardous decomposition products:

In case of fire: see section 5.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

	,
· LD/LC50 values that are relevan	t for classification:

CAS: 77	775-27-1 di	sodium	peroxodisulphate

Orai		(IUCLID)
Dermal	LD50	>10000 mg/kg (rabbit)

(Contd. on page 6)

Printing date 13.11.2023 Version number 39 (replaces version 38) Revision: 13.11.2023

Product name: Vario Molybdenum HR2 F10 / F25

(Contd. of page 5) LD50 IPR 226 mg/kg (mouse)

· Skin corrosion/irritation Causes skin irritation.

- · Serious eye damage/irritation Causes serious eye irritation.
- · Information on components:

#### CAS: 7775-27-1 disodium peroxodisulphate

Irritation of skin OECD 404 (rabbit: slight irritation)

(ECHA: read-across CAS 7727-54-0 Diammonium persulfate)

Irritation of eyes OECD 405 (rabbit: slight irritation)

#### · Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

#### · Information on components:

#### CAS: 7775-27-1 disodium peroxodisulphate

Sensitisation OECD 406 (guinea pig: positive)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- Information on components:

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

#### CAS: 7775-27-1 disodium peroxodisulphate

OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test) (IUCLID)

- · STOT (specific target organ toxicity) -single exposure May cause respiratory irritation.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### · Information on likely routes of exposure

In persons occupationally exposed to persulphates, skin diseases have been observed very frequently, which were attributed to irritative effects on the one hand, but predominantly to allergic reactions. In addition to the above-mentioned early-type reactions, allergic dermatitis and chronic recurrent eczema have been described as late-type reactions. (GESTIS)

- · 11.2 Information on other hazards
- · Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- Other information

Other dangerous properties can not be excluded.

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity · Aquatic toxicity:

### CAS: 7775-27-1 disodium peroxodisulphate

EC50 133 mg/l/48h (Daphnia magna)

NOEC 91.7 mg/l/96h (rainbow trout)

(ECHA)

NOEC 67.6 mg/l/48h (Daphnia magna)

(ECHA)

771 mg/l/96h (bluegill) LC50

163 mg/l/96h (rainbow trout)

(ECHA)

Bacterial toxicity: sulphates toxic > 2.5 g/l

Other information:

Toxic for fish:

(Contd. on page 7)

Printing date 13.11.2023 Version number 39 (replaces version 38) Revision: 13.11.2023

Product name: Vario Molybdenum HR2 F10 / F25

(Contd. of page 6)

Sulphates > 7 g/l

- 12.2 Persistence and degradability
- Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects

Reacts with water to form toxic decomposition products.

Avoid transfer into the environment.

Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 07\* discarded inorganic chemicals consisting of or containing hazardous substances

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

#### **SECTION 14: Transport information**

· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IM instruments	O Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act UK
- · Regulated explosives precursors

None of the ingredients is listed.

(Contd. on page 8)

Printing date 13.11.2023 Version number 39 (replaces version 38) Revision: 13.11.2023

Product name: Vario Molybdenum HR2 F10 / F25

(Contd. of page 7)

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated
- · Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

· Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

- · Substances of very high concern (SVHC) according to REACH, Article 57
- This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).
- Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

- · Directive 2012/18/EU (SEVESO III):
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · Information about limitation of use: Employment restrictions concerning young persons must be observed (94/33/EC).
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- · Training hints Provide adequate information, instruction and training for operators.
- · Relevant phrases

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

#### Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

Version number 39 (replaces version 38) Printing date 13.11.2023 Revision: 13.11.2023

Product name: Vario Molybdenum HR2 F10 / F25

(Contd. of page 8)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Ox. Sol. 3: Oxidizing solids – Category 3 Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Data arise from safety data sheets, reference works and literature. ECHA: European CHemicals Agency http://echa.europa.eu IUCLID (International Uniform Chemical Information Database) GESTIS- Stoffdatenbank (Substance Database, Germany)

\* Data compared to the previous version altered.

GB