Tintometer[®] Group Water Testing

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.08.2018

Version number 36

Revision: 03.07.2018

Page 1/9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Vario Ammonia Cyanurate F10 ml
- · Catalog number: 00531379, 531370, 4531370, 531372
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier: Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

Tintometer GmbH Division AQUALYTIC[®] Schleefstr. 12 44287 Dortmund Made in Germany www.aqualytic.de

The Tintometer Limited Lovibond[®] House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

- · Informing department: e-mail: sds@tintometer.de Product Safety Department
- · 1.4 Emergency telephone number: +44 1235 239670 Languages: English

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008





H318 Causes serious eye damage.

Skin Irrit. 2 H315 Causes skin irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

 Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 2)

phone: +49 231 94510-0 e-mail: sales@tintometer.de

phone: +49 231 94510-755 e-mail: sales@aqualytic.de

phone : +44 1980 664800 e-mail: SDS@tintometer.com

GB

Printing date 08.08.2018

Version number 36

Revision: 03.07.2018

Product name: Vario Ammonia Cyanurate F10 ml

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:
- lithium hydroxide monohydrate

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

- · Precautionary statements
- P280 Wear protective gloves / eye protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · 2.3 Other hazards No further relevant information available.
- · Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of organic and inorganic compounds

· Dangerous components:			
CAS: 1310-66-3	lithium hydroxide monohydrate	2.5-<5%	
EINECS: 215-183-4	< Skin Corr. 1A, H314; Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302		
CAS: 51580-86-0	sodium dichloroisocyanurate, dihydrate		
EINECS: 220-767-7	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Eye Irrit. 2,		
Index No: 613-030-01-7	H319; STOT SE 3, H335		
• Additional information For the wording of the listed hazard phrases refer to section 16.			

Additional information For the wording of the listed hazard phrases refer to section ?

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- After inhalation Supply fresh air and call for doctor for safety reasons.
- · After skin contact
- Instantly rinse with water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

- · After eye contact
- Rinse opened eye for several minutes (at least 15 min) under running water.
- Call a doctor immediately.
- After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting; instantly call for medical help.

· 4.2 Most important symptoms and effects, both acute and delayed:

burns after inhalation: coughing breathing difficulty damage to the affected mucous membranes possible after swallowing: strong caustic effect. (Contd. of page 1)

Version number 36

Product name: Vario Ammonia Cyanurate F10 ml

absorption after absorption of large amounts: sickness vomiting ataxia (impaired locomotor coordination) CNS disorders cramps

· Danger

Danger of system failure. Danger of gastric perforation.

• 4.3 Indication of any immediate medical attention and special treatment needed: If swallowed or in case of vomiting, danger of entering the lungs

Subsequent observation for pneumonia and pulmonary oedema

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Hydrogen chloride (HCI)

nitrous gases

LiOx

Carbon monoxide (CO) and carbon dioxide (CO₂)

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:
- Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- Advice for emergency responders: Protective equipment: see section 8
- 6.2 Environmental precautions:
 Do not allow product to reach sewage system or water bodies.
- Inform respective authorities in case product reaches water or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

- Advice on safe handling: Prevent formation of dust. Thorough dedusting.
- Hygiene measures: Avoid contact with the skin. Avoid contact with the eyes.

(Contd. of page 2)

Revision: 03.07.2018

Version number 36

Revision: 03.07.2018

Product name: Vario Ammonia Cyanurate F10 ml

Take off immediately all contaminated clothing. Wash hands during breaks and at the end of the work. Do not eat, drink or smoke when using this product.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility:
- Store away from oxidising agents.
- Do not store together with acids.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed containers. Protect from heat and direct sunlight.
- Protect from the effects of light.
- Store under dry conditions.

Protect from humidity and keep away from water. This product is hygroscopic.

· Recommended storage temperature: 20°C +/- 5°C

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

 Components with limit values that require monitoring at the workplace: 		
CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate		
WEL (Great Britain) Short-term value: 0.07 mg/m ³ Long-term value: 0.02 mg/m ³ Sen; as -NCO		
 Regulatory information WEL (Great Britain): EH40/2011 Recommended monitoring procedures: Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689. 		
• Additional information: The lists that were valid during the compilation were used as basis.		
· 8.2 Exposure controls		
 Engineering measures: Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7. 		
 Personal protective equipment Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol. Recommended filter device for short term use: Filter P2 Protection of hands: Protective gloves. Check protective gloves prior to each use for their proper condition. After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves nitrile rubber, NBR Recommended thickness of the material: ≥ 0.11 mm Penetration time of glove material Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed safety glasses. Body protection: Protective work clothing. Limitation and supervision of exposure into the environment: Do not allow product to reach sewage system or water bodies. 		
· Limitation and supervision of exposure into the environment: Do not allow product to reach sewage system of water bodies.		
SECTION 9: Physical and chemical properties		

· 9.1 Information on basic physical and chemical properties

Appearance: Form / Physical state:

Powder

(Contd. of page 3)

Printing date 08.08.2018

Version number 36

Revision: 03.07.2018

Product name: Vario Ammonia Cyanurate F10 ml

	(Contd. of page 4)
Colour:	White
· Odour: · Odour threshold:	Pungent Not determined.
· pH-value at 20°C:	12.4 Strongly alkaline
 Melting point/Freezing point: Initial boiling point and boiling range: 	Not determined Not determined
· Flash point:	Not applicable
 Flammability (solid, gas): Ignition temperature: 	The product is not combustible. 290°C Not applicable
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self-igniting.
 Explosive properties: Flammability or explosive limits: Lower: Upper: 	Product is not explosive. Not applicable Not applicable
· Oxidising properties:	none
 Vapour pressure: Density: Relative density: Vapour density: Evaporation rate: 	Not applicable. Not determined Not determined. Not applicable. Not applicable.
· Solubility(ies): Water:	Soluble
· Partition coefficient: n-octanol/water:	Not applicable.
· Viscosity:	Not applicable.
 Solvent content: Organic solvents: Solids content: 	0.0 % 100.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section 10.3
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- · 10.3 Possibility of hazardous reactions
- Aqueous solution reacts alkaline.
- Aqueous solution reacts with metals.
- Reacts with light alloys in the presence of moisture to form hydrogen
- Corrodes aluminium
- · 10.4 Conditions to avoid Exposure to moisture.
- **10.5 Incompatible materials:** organic substances aluminium
- zinc
- **10.6 Hazardous decomposition products:** Chlorine compounds
- In case of fire: see section 5.

(Contd. on page 6)

Version number 36

Revision: 03.07.2018

Product name: Vario Ammonia Cyanurate F10 ml

(Contd. of page 5)

SECTION 11: Toxicological information		
· 11.1 Information on toxicological effects		
• Acute toxicity Based on available data, the classification criteria are not met.		
· LD/LC50 values that are relevant for classification:		
CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate		
Oral LD50 1671 mg/kg (rat) (EPA OPP 81-1) (Registrant, ECHA)		
Dermal LD50 >5000 mg/kg (rat) (EPA OPP 81-2) (Registrant, ECHA)		
Primary irritant effect:		
· Skin corrosion/irritation		
Causes skin irritation.		
Serious eye damage/irritation Causes serious eye damage.		
Risk of corneal clouding.		
· Information on components:		
CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate		
Irritation of eyes OECD 405 (rabbit: burns)		
· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.		
· Information on components:		
CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate		
Sensitisation OECD 406 (guinea pig: negative) (Magnusson / Klingman)		
 CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) The following statements refer to the mixture: Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. 		
 STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met. STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. 		
Information on components:		
CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate		
OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test) (Escherichia coli)		
 Additional toxicological information: The following applies to lithium compounds in general: after absorption: CNS disorders, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance 		

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquati	· Aquatic toxicity:		
CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate			
EC50	0.28 mg/l/48h (Daphnia magna) (ECOTOX)		
EC50	>5000 mg/l/96h (Algeal toxicity) (OECD 201)		
NOEC	2600 mg/l (Daphnia magna) (OECD 2011, 21d) (Registrant, ECHA)		
	756 mg/l (fish) (28d) (Registrant, ECHA)		
	1000 mg/l (rainbow trout) (OECD 2015, 28d) (Registrant, ECHA)		
LC50	0.25 mg/l/96h (rainbow trout) (ECOTOX)		
	(Contd. on page 7)		

Version number 36

Product name: Vario Ammonia Cyanurate F10 ml

Revision: 03.07.2018

(Contd. of page 6)

· Other information:

The following applies for lithium compounds in general: fish toxic from 100 mg/l, Daphnia toxic from 16 mg/l, plants toxic from 0,2 mg/l

· 12.2 Persistence and degradability

CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

OECD 306 4 (.) (Biodegradation Test – Seawater)

· 12.3 Bioaccumulative potential No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006. • 12.6 Other adverse effects

Harmful effect due to pH shift.

Avoid transfer into the environment.

· Water hazard:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 06* laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

· Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN2680
 14.2 UN proper shipping name ADR IMDG, IATA 	2680 LITHIUM HYDROXIDE mixture LITHIUM HYDROXIDE mixture
· 14.3 Transport hazard class(es)	
· ADR	
· Class · Label	8 (C6) Corrosive substances. 8
· IMDG, IATA	
· Class	8 Corrosive substances.
· Label	8
	(Contd. on page GB

Printing date 08.08.2018

Printing date 08.08.2018

Version number 36

Revision: 03.07.2018

Product name: Vario Ammonia Cyanurate F10 ml

	(Contd. of page 7
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Kemler Number: EMS Number: Segregation groups Stowage Category Segregation Code 	Warning: Corrosive substances. 80 F-A,S-B Alkalis A SG35 Stow "separated from" acids.
 14.7 Transport in bulk according to Annex II of I the IBC Code 	Marpol and Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) 	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
 Transport category Tunnel restriction code 	2 E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· Directive 2012/18/EU (SEVESO III):

- · Named dangerous substances ANNEX I sodium dichloroisocyanurate, dihydrate
- · Information about limitation of use: Employment restrictions concerning young persons must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Training hints Provide adequate information, instruction and training for operators.

· Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

Version number 36

Revision: 03.07.2018

Product name: Vario Ammonia Cyanurate F10 ml

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 · Sources Data arise from safety data sheets, reference works and literature. ECHA: European CHemicals Agency http://echa.europa.eu RTECS (Registry of Toxic Effects of Chemical Substances)

• * Data compared to the previous version altered.

ECOTOX Database

Printing date 08.08.2018

(Contd. of page 8)

GB