Lovibond® Water Testing

Tintometer® Group



Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 11/22/2017 Reviewed on 11/22/2017

1 Identification

- · Product identifier
- · Trade name: Vario Phosphate RGT F10 ml
- · Catalogue number: 00531559, 531550, 531553, 4531550, 531551
- · Application of the substance / the mixture: Reagent for water analysis
- · Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA

phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- · Hazard pictograms





GHS05 GHS06

- · Signal word Danger
- Hazard-determining components of labeling:

dipotassium disulfate

· Hazard statements

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P261 Avoid breathing dust.

P280 Wear protective gloves/protective clothing/eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

(Contd. on page 2)

Printing date 11/22/2017 Reviewed on 11/22/2017

Trade name: Vario Phosphate RGT F10 ml

(Contd. of page 1)

· Other hazards No further relevant information available.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of organic and inorganic compounds
- · Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air or oxygen; call for doctor.
- · After skin contact:

Immediately rinse with plenty of water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

After eye contact:

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

· After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed

burns

after inhalation:

coughing

breathing difficulty

resorption

after absorption of large amounts:

sickness

vomiting

gastric or intestinal disorders

drowsiness

dizziness

· Danger:

Danger of gastric perforation.

Danger of pulmonary edema.

Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs.

Later observation for pneumonia and pulmonary edema.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Sulfur oxides (SOx)

Potassium oxide

Carbon monoxide (CO) and carbon dioxide (CO₂)

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 3)

Printing date 11/22/2017 Reviewed on 11/22/2017

Trade name: Vario Phosphate RGT F10 ml

(Contd. of page 2)

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

- · Advice for emergency responders: Protective equipment: see section 8
- Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling
- · Advice on safe handling:

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

· Hygiene measures:

Do not inhale dust / smoke / mist.

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Store under lock and key and with access restricted to technical experts or their assistants only.

Protect from heat and direct sunlight.

Protect from exposure to the light.

Store in dry conditions.

Protect from humidity and water.

- Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- · Personal protective equipment:
- · Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.

(Contd. on page 4)

Printing date 11/22/2017 Reviewed on 11/22/2017

Trade name: Vario Phosphate RGT F10 ml

(Contd. of page 3)

- · Recommended filter device for short term use: Filter P3
- · Protection of hands:

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed goggles
- · Body protection: Acid resistant protective clothing
- · Limitation and supervision of exposure into the environment: No further relevant information available.

9 Physical and chemical properties

or nyelom and oncome proportion			
Information on basic physical and che Appearance: Form / Physical state: Color:	Powder White		
· Odor: · Odor threshold:	Odorless Not applicable.		
· pH-value (31.3 g/l) at 20 °C (68 °F):	1,2		
 Melting point/freezing point: Initial boiling point and boiling range: 	Not determined. Not determined.		
· Flash point:	Not applicable.		
· Flammability (solid, gas):	The product is not combustible.		
· Decomposition temperature:	Not determined.		
· Auto-ignition temperature:	Product is not self-igniting.		
 Danger of explosion: Flammability or explosive limits: Lower: Upper: 	Product does not present an explosion hazard. Not applicable. Not applicable.		
· Oxidizing properties:	none		
 Vapor Pressure: Density at 20 °C (68 °F): Relative density: Vapor density: Evaporation rate: 	Not applicable. 2,38 g/cm³ (19.86 lbs/gal) Not determined. Not applicable. Not applicable.		
· Solubility(ies) Water:	Soluble.		
· Partition coefficient (n-octanol/water):	Not applicable.		
· Viscosity: · Dynamic: · Kinematic:	Not applicable. Not applicable. Not applicable.		
· Solvent content: Organic solvents: Solids content:	0,0 % 100,0 %		
· Other information	No further relevant information available.		

Printing date 11/22/2017 Reviewed on 11/22/2017

Trade name: Vario Phosphate RGT F10 ml

(Contd. of page 4)

* 10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions"
- · Chemical stability

Stable at ambient temperature (room temperature).

sensitive to moisture

sensitivity to light

- sensitive to air
- · Possibility of hazardous reactions Aqueous solution reacts acidic.
- Conditions to avoid Strong heating (decomposition)
- · Incompatible materials: metals
- · Hazardous decomposition products: see section 5

*11 Toxicological information

- · Information on toxicological effects
- Acute toxicity: Classification according to calculation procedure.

Acute toxicity estimate (ATE(MIX)) - Calculation method:				
Oral	GHS ATE _(MIX)	3565 mg/kg (.)		
Inhalative	GHS ATE(MIX)	0.7 mg/l/4h (dust)		
I DU OFO all and determine the conference of the				

· LD/LC50 values that are relevant for classification:

CAS: 7790-62-7 dipotassium disulfate

Oral	LD50	2500 mg/kg (ATE)
		2500 mg/kg (ATE) (Read across 7664-93-9: LD₅₀(rat) = 2140 mg/kg, ECHA)
Inhalative	LC50	0.5 mg/l/4h (ATE) (Aerosol)
		0.5 mg/l/4h (ATE) (Aerosol) (Read across 7664-93-9: LD₅₀ (rat, 4h) = ~ 850 mg/m³, ECHA)

- · Primary irritant effect:
- · on the skin: Causes severe skin burns.
- on the eye:

Causes serious eye damage.

Risk of blindness!

- · Sensitization: Based on available data, the classification criteria are not met.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Other information: see section 8 / 15
- · Synergistic Products: None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 11/22/2017 Reviewed on 11/22/2017

Trade name: Vario Phosphate RGT F10 ml

· Bacterial toxicity: sulfates toxic > 2.5 g/l

Other information:

Toxic for fish:

sulfates > 7 g/l

molybdenum compounds in general: > 25 mg/l

- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Other adverse effects

Harmful effect due to pH shift.

Avoid transfer into the environment.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number · DOT, IMDG, IATA	UN2923
· UN proper shipping name · DOT · IMDG, IATA	Corrosive solids, toxic, n.o.s. (dipotassium disulfate) CORROSIVE SOLID, TOXIC, N.O.S. (dipotassium disulfate)
· Transport hazard class(es)	
· DOT	
CORROSIVE TOXIC	
· Class · Label	8 Corrosive substances 8, 6.1
· IMDG	
· Class · Label	8 Corrosive substances 8/6.1
·IATA	
· Class · Label	8 Corrosive substances 8 (6.1)
· Packing group · DOT, IMDG, IATA	II

(Contd. on page 7)

Printing date 11/22/2017 Reviewed on 11/22/2017

Trade name: Vario Phosphate RGT F10 ml

(Contd. of page 6)

· Environmental hazards:
· Marine pollutant:

Marine pollutant:

· Special precautions for user Warning: Corrosive substances

Danger code (Kemler):
EMS Number:
Segregation groups
Stowage Category

86
F-A,S-B
Acids
B

Stowage Code SW2 Clear of living quarters.

· Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

• Quantity limitations On passenger aircraft/rail: 15 kg

On cargo aircraft only: 50 kg

Limited quantity (LQ):

1 kg

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 500 g

·IMDG

Limited quantities (LQ)
 Excepted quantities (EQ)
 Code: E2

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 28300-74-5 potassium antimony(III) oxide tartrate trihydrate

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

CAS: 28300-74-5 potassium antimony(III) oxide tartrate trihydrate

New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

· Pennsylvania Right-to-Know List:

CAS: 28300-74-5 potassium antimony(III) oxide tartrate trihydrate

Pennsylvania Special Hazardous Substance List:

CAS: 28300-74-5 potassium antimony(III) oxide tartrate trihydrate

Е

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 11/22/2017 Reviewed on 11/22/2017

Trade name: Vario Phosphate RGT F10 ml

(Contd. of page 7)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Information about limitation of use: Employment restrictions concerning young persons must be observed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

· Date of preparation / last revision 11/22/2017 / 3

Abbreviations and acronyms:

EC50: effective concentration, 50 percent (in vivo)

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

Group 1 - Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans

•Group 2B - Possibly carcinogenic to humans

•Group 3 - Not classifiable as to carcinogenicity to humans

•Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services
•Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

· Sources

Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency http://echa.europa.eu

* Data compared to the previous version altered.