

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.03.2024

Version number 26 (replaces version 25)

Revision: 20.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name:** Chromium Hexavalent RGT Powder

· **Catalog number:** 00537319, 537310, 4537310

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the preparation:** Reagent for water analysis

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**

Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com

phone: +49 (0)231 94510-0
e-mail: sales@lovibond.com

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom

phone : +44 1980 664800
e-mail: SDS@lovibond.uk

· **Informing department:**

e-mail: sds@lovibond.com
Product Safety Department

· **1.4 Emergency telephone number:**

+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.03.2024

Version number 26 (replaces version 25)

Revision: 20.03.2024

Product name: Chromium Hexavalent RGT Powder

(Contd. of page 1)

Hazard pictograms


GHS07 GHS09

Signal word Warning

Hazard statements

- H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H400 Very toxic to aquatic life.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

- P280 Wear protective gloves / eye protection.
 P273 Avoid release to the environment.
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards No further relevant information available.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of organic and inorganic compounds

Dangerous components:

CAS: 5329-14-6 EINECS: 226-218-8 Index No: 016-026-00-0 Reg.nr.: 01-2119846728-XXXX	sulfamic acid ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	80–90%
CAS: 57-09-0 EINECS: 200-311-3	Cetrimonium bromide ⚠ STOT RE 2, H373; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=1); ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335 Specific concentration limit: Skin Irrit. 2; H315: C ≥ 2.5 %	0.25–<1%

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General information** Instantly remove any clothing soiled by the product.
- After inhalation** Supply fresh air; consult doctor in case of symptoms.
- After skin contact**
 Instantly rinse with water.
 If skin irritation continues, consult a doctor.
- After eye contact** Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.
- After swallowing**
 Rinse out mouth and then drink 1-2 glasses of water.
 Do not induce vomiting.
 In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed:**
 after inhalation:
 mucosal irritations, cough, shortness of breath
 after swallowing:
 mucous membrane irritation

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.03.2024

Version number 26 (replaces version 25)

Revision: 20.03.2024

Product name: Chromium Hexavalent RGT Powder

(Contd. of page 2)

cramps
gastric or intestinal trouble
pain
cardiovascular disorders

· **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

· **5.2 Special hazards arising from the substance or mixture**

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

nitrous gases
Nitrogen oxides (NO_x)
Sulphur oxides (SO_x)
Sodium oxide

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear self-contained breathing apparatus.

Wear full protective suit.

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

· **Advice for non-emergency personnel:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid causing dust.

· **Advice for emergency responders:** Protective equipment: see section 8

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

· **6.3 Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

· **6.4 Reference to other sections**

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

· **Advice on safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

· **Hygiene measures:**

Avoid contact with the skin.

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Requirements to be met by storerooms and containers:** Store in cool location.

· **Information about storage in one common storage facility:** Do not store together with alkalis (caustic solutions).

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.03.2024

Version number 26 (replaces version 25)

Revision: 20.03.2024

Product name: Chromium Hexavalent RGT Powder

(Contd. of page 3)

Further information about storage conditions:

- Protect from heat and direct sunlight.
- Protect from the effects of light.
- Store under dry conditions.
- Protect from humidity and keep away from water.

Recommended storage temperature: 20°C +/- 5°C

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters
Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

Derived No Effect Level (DNEL)

CAS: 57-09-0 Cetrimonium bromide

Dermal	DNEL	0.4 mg/kg (Worker / long-term / systemic effects)
	DNEL	0.25 mg/cm ² (Worker / acute / local effects)
		0.05 mg/cm ² (Worker / long-term / local effects)
Inhalative	DNEL	0.05 mg/m ³ (Worker / acute / local effects)

Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

PNECs

Predicted No Effect Concentration (PNEC)

CAS: 57-09-0 Cetrimonium bromide

PNEC	0.19 mg/l (Sewage treatment plant)
	0.000022 mg/l (Marine water)
	0.0004 mg/l (Aquatic intermittent release)
	0.000022 mg/l (Fresh water)

Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls
Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

Eye/face protection

Safety glasses

Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.

Hand protection

Protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

nitrile rubber, NBR

 Recommended thickness of the material: ≥ 0.11 mm

Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Other skin protection (body protection): Protective work clothing.

Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.

Recommended filter device for short term use: Filter P2

(Contd. on page 5)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.03.2024

Version number 26 (replaces version 25)

Revision: 20.03.2024

Product name: Chromium Hexavalent RGT Powder

(Contd. of page 4)

· **Environmental exposure controls** Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties	
· Physical state	Solid.
· Form:	Powder
· Colour:	beige to red
· Odour:	Odourless
· Odour threshold:	Not applicable.
· Melting point/Freezing point:	Not determined.
· Boiling point or initial boiling point and boiling range	Not determined.
· Flammability	The product is not combustible.
· Explosive properties:	Product is not explosive.
· Lower and upper explosion limit	
Lower:	Not applicable.
Upper:	Not applicable.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Not applicable (solid).
· Decomposition temperature:	Not determined.
· pH (29.7 g/l) at 20°C	1.1
· Kinematic viscosity	Not applicable (solid).
· Solubility	
· Water:	Soluble
· Partition coefficient n-octanol/water (log value)	Not applicable (mixture).
· Vapour pressure:	Not applicable.
· Density and/or relative density	
· Density at 20°C:	2.22 g/cm ³
· Relative density:	Not determined.
· Relative gas density	Not applicable (solid).
· Particle characteristics	Not determined.

· 9.2 Other information

· Information with regard to physical hazard classes	
· Corrosive to metals	Void
· Other safety characteristics	
· Oxidising properties:	none
· Additional information	
· Solids content:	100 %

SECTION 10: Stability and reactivity

- **10.1 Reactivity** see section 10.3
- **10.2 Chemical stability** Stable at ambient temperature (room temperature).
- **10.3 Possibility of hazardous reactions**
 - Reacts with water.
 - Aqueous solution reacts acidic.
 - Forms hydrogen in aqueous solution with metals
 - Aqueous solution reacts with metals.
 - Reacts with acids, alkalis and oxidizing agents
 - Reacts with halogenated compounds
 - Hydrogen is formed in the presence of aluminum or zinc.
 - Violent reactions possible with:
 - Nitrates
 - chlorine
- **10.4 Conditions to avoid** Strong heating (decomposition)
- **10.5 Incompatible materials:**
 - metals
 - aluminium

(Contd. on page 6)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.03.2024

Version number 26 (replaces version 25)

Revision: 20.03.2024

Product name: Chromium Hexavalent RGT Powder

(Contd. of page 5)

 · **10.6 Hazardous decomposition products:** see section 5

SECTION 11: Toxicological information

 · **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

 · **Acute toxicity** Based on available data, the classification criteria are not met.

 · **LD/LC50 values that are relevant for classification:**

CAS: 5329-14-6 sulfamic acid		
Oral	LD50	3160 mg/kg (rat) (GESTIS)
CAS: 57-09-0 Cetrimonium bromide		
Oral	LD50	410 mg/kg (rat) (RTECS)

 · **Skin corrosion/irritation** Causes skin irritation.

 · **Serious eye damage/irritation** Causes serious eye irritation.

 · **Information on components:**

CAS: 5329-14-6 sulfamic acid		
Irritation of skin	OECD 404	(rabbit: irritation)
Irritation of eyes	OECD 492	(rabbit: irritation)

 · **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

 · **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

 · **Carcinogenicity** Based on available data, the classification criteria are not met.

 · **Reproductive toxicity** Based on available data, the classification criteria are not met.

 · **Information on components:**

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 5329-14-6 sulfamic acid	
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test) (Salmonella typhimurium)
OECD 476	(negative) (In Vitro Mammalian Cell Gene Mutation Test)
OECD 474	(negative) (mouse, oral)
OECD 487	(negative) (In Vitro Mammalian Cell Micronucleus Test)

 · **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.

 · **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

 · **Aspiration hazard** Based on available data, the classification criteria are not met.

 · **Additional toxicological information:**

CAS: 5329-14-6 sulfamic acid	
·	(source: GESTIS) Main toxic effects Acute: Irritative through to corrosive effects to the mucous membranes and skin; insufficient information available on systemic effects Chronic: No information available

 · **11.2 Information on other hazards**

 · **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

 · **Other information**

Other dangerous properties can not be excluded.

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

 — GB —
(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.03.2024

Version number 26 (replaces version 25)

Revision: 20.03.2024

Product name: Chromium Hexavalent RGT Powder

(Contd. of page 6)

SECTION 12: Ecological information

12.1 Toxicity
Aquatic toxicity:
CAS: 5329-14-6 sulfamic acid

EC50	71.6 mg/l/48h (Daphnia magna) (OECD 202)
EC50	14.2 mg/l/96h (fish) (GESTIS)
LC50	70.3 mg/l/96h (fathhead minnow) (OECD 203) (Merck)

CAS: 57-09-0 Cetrimonium bromide

EC50	0.037 mg/l/48h (Daphnia magna) (Registrant, ECHA)
EC10	0.00227 mg/l (Desmodesmus subspicatus) (72) (Registrant, ECHA)
NOEC	0.0011 mg/l/72h (Desmodesmus subspicatus) (Registrant, ECHA)
NOEC	0.023 mg/l (Daphnia magna) (OECD 211, 21d)
EC50 (static)	0.00411 mg/l/72h (Desmodesmus subspicatus) (OECD 201) (Registrant, ECHA)

Bacterial toxicity:

sulphates toxic > 2.5 g/l

CAS: 5329-14-6 sulfamic acid

EC10	≥1000 mg/l (Pseudomonas putida) (16h) (IUCLID)
------	---

Other information:

Toxic for fish:

Sulphates > 7 g/l

12.2 Persistence and degradability
CAS: 57-09-0 Cetrimonium bromide

OECD 301 E	100 % / 11 d (readily biodegradable) (Modified OECD Screening Test)
OECD 302 B	>95 % / 48 h (readily eliminated from water) (Zahn-Wellens / EMPA Test)

12.3 Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 5329-14-6 sulfamic acid

log Pow	0.1 (.) (experimental) (Merck)
---------	-----------------------------------

CAS: 57-09-0 Cetrimonium bromide

log Pow	2.26 (.) (Merck)
---------	---------------------

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects Avoid transfer into the environment.

Water hazard:

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to disposers of hazardous waste.

(Contd. on page 8)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.03.2024

Version number 26 (replaces version 25)

Revision: 20.03.2024

Product name: Chromium Hexavalent RGT Powder

(Contd. of page 7)

European waste catalogue

16 05 06* laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number
ADR, IMDG, IATA UN2967

14.2 UN proper shipping name
ADR 2967 SULPHAMIC ACID mixture, ENVIRONMENTALLY HAZARDOUS
IMDG, IATA SULPHAMIC ACID mixture

14.3 Transport hazard class(es)
ADR

Class 8 (C2) Corrosive substances.
Label 8

IMDG, IATA

Class 8 Corrosive substances.
Label 8

14.4 Packing group
ADR, IMDG, IATA III

14.5 Environmental hazards:
Special marking (ADR): Symbol (fish and tree)

14.6 Special precautions for user
Warning: Corrosive substances.
Kemler Number: 80
EMS Number: F-A,S-B
Segregation groups (SGG1) Acids
Stowage Category A

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Transport/Additional information:
ADR
Limited quantities (LQ) 5 kg
Excepted quantities (EQ) Code: E1
 Maximum net quantity per inner packaging: 30 g
 Maximum net quantity per outer packaging: 1000 g
Transport category 3
Tunnel restriction code E

IMDG
Limited quantities (LQ) 5 kg
Excepted quantities (EQ) Code: E1
 Maximum net quantity per inner packaging: 30 g
 Maximum net quantity per outer packaging: 1000 g

 GB
 (Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.03.2024

Version number 26 (replaces version 25)

Revision: 20.03.2024

Product name: Chromium Hexavalent RGT Powder

(Contd. of page 8)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act UK

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated

· Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

· Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

· Substances of very high concern (SVHC) according to REACH, Article 57

This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w).

· Substances of very high concern (SVHC) according to UK REACH

see item 3 SVHC

This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w).

· Directive 2012/18/EU (SEVESO III):

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category E1 Hazardous to the Aquatic Environment

· Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· Information about limitation of use: Not required.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Training hints Provide adequate information, instruction and training for operators.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

(Contd. on page 10)

— GB —

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.03.2024

Version number 26 (replaces version 25)

Revision: 20.03.2024

Product name: Chromium Hexavalent RGT Powder

(Contd. of page 9)

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Sources

Data arise from safety data sheets, reference works and literature.

ECHA: European CHEMicals Agency <http://echa.europa.eu>

GESTIS- Stoffdatenbank (Substance Database, Germany)

IUCLID (International Uniform Chemical Information Database)

RTECS (Registry of Toxic Effects of Chemical Substances)

*** Data compared to the previous version altered.**

— GB —