

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.11.2023

Version number 5

Revision: 13.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name:** KS60 - FE1 - Z2 - Acetate Buffer

· **Catalog number:** 56Z006098, 56L006065, 56U006065, 56L006030, 56U006030

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the preparation:** Reagent for water analysis

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**

Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com

phone: +49 (0)231 94510-0
e-mail: sales@lovibond.com

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom

phone : +44 1980 664800
e-mail: SDS@lovibond.uk

· **Informing department:**

e-mail: sds@lovibond.com
Product Safety Department

· **1.4 Emergency telephone number:**

+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection.

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.11.2023

Version number 5

Revision: 13.11.2023

Product name: KS60 - FE1 - Z2 - Acetate Buffer

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

· **2.3 Other hazards** No further relevant information available.

· **Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

· **Determination of endocrine-disrupting properties**

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** aqueous solution

· **Dangerous components:**

CAS: 64-19-7 EINECS: 200-580-7 Index No: 607-002-00-6 Reg.nr.: 01-2119475328-30-XXXX	acetic acid ⚠ Flam. Liq. 3, H226; ⚠ Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 25 % ≤ C < 90 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	20- < 25%
---	---	-----------

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information** Instantly remove any clothing soiled by the product.

· **After inhalation** Supply fresh air; consult doctor in case of symptoms.

· **After skin contact**

Instantly rinse with water.

If skin irritation continues, consult a doctor.

· **After eye contact**

Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor.

· **After swallowing**

Rinse out mouth and then drink 1-2 glasses of water.

Seek immediate medical advice.

· **4.2 Most important symptoms and effects, both acute and delayed:** irritations

· **Danger** Danger of pneumonia.

· **4.3 Indication of any immediate medical attention and special treatment needed:**

If swallowed or in case of vomiting, danger of entering the lungs

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

· **5.2 Special hazards arising from the substance or mixture**

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

acetic acid vapours

Carbon monoxide (CO) and carbon dioxide (CO₂)

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear self-contained breathing apparatus.

Wear full protective suit.

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Suppress (knock down) gases/vapours/mists with a water spray jet.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.11.2023

Version number 5

Revision: 13.11.2023

Product name: KS60 - FE1 - Z2 - Acetate Buffer

(Contd. of page 2)

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
- **Advice for non-emergency personnel:**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
- **Advice for emergency responders:** Protective equipment: see section 8
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- **6.3 Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Absorb with liquid-binding material (sand, diatomite, universal binders).
Dispose of contaminated material as waste according to item 13.
- **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
- **Advice on safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Hygiene measures:**
Avoid contact with the skin.
Avoid contact with the eyes.
Take off immediately all contaminated clothing.
Wash hands during breaks and at the end of the work.
Do not eat, drink or smoke when using this product.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and containers:** Store in cool location.
- **Information about storage in one common storage facility:** Do not store together with alkalis (caustic solutions).
- **Further information about storage conditions:**
Keep container tightly sealed.
Protect from heat and direct sunlight.
Protect from the effects of light.
Protect from humidity and keep away from water.
- **Recommended storage temperature:** 20°C +/- 5°C
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 64-19-7 acetic acid

WEL (Great Britain)	Short-term value: 50 mg/m ³ , 20 ppm Long-term value: 25 mg/m ³ , 10 ppm
IOELV (European Union)	Short-term value: 50 mg/m ³ , 20 ppm Long-term value: 25 mg/m ³ , 10 ppm

· Regulatory information

WEL (Great Britain): EH40/2020
IOELV (European Union): (EU) 2019/1831

· DNELs

Derived No Effect Level (DNEL)

CAS: 64-19-7 acetic acid

Inhalative	DNEL	25 mg/m ³ (Worker / acute / local effects)
------------	------	---

(Contd. on page 4)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.11.2023

Version number 5

Revision: 13.11.2023

Product name: KS60 - FE1 - Z2 - Acetate Buffer

(Contd. of page 3)

		25 mg/m ³ (Worker / long-term / local effects)
		25 mg/m ³ (Consumer / acute / local effects)
		25 mg/m ³ (Consumer / long-term / local effects)

Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

PNECs

Predicted No Effect Concentration (PNEC)

CAS: 64-19-7 acetic acid

PNEC	85 mg/l (Sewage treatment plant)
	0.3058 mg/l (Marine water)
	30.58 mg/l (Aquatic intermittent release)
	3.058 mg/l (Fresh water)
PNEC	1.136 mg/kg (Marine sediment)

· **Additional information:** The lists that were valid during the compilation were used as basis.

8.2 Exposure controls
Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

· **Eye/face protection** Safety glasses

Hand protection

Protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Other skin protection (body protection):** Protective work clothing.

· **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.

· **Recommended filter device for short term use:** Filter B

· **Environmental exposure controls** Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· Physical state	Fluid
· Form:	Liquid
· Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/Freezing point:	Not determined.
· Boiling point or initial boiling point and boiling range	105°C
· Flammability	mixture with combustible ingredients
· Explosive properties:	Product is not explosive. However, formation of explosive air/steam mixtures is possible.
· Lower and upper explosion limit	
Lower:	4 Vol % (CAS 64-19-7)
Upper:	17 Vol % (CAS 64-19-7)
· Flash point:	Not applicable.
· Auto-ignition temperature:	Not applicable.
· Decomposition temperature:	Not determined.

(Contd. on page 5)

— GB —

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.11.2023

Version number 5

Revision: 13.11.2023

Product name: KS60 - FE1 - Z2 - Acetate Buffer

(Contd. of page 4)

· pH at 20°C	4.5
· Kinematic viscosity	Not determined.
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not applicable (mixture).
· Vapour pressure at 20°C:	16 hPa (CAS 64-19-7)
· Density and/or relative density	
· Density at 20°C:	1.07 g/cm ³
· Relative density:	Not determined.
· Relative gas density	Not determined.
· Particle characteristics	Not applicable (liquid).
· 9.2 Other information	.
· Information with regard to physical hazard classes	
· Corrosive to metals	Void
· Metal corrosion rate:	acc. to "Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, Fifth revised Edition"
· Corrosion rate (steel)	1.87 mm/a
· Other safety characteristics	
· Oxidising properties:	none
· Additional information	
· Solids content:	< 15 %
· Solvent content:	
· Organic solvents:	< 25 %
· Water:	> 60 %

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Fumes can combine with air to form an explosive mixture.
- **10.2 Chemical stability** Stable at ambient temperature (room temperature).
- **10.3 Possibility of hazardous reactions** No further relevant information available.
- **10.4 Conditions to avoid** Strong heating (decomposition)
- **10.5 Incompatible materials:** metals
- **10.6 Hazardous decomposition products:** see section 5

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

CAS: 64-19-7 acetic acid

Oral	LD50.	3310 mg/kg (rat) (RTECS)
Dermal	LD50.	1130 mg/kg (rabbit) (GESTIS)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **Information on components:**
CAS 64-19-7: Did not show teratogenic effects in animal experients (IUCLID).
OECD 414: Teratogenicity testing
OECD 473: Mutagenicity testing
OECD 471, 474, 476, 487: Germ cell mutagenicity testing

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.11.2023

Version number 5

Revision: 13.11.2023

Product name: KS60 - FE1 - Z2 - Acetate Buffer

(Contd. of page 5)

CAS: 64-19-7 acetic acid

OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test) (Salmonella typhimurium)
OECD 473	(negative) (Mammalian Chromosomal Aberration Test)

- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

Additional toxicological information:
CAS: 64-19-7 acetic acid

(source: GESTIS)

Main toxic effects:

acute: with increasing concentration, increasingly irritating to corrosive effects on mucous membranes and skin, exposure to high concentrations causes severe damage to eyes and lungs. In the case of oral intake in concentrated form: burns in the digestive tract, metabolic disorders, damage to the blood, resulting cardiovascular reactions, damage to the kidneys.
chronic: skin changes, chronic inflammation of the eyes and airways, erosive tooth damage

Further information:

The focus is on the local effect, which is more pronounced than the acid strength would suggest due to the lipid solubility of the acetic acid and the depth effect associated with it. Aqueous solutions from approx. 1% have a caustic effect on mucous membranes.

4 - 10% solutions cause immediate pain in the eye, reddening of the conjunctiva, sometimes damage to the cornea and even permanent corneal opacity.

- **11.2 Information on other hazards**
- **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

SECTION 12: Ecological information

12.1 Toxicity
Aquatic toxicity:
CAS: 64-19-7 acetic acid

EC50	47 mg/l/24h (Daphnia magna)
LC50	75 mg/l/96h (bluegill)
	>300.8 mg/l/96h (rainbow trout) (OECD 203) (Registrant, ECHA: based on the effect of the acetate ion)

12.2 Persistence and degradability
CAS: 64-19-7 acetic acid

OECD 301 D	99 % / 30 d (readily biodegradable) (Closed Bottle Test)
OECD 302 B	95 % / 5 d (readily eliminated from water) (Zahn-Wellens / EMPA Test)

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
Harmful effect due to pH shift.
Avoid transfer into the environment.
- **Water hazard:**
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to disposers of hazardous waste.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.11.2023

Version number 5

Revision: 13.11.2023

Product name: KS60 - FE1 - Z2 - Acetate Buffer

(Contd. of page 6)



European waste catalogue

16 05 06* laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

<ul style="list-style-type: none"> · 14.1 UN number or ID number · ADR, IMDG, IATA 	UN2790
<ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR · IMDG, IATA 	2790 ACETIC ACID SOLUTION ACETIC ACID SOLUTION
<ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR 	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> · Class · Label 	8 (C3) Corrosive substances. 8
<ul style="list-style-type: none"> · IMDG, IATA 	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> · Class · Label 	8 Corrosive substances. 8
<ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA 	III
<ul style="list-style-type: none"> · 14.5 Environmental hazards: · Marine pollutant: 	No
<ul style="list-style-type: none"> · 14.6 Special precautions for user · Kemler Number: · EMS Number: · Stowage Category 	Warning: Corrosive substances. 80 F-A,S-B A
<ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments 	Not applicable.
<ul style="list-style-type: none"> · Transport/Additional information: 	
<ul style="list-style-type: none"> · ADR · Excepted quantities (EQ): · Limited quantities (LQ) · Excepted quantities (EQ) 	E1 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<ul style="list-style-type: none"> · Transport category · Tunnel restriction code 	3 E
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) 	5L

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.11.2023

Version number 5

Revision: 13.11.2023

Product name: KS60 - FE1 - Z2 - Acetate Buffer

(Contd. of page 7)

· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
-----------------------------------	--

* SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Poisons Act UK**

- **Regulated explosives precursors**

None of the ingredients is listed.

- **Regulated poisons**

None of the ingredients is listed.

- **Reportable explosives precursors**

None of the ingredients is listed.

- **Reportable poisons**

None of the ingredients is listed.

- **Regulation (EU) 2019/1148 on the marketing and use of explosives precursors** not regulated

- **Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)**

None of the ingredients is listed.

- **Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

- **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**

None of the ingredients is listed.

- **Substances of very high concern (SVHC) according to REACH, Article 57**

This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w).

- **Substances of very high concern (SVHC) according to UK REACH**

This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w).

- **Directive 2012/18/EU (SEVESO III):**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **Information about limitation of use:** Not required.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Training hints** Provide adequate information, instruction and training for operators.

- **Relevant phrases**

H226 Flammable liquid and vapour.

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.11.2023

Version number 5

Revision: 13.11.2023

Product name: KS60 - FE1 - Z2 - Acetate Buffer

(Contd. of page 8)

H314 Causes severe skin burns and eye damage.

Abbreviations and acronyms:

EC50: effective concentration, 50 percent (in vivo)

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Sources

Data arise from safety data sheets, reference works and literature.

GESTIS- Stoffdatenbank (Substance Database, Germany)

RTECS (Registry of Toxic Effects of Chemical Substances)

IUCLID (International Uniform Chemical Information Database)

*** Data compared to the previous version altered.**

GB