Tintometer[®] Group Water Testing



phone: +49 (0)231 94510-0

e-mail: sales@lovibond.com

phone: +44 1980 664800

e-mail: SDS@lovibond.uk

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.11.2023 Version number 5 (replaces version 4) Revision: 13.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: KS179 P1/4L Phosphonate/Total Chelant Indicator/Buffer
- · Catalog number: 56Z017998, 56L0179, 56L017930, 56L017965, 56L017998, 56U017965, 56U017930, 56U017998
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

The Tintometer Limited Lovibond® House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

Informing department: e-mail: sds@lovibond.com Product Safety Department

· 1.4 Emergency telephone number:

+44 1235 239670 Languages: English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to the GB CLP regulation.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- · Additional information:

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards No further relevant information available.
- · Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: aqueous solution

(Contd. on page 2)

Printing date 13.11.2023 Version number 5 (replaces version 4) Revision: 13.11.2023

Product name: KS179 - P1/4L - Phosphonate/Total Chelant Indicator/Buffer

(Contd. of page 1)

5-<10%

Dangerous components:

CAS: 64-19-7 EINECS: 200-580-7 Index No: 607-002-00-6

Reg.nr.: 01-2119475328-30-XXXX

acetic acid

♦ Flam. Liq. 3, H226; ♦ Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 90 %

Skin Corr. 1B; H314: 25 % ≤ C < 90 % Skin Irrit. 2; H315: 10 % ≤ C < 25 %

Eye Irrit. 2; H319: 10 % ≤ C < 25 %

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eve contact

Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

In case of persistent symptoms consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed: irritating effects possible
- · 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

acetic acid vapours

Carbon monoxide (CO) and carbon dioxide (CO₂)

- 5.3 Advice for firefighters
- **Protective equipment:**

Wear self-contained breathing apparatus.

Wear full protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Advice for emergency responders: Protective equipment: see section 8
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Dilute with much water.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 13.11.2023 Version number 5 (replaces version 4) Revision: 13.11.2023

Product name: KS179 - P1/4L - Phosphonate/Total Chelant Indicator/Buffer

(Contd. of page 2)

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
- · Advice on safe handling: Ensure good ventilation/exhaustion at the workplace.
- Hygiene measures:

The usual precautionary measures should be adhered to general rules for handling chemicals.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and containers: Store in cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from the effects of light.

Protect from humidity and keep away from water.

- Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

	· Components with limit values that require monitoring at the workplace:		
ľ	CAS: 64-19-7 acetic acid		
	WEL (Great Britain)	Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm	
		Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm	

Regulatory information

WEL (Great Britain): EH40/2020

IOELV (European Union): (EU) 2019/1831

· Additional information: IOELV = Indicative Occupational Exposure Limit

DNFIs

Derived No Effect Level (DNEL)

C	CAS: 64-19-7 acetic acid		
ln	Inhalative DNEL 25 mg/m³ (Worker / acute / local effects)		
25 mg/m³ (Worker / long-term / local effects)			
25 mg/m³ (Consumer / acute / local effects)		25 mg/m³ (Consumer / acute / local effects)	
			25 mg/m³ (Consumer / long-term / local effects)

· Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· PNECs

Predicted No Effect Concentration (PNEC)

CAS	CAS: 64-19-7 acetic acid	
PNE	PNEC 85 mg/l (Sewage treatment plant)	
	0.3058 mg/l (Marine water)	
	30.58 mg/l (Aquatic intermittent release)	
	3.058 mg/l (Fresh water)	
PNE	C 1.136 mg/kg (Marine sediment)	

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

(Contd. on page 4)

Printing date 13.11.2023 Version number 5 (replaces version 4) Revision: 13.11.2023

Product name: KS179 - P1/4L - Phosphonate/Total Chelant Indicator/Buffer

(Contd. of page 3)

See item 7.

· Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

Eye/face protection

Safety glasses

use against the effects of fumes / dust

Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.

· Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.1 mm

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Other skin protection (body protection): Protective work clothing.
- Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Combination filter E-P2
- · Environmental exposure controls Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

· 9.1 Information on	basic physical and	chemical properties
· Physical state		Fluid

· Form: Solution · Colour: Violet

· Odour: after acetic acid

· Odour threshold: CAS 64-19-7: 0.24 ppm (anhydrous substance)

Melting point/Freezing point: Not determined. · Boiling point or initial boiling point and boiling range Not determined.

Flammability The product is not combustible.

Explosive properties: Product is not explosive. However, formation of explosive air/steam

mixtures is possible.

· Lower and upper explosion limit

Not determined. Lower: Not determined. Upper: Not applicable. · Flash point: **Auto-ignition temperature:** Not applicable. Not applicable. · Decomposition temperature:

pH at 20°C 3.5

Kinematic viscosity Not determined.

· Solubility

· Water: Fully miscible

· Partition coefficient n-octanol/water (log value) Not applicable (mixture).

· Vapour pressure:

Not determined.

· Density and/or relative density

Density at 20°C: 1.2 g/cm³ Relative density: Not determined. · Relative gas density Not determined. Particle characteristics Not applicable (liquid).

· 9.2 Other information

· Information with regard to physical hazard classes

· Corrosive to metals Void

· Other safety characteristics

Oxidising properties: none **Additional information**

· Solids content: < 5 % · Solvent content:

· Organic solvents: 5 - 10 %

(Contd. on page 5)

Printing date 13.11.2023 Version number 5 (replaces version 4) Revision: 13.11.2023

Product name: KS179 - P1/4L - Phosphonate/Total Chelant Indicator/Buffer

(Contd. of page 4)

· Water: > 80 %

SECTION 10: Stability and reactivity

- 10.1 Reactivity Fumes can combine with air to form an explosive mixture.
- **10.2 Chemical stability** Stable at ambient temperature (room temperature).
- 10.3 Possibility of hazardous reactions No further relevant information available.
- · 10.4 Conditions to avoid Strong heating (decomposition)
- 10.5 Incompatible materials: metals
- · 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

CAS: 64-19-7 acetic acid

		3310 mg/kg (rat) (RTECS)
Dermal	LD50.	1130 mg/kg (rabbit) (GESTIS)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · Information on components:

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 64-19-7 acetic acid

OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test) (Salmonella typhimurium)

OECD 473 (negative) (Mammalian Chromosomal Aberration Test)

- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

· Information on likely routes of exposure

In occupational exposure, the main route of absorption for acetic acid is through the respiratory tract. Vapours or aerosols are absorbed through the lungs.

Quantitative data are not available, but are of minor importance due to the primarily irritative/corrosive effect of inhaled acid in the respiratory tract.

(Contd. on page 6)

Printing date 13.11.2023 Version number 5 (replaces version 4) Revision: 13.11.2023

Product name: KS179 - P1/4L - Phosphonate/Total Chelant Indicator/Buffer

(Contd. of page 5)

· Additional toxicological information:

CAS: 64-19-7 acetic acid

. (source: GESTIS)

Main toxic effects:

acute: with increasing concentration, increasingly irritating to corrosive effects on mucous membranes and skin, exposure to high concentrations causes severe damage to eyes and lungs. In the case of oral intake in concentrated form: burns in the digestive tract, metabolic disorders, damage to the blood, resulting cardiovascular reactions, damage to the kidneys. chronic: skin changes, chronic inflammation of the eyes and airways, erosive tooth damage

Further information:

The focus is on the local effect, which is more pronounced than the acid strength would suggest due to the lipid solubility of the acetic acid and the depth effect associated with it. Aqueous solutions from approx. 1% have a caustic effect on mucous membranes.

- 4 10% solutions cause immediate pain in the eye, reddening of the conjunctiva, sometimes damage to the cornea and even permanent corneal opacity.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · Other information

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 64-19-7 acetic acid

EC50 47 mg/l/24h (Daphnia magna)

LC50 75 mg/l/96h (bluegill)

>300.8 mg/l/96h (rainbow trout) (OECD 203)

(Registrant, ECHA: based on the effect of the acetate ion)

· 12.2 Persistence and degradability

CAS: 64-19-7 acetic acid

OECD 301 D 99 % / 30 d (readily biodegradable) (Closed Bottle Test)

OECD 302 B 95 % / 5 d (readily eliminated from water) (Zahn-Wellens / EMPA Test)

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects Avoid transfer into the environment.
- · Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

(Contd. on page 7)

Printing date 13.11.2023 Version number 5 (replaces version 4) Revision: 13.11.2023

Product name: KS179 - P1/4L - Phosphonate/Total Chelant Indicator/Buffer

(Contd. of page 6)

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IM instruments	O Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act UK
- · Regulated explosives precursors

None of the ingredients is listed.

- Regulated poisons
- None of the ingredients is listed.
- · Reportable explosives precursors

None of the ingredients is listed.

- · Reportable poisons
- None of the ingredients is listed.
- · Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated
- · Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

· Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

- · Regulation (EC) No 273/2004 on drug precursors
- None of the ingredients is listed.
- · Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 13.11.2023 Version number 5 (replaces version 4) Revision: 13.11.2023

Product name: KS179 - P1/4L - Phosphonate/Total Chelant Indicator/Buffer

(Contd. of page 7)

Substances of very high concern (SVHC) according to REACH, Article 57

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

- · Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Information about limitation of use: Not required.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Training hints Provide adequate information, instruction and training for operators.

· Relevant phrases

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

· Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

· Sources

Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency http://echa.europa.eu

GESTIS- Stoffdatenbank (Substance Database, Germany)

RTECS (Registry of Toxic Effects of Chemical Substances)

* Data compared to the previous version altered.