Lovibond® Water Testing

Tintometer® Group



Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 03/15/2022 Reviewed on 03/15/2022

1 Identification

- · Product identifier
- · Trade name: Vanadomolybdate reagent
- · Catalogue number: 56Z063898, 56L063865, 56U063865, 56L0638, 46840, 468401, 468404
- · Application of the substance / the mixture: Reagent for water analysis
- · Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA

phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Corrosive to Metals 1 H290 May be corrosive to metals.

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- · Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

nitric acid 20%

· Hazard statements

H290 May be corrosive to metals.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a poison center/doctor.

(Contd. on page 2)

Printing date 03/15/2022 Reviewed on 03/15/2022

Trade name: Vanadomolybdate reagent

(Contd. of page 1)

Other hazards

Acid burns have to treated immediately, as it may otherwise cause badly curing wounds.

Corrosive to the respiratory tract.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: aqueous solution
- Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

ſ	CAS: 7697-37-2	nitric acid	20%
	EINECS: 231-714-2	♦ Oxidizing Liquids 3, H272; ♦ Acute Toxicity - Inhalation 3, H331; ♦ Corrosive to Metals	
	Index number: 007-030-00-3	1, H290; Skin Corrosion 1A, H314	
ı	CAS: 13106-76-8	ammonium molybdate(VI)	<3%
	EINECS: 236-031-3	① Acute Toxicity - Oral 4, H302; Skin Irrititation 2, H315; Eye Irritation 2A, H319; Specific	
ı		Target Organ Toxicity - Single Exposure 3, H335	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information:

Personal protection for the First Aider.

Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

Call a doctor immediately.

· After skin contact:

Immediately wash with polyethylene glycol 400.

Immediately rinse with plenty of water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

· After eye contact:

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

After swallowing:

Rinse out mouth and then drink 1-2 glasses of water. Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed

burns

strong caustic effect

after inhalation:

coughing

breathing difficulty

damage to the affected mucous membranes

after swallowing:

vomiting

diarrhoea

pain

after absorption of large amounts:

methaemoglobinaemia

Danger:

Danger of pulmonary edema.

Danger of circulatory collapse.

Danger of gastric perforation.

Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs.

Later observation for pneumonia and pulmonary edema.

US -

Printing date 03/15/2022 Reviewed on 03/15/2022

Trade name: Vanadomolybdate reagent

(Contd. of page 2)

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

nitrous gases

Nitrogen oxides (NOx)

· Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

· Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use respiratory protective device against the effects of fume/dust/aerosol.

- · Advice for emergency responders: Protective equipment: see section 8
- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling
- · Advice on safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Hygiene measures:

Do not inhale gases / fumes / aerosols.

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

· Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

Store in a cool location.

Keep only in original container.

Information about storage in one common storage facility:

Store away from metals.

Do not store together with alkalis (caustic solutions).

Store away from flammable substances.

Store away from reducing agents.

Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

Protect from exposure to the light.

Printing date 03/15/2022 Reviewed on 03/15/2022

Trade name: Vanadomolybdate reagent

(Contd. of page 3)

Protect from humidity and water.

- · Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

CAS: 7697-3	CAS: 7697-37-2 nitric acid		
PEL (USA)	Long-term value: 5 mg/m³, 2 ppm		
REL (USA)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm		
TLV (USA)	Short-term value: 4 ppm Long-term value: 2 ppm		
EL (Canada)	Short-term value: 4 ppm Long-term value: 2 ppm		
EV (Canada)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm		

- · Additional information: The lists that were valid during the creation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment:

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Breathing equipment: Use respiratory protective device against the effects of fume/dust/aerosol.
- · Recommended filter device for short term use: Combination filter E-P2
- · Protection of hands:

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.35 mm

· Penetration time of glove material

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Tightly sealed goggles

Use protective goggles that have been tested and approved in accordance with government standards (like NIOSH).

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment: Avoid release to the environment.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· Appearance:

Form / Physical state: SolutionColor: ColorlessOdor: Pungent

· Odor threshold: CAS 7697-37-2: 0.27 ppm (anhydrous substance)

· pH-value: <1

Strongly acidic

Melting point/freezing point:
Initial boiling point and boiling range:
Flash point:

Strongly acidic
Not determined.
Not applicable.

· Flammability (solid, gas): The product is not combustible.

(Contd. on page 5)

Printing date 03/15/2022 Reviewed on 03/15/2022

Trade name: Vanadomolybdate reagent

(Contd. of page 4)

• Ignition temperature: Not applicable. • Decomposition temperature: Not determined.

· **Auto-ignition temperature:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

Flammability or explosive limits:

Lower: Not applicable.
 Upper: Not applicable.
 Oxidizing properties: Oxidizing potential

CAS 7697-37-2: is classified as oxidizing.

Vapor Pressure:

Density:
Relative density:
Vapor density:
Evaporation rate:
Solubility(ies)

Not determined.
Not determined.
Not determined.

· Water: Fully miscible.

Partition coefficient (n-octanol/water): Not applicable (mixture).

· Viscosity:

· Kinematic: Not determined.

· Other information

· Solids content: < 5 %

· Solvent content:

Organic solvents: 0 %
Water: >75 %

10 Stability and reactivity

· Reactivity see section "Possibility of hazardous reactions"

· Chemical stability Stable at ambient temperature (room temperature).

Possibility of hazardous reactions

Reacts with metals forming hydrogen (Danger of explosion!)

Corrosive action on metals.

Reacts with reducing agents.

Reacts with metals to form nitrous fumes and hydrogen (Danger of explosion!).

Reacts with alcohols.

Acts as an oxidizing agent on organic materials such as wood, paper and fats.

Reacts with acids and alkali (lyes).

Reacts with ammonia (NH₃).

- · Conditions to avoid Strong heating (decomposition)
- · Incompatible materials:

metals

alkali metals

combustible materials

organic solvents

organic substances

Hazardous decomposition products:

nitrous gases

In case of fire: see section 5.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

Classification according to calculation procedure.

Harmful if inhaled.

· Acute toxicity estimate (ATE_(MIX)) - Calculation method:

Inhalative GHS ATE_(MIX) 13–18 mg/l/4h (vapour)

(Contd. on page 6)

Printing date 03/15/2022 Reviewed on 03/15/2022

Trade name: Vanadomolybdate reagent

(Contd. of page 5)

· LD/LC50 values that are relevant for classification:					
CAS: 7697	CAS: 7697-37-2 nitric acid				
Oral	LDLo	430 mg/kg (human) (IUCLID)			
Inhalative	LC50/4h	2.65 mg/l (ATE) Registrant, ECHA: Under the conditions of the study (OECD 403) the LC50 for male and female rats after inhalation exposure to vapor atmosphere of nitric acid containing 0.8 % aerosol fraction is > 2.65 mg/L (referring to pure nitric acid).			
CAS: 13106-76-8 ammonium molybdate(VI)					
Oral	LD50	333 mg/kg (rat)			

- · Primary irritant effect:
- on the skin: Causes severe skin burns.
- · on the eye:

Causes serious eye damage.

Risk of blindness!

- · Sensitization: Based on available data, the classification criteria are not met.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Other information: see section 8 / 15
- · Synergistic Products: None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. The aerosol is corrosive to the eyes, the skin and the respiratory tract. Inhalation of aerosols may cause lung oedema.

CAS: 7697-37-2 nitric acid

(source: GESTIS)

Main toxic effects

Acute: Irritation and corrosion to the eyes, airways and skin, danger of severe damage to the eyes and lungs,

after swallowing life threatening chemical burns in the gastrointestinal tract

Chronic: Diseases of the airways, damage to the teeth

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 7697-37-2 nitric acid

LC50 72 mg/l/96h (mosquitofish)

(IUCLID)

Other information:

Toxic for fish:

molybdenum compounds in general: > 25 mg/l

Persistence and degradability .

(Contd. on page 7)

Printing date 03/15/2022 Reviewed on 03/15/2022

Trade name: Vanadomolybdate reagent

(Contd. of page 6)

· Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

· Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 7697-37-2 nitric acid

log Pow -2.3 (.)

· Mobility in soil No further relevant information available.

Other adverse effects

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of water supplies. Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Avoid transfer into the environment.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN proper shipping name DDT IMDG, IATA NITRIC ACID mixture Transport hazard class(es) DDT Class Label Scorrosive substances Label Scorrosive substances 8 Corrosive substances 8 Corrosive substances 1 IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Strong acids Strong acids	· UN-Number · DOT, IMDG, IATA	UN2031	
Class Label Class Label Class Label Class IMDG, IATA Class Clabel Class Class Clabel Class Class Class Clabel Class Clabel Class Corrosive substances Class Corrosive substances	DOT		
Class 8 Corrosive substances Label 8 Class 8 Corrosive substances Class 8 Corrosive substances Label 8 Packing group DOT, IMDG, IATA Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): EMS Number: F-A,S-B	· Transport hazard class(es)		
Class Label IMDG, IATA Class Class Class Class Class Class Clabel Class Clase Class Clabel Class Clabel Class Clabel Class Clabel Class Corrosive substances Clabel Class Corrosive substances	DOT		
· Label 8 · IMDG, IATA · Class 8 Corrosive substances · Label 8 · Packing group · DOT, IMDG, IATA II · Environmental hazards: Not applicable. · Special precautions for user · Hazard identification number (Kemler code): 80 - EMS Number: F-A,S-B	CORROSIVE		
Class 8 Corrosive substances Label 8 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B		• • • • • • • • • • • • • • • • • • • •	
 Label 8 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B 	· IMDG, IATA		
 Label 8 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B 			
Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): EMS Number: F-A,S-B	- 10.00	• • • • • • • • • • • • • • • • • • • •	
DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code): EMS Number: Not applicable. Warning: Corrosive substances 80 F-A,S-B		8	
Special precautions for user Hazard identification number (Kemler code): EMS Number: Warning: Corrosive substances 80 F-A,S-B		II	
Hazard identification number (Kemler code): EMS Number: F-A,S-B	· Environmental hazards:	Not applicable.	
	 Hazard identification number (Kemler code): EMS Number: 	80 F-A,S-B	

(Contd. on page 8)

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 03/15/2022 Reviewed on 03/15/2022

Trade name: Vanadomolybdate reagent

Stowage Category

SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides

Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

Segregation Code

· Quantity limitations On passenger aircraft/rail: Forbidden

On cargo aircraft only: 30 L

·IMDG

· Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Section 355 (Extremely hazardous substances):

CAS: 7697-37-2 nitric acid

Section 313 (Specific toxic chemical listings):

CAS: 7697-37-2 nitric acid

TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

New Jersey Right-to-Know List:

CAS 7803-55-6: c < 0.1%

CAS: 7697-37-2 nitric acid

CAS: 13106-76-8 ammonium molybdate(VI) CAS: 7803-55-6 ammonium meta-vanadate

New Jersey Special Hazardous Substance List:

CAS: 7697-37-2 nitric acid

CO, R2

Pennsylvania Right-to-Know List:

CAS 7803-55-6: c < 0.1% CAS: 7697-37-2 nitric acid

CAS: 7803-55-6 ammonium meta-vanadate

Pennsylvania Special Hazardous Substance List:

CAS: 7697-37-2 nitric acid

CAS: 7803-55-6 ammonium meta-vanadate

Ε

EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 9)

Ε

Printing date 03/15/2022 Reviewed on 03/15/2022

Trade name: Vanadomolybdate reagent

(Contd. of page 8)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Information about limitation of use: Employment restrictions concerning young persons must be observed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H272 May intensify fire; oxidizer.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

· Date of preparation / last revision 03/15/2022 / 4

Abbreviations and acronyms:

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen IARC - International Agency for Research on Cancer
•Group 1 - Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans

•Group 2B - Possibly carcinogenic to humans

•Group 3 - Not classifiable as to carcinogenicity to humans

•Group 4 - Probably not carcinogenic to humans NTP - National Toxicology Program, U.S. Department of Health and Human Services •Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Oxidizing Liquids 3: Oxidizing liquids - Category 3

Corrosive to Metals 1: Corrosive to metals - Category 1

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Acute Toxicity - Inhalation 3: Acute toxicity - Category 3 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A

Skin Irrititation 2: Skin corrosion/irritation - Category 2

Eye Damage 1: Serious eye damage/eye irritation - Category 1 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency http://echa.europa.eu

IUCLID (International Uniform Chemical Information Database)

GESTIS- Stoffdatenbank (Substance Database, Germany)

RTECS (Registry of Toxic Effects of Chemical Substances)

* Data compared to the previous version altered.