Lovibond® Water Testing

Tintometer® Group



Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 04/22/2024 Reviewed on 04/22/2024

1 Identification

- · Product identifier
- · Trade name: Nitrite LR
- · Catalogue number: 00512311, 512310BT, 4512310BT, 512311BT, 4512311BT, 00512319BT
- · Application of the substance / the mixture: Reagent for water analysis
- · Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA

phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.



Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- · Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- Hazard-determining components of labeling:

sodium bisulfate sulphanilic acid

Hazard statements

H318 Causes serious eye damage. H317 May cause an allergic skin reaction.

· Precautionary statements

P261 Avoid breathing dust.

P280 Wear protective gloves / eye protection.
P302+P352 If on skin: Wash with plenty of soap and water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)

Printing date 04/22/2024 Reviewed on 04/22/2024

Trade name: Nitrite LR

(Contd. of page 1)

· Other hazards No further relevant information available.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of organic and inorganic compounds
- Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

CAS: 7681-38-1	sodium bisulfate	10–20%
	♦ Eye Damage 1, H318	
Index number: 016-046-00-X		
RTECS: VZ1860000		
CAS: 121-57-3	sulphanilic acid	1–≤2.5%
EINECS: 204-482-5	🗘 Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317	
Index number: 612-014-00-X		
RTECS: WP 3895500		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

Seek medical treatment in case of complaints.

· Most important symptoms and effects, both acute and delayed

Irritation and corrosion

allergic reactions

mucosal irritations, cough, breathing difficulty

after swallowing:

thirst

sickness

vomiting

diarrhoea

cramps

after swallowing of large amounts:

disorder of electrolyte balance

cardiovascular disorders

Blood pressure increase

· Danger:

Risk of serious damage to eyes.

risk of skin sensitization

· Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Hydrogen chloride (HCI)

(Contd. on page 3)

Printing date 04/22/2024 Reviewed on 04/22/2024

Trade name: Nitrite LR

(Contd. of page 2)

Sulfur oxides (SOx)

Nitrogen oxides (NOx)

Sodium oxide

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- Advice for emergency responders: Protective equipment: see section 8
- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to section 13.

Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling
- · Advice on safe handling: No special precautions are necessary if used correctly.
- · Hygiene measures:

Avoid contact with the skin.

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

Protect from exposure to the light.

Protect from humidity and water.

This product is hygroscopic.

- Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

(Contd. on page 4)

Printing date 04/22/2024 Reviewed on 04/22/2024

Trade name: Nitrite LR

(Contd. of page 3)

· Personal protective equipment:

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Breathing equipment: Use respiratory protective device against the effects of fume/dust/aerosol.
- Recommended filter device for short term use: Filter P2
- · Protection of hands:

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

Penetration time of glove material

Value for the permeation: Level \leq 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

Use protective goggles that have been tested and approved in accordance with government standards (like NIOSH).

· Body protection: Protective work clothing

 \cdot Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· Appearance:

Form / Physical state: Tablets
Color: Light grey
Odor: Odorless
Odor threshold: Not applicable.

· pH-value (12.4 g/l) at 20°C (68°F): 1.8

Melting point/freezing point:
 Initial boiling point and boiling range:
 Flash point:
 Not determined.
 Not applicable.

• Flammability (solid, gas): The product is not combustible.

Auto igniting: Not applicable.Decomposition temperature: Not determined.

• Auto-ignition temperature: Product is not self-igniting.

• **Danger of explosion:** Product does not present an explosion hazard.

Flammability or explosive limits:

Lower: Not applicable.
Upper: Not applicable.
Oxidizing properties: none

Vapor Pressure: Not applicable.
Density: Not determined.
Relative density: Not determined.
Vapor density: Not applicable.
Evaporation rate: Not applicable.

· Solubility(ies)

· Water: Soluble.

Partition coefficient (n-octanol/water): Not applicable (mixture).

Viscosity: Not applicable.Kinematic: Not applicable (solid).

· Other information

· Solids content: 100 %

10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions"
- · Chemical stability Stable at ambient temperature (room temperature).

(Contd. on page 5)

Printing date 04/22/2024 Reviewed on 04/22/2024

Trade name: Nitrite LR

(Contd. of page 4)

· Possibility of hazardous reactions

Aqueous solution reacts with metals.

Forms hydrogen in aqueous solution with metals (Danger of explosion!).

Reacts with acids, alkalis and oxidizing agents.

--> Forms heat.

Liberates acid in contact with water or alcohol.

- · Conditions to avoid Strong heating (decomposition)
- · Incompatible materials: metals
- · Hazardous decomposition products: see section 5

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

	•	·				
· Acute toxicity estimate (ATE _(MIX)) - Calculation method:						
Oral Gl	Oral GHS ATE _(MIX) 3037 mg/kg (.)					
· LD/LC50 values that are relevant for classification:						
CAS: 7681-38-1 sodium bisulfate						
Oral	LD50	2490 mg/kg (rat) (IUCLID)				
Dermal	LD50.	>2000 mg/kg (rabbit)				
CAS: 121-57-3 sulphanilic acid						
Oral	LD50	12300 mg/kg (rat) (IUCLID)				

- · Primary irritant effect:
- on the skin: Based on available data, the classification criteria are not met.
- on the eye:

Causes serious eye damage. Risk of corneal clouding.

RISK OI	comeai	ciouai	ng.	
· Informa	ation on	com	ponei	nts:

CAS: 7681-38-1 sodium bisulfate

Irritation of skin OECD 404 (rabbit: no irritation)

Irritation of eyes OECD 492 (rabbit: severe irritations)

CAS: 121-57-3 sulphanilic acid

Irritation of skin OECD 404 (rabbit: slight irritation) (IUCLID)

Irritation of eyes OECD 492 (rabbit: irritation) (IUCLID)

- · Sensitization: May cause an allergic skin reaction.
- Information on components:

CAS: 121-57-3 sulphanilic acid

Sensitization OECD 406 (guinea pig: positive)

- · Carcinogenic categories
- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- Other information: see section 8 / 15
- · Synergistic Products: None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 04/22/2024 Reviewed on 04/22/2024

Trade name: Nitrite LR

(Contd. of page 5)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Information on components:

CAS: 121-57-3 sulphanilic acid

OECD 471 (negative)

(NTP, Salmonella typhimurium)

Additional toxicological information:

The following applies to aromatic amines in general: systemic effect - methaemoglobinaemia with headache, cardia dysrhythmia, drop in blood pressure, dyspnoea, spasm,

principal symptom: cyanosis (blue discoloration of the blood)

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 7681-38-1 sodium bisulfate

EC50 190 mg/l/48h (Daphnia magna)

(IUCLID)

CAS: 121-57-3 sulphanilic acid

EC50 85.7 mg/l/48h (Daphnia magna)

(IUCLID)

IC50 91 mg/l/72h (Desmodesmus subspicatus)

(IUCLID)

LC50 100.4 mg/l/96h (fathhead minnow)

(IUCLID)

· Bacterial toxicity:

sulfates toxic > 2.5 g/l

CAS: 7681-38-1 sodium bisulfate

EC10 >1000 mg/l (Pseudomonas putida) (16 h)

Other information:

Toxic for fish:

Sulfates > 7 g/l

Persistence and degradability

CAS: 121-57-3 sulphanilic acid

OECD 301 B 31 % / 28 d (not readily biodegradable) (CO2 Evolution Test)

Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 121-57-3 sulphanilic acid

log Pow -2.298 (.)

- Mobility in soil No further relevant information available.
- Other adverse effects Avoid transfer into the environment.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 04/22/2024 Reviewed on 04/22/2024

Trade name: Nitrite LR

· Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. of page 6)

14 Transport information

٠	U	١	Į-	N	uı	n	b	er	
---	---	---	----	---	----	---	---	----	--

· DOT, IMDG, IATA

none

· UN proper shipping name

· DOT, IMDG, IATA

none

· Transport hazard class(es)

· DOT, IMDG, IATA

· Class

· Packing group

none

· DOT, IMDG, IATA

none

· Environmental hazards:

Not applicable.

· Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code

Not applicable.

· Transport/Additional information:

Not dangerous according to the above specifications.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

· Pennsylvania Right-to-Know List:

None of the ingredients is listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 04/22/2024 Reviewed on 04/22/2024

Trade name: Nitrite LR

(Contd. of page 7)

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Information about limitation of use:

Observe national regulations where applicable:

Employment restrictions concerning young persons must be observed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

· Version number / date of revision: 7 / 04/22/2024

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen •A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

•Group 1 - Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans •Group 2B - Possibly carcinogenic to humans

•Group 3 - Not classifiable as to carcinogenicity to humans

•Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services

•Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1

Data arise from safety data sheets, reference works and literature. IUCLID (International Uniform Chemical Information Database)

* Data compared to the previous version altered.