Lovibond® Water Testing

Tintometer® Group



Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 04/22/2024 Reviewed on 04/22/2024

1 Identification

- · Product identifier
- · Trade name: Hydrogenperoxide LR
- · Catalogue number: 00512381, 512380BT, 512381BT, 00512389BT, 4512380BT, 4512381BT
- · Application of the substance / the mixture: Reagent for water analysis
- · Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA

phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Specific Target Organ Toxicity - Repeated Exposure 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- · Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

potassium iodide

· Hazard statements

H372 Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.

· Precautionary statements

P264 Wash hands thoroughly after handling.

P314 Get medical advice/attention if you feel unwell.

Other hazards

The main intake pathways of potassium iodide are: inhalation of dust and solution aerosols, as well as oral ingestion.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of organic and inorganic compounds
- Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

Printing date 04/22/2024 Reviewed on 04/22/2024

Trade name: Hydrogenperoxide LR

CAS: 7631-95-0 sodium molybdate 2.5–5%
EINECS: 231-551-7
RTECS: QA5075000

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes (at least 15 min) under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

If symptoms persist consult doctor.

Most important symptoms and effects, both acute and delayed

irritating effect possible

after swallowing and inhalation:

resorption

general feeling of sickness

after absorption of large amounts:

headache

thirst

sickness

vomiting

abdominal pain

diarrhoea

drop in blood pressure

cardiovascular disorders

weakness

· Indication of any immediate medical attention and special treatment needed:

Absorption: in case of iodine hypersensitivity, even after relatively low doses, acute respiratory and cardiovascular disorders (possibly shock), skin and mucous membrane reactions possible. (GESTIS)

Symptoms of poisoning may even occur after several hours.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

nitrous gases

Nitrogen oxides (NOx)

Sulfur oxides (SOx)

Phosphorus oxides (PxOx)

Potassium oxide

Sodium oxide

Hydrogen iodide (HI)

smoke of metal oxide

- · Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

Printing date 04/22/2024 Reviewed on 04/22/2024

Trade name: Hydrogenperoxide LR

Ambient fire may liberate hazardous vapours.

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Advice for emergency responders: Protective equipment: see section 8
- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to section 13.

Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling
- · Advice on safe handling: Provide suction extractors if dust is formed.
- · Hygiene measures:

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Store locked up or with access restricted to technical experts or their assistants.

Ensure that persons do not handle until all safety precautions have been read and understood.

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

Protect from exposure to the light.

Protect from humidity and water.

This product is hygroscopic.

- · Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:				
CAS: 7681-11-0 potassium iodide				
TLV (USA)	Long-term value: 0.01 ppm A4; Skin; *inhalation			
CAS: 7631-95-0 sodium molybdate				
PEL (USA)	Long-term value: 5 mg/m³ as Mo			
TLV (USA)	Long-term value: 0.5 mg/m³ as Mo; A3; respirable fraction			
EL (Canada)	Long-term value: 0.5 mg/m³ as Mo; respirable			

- · Additional information: The lists that were valid during the creation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

(Contd. on page 4)

Printing date 04/22/2024 Reviewed on 04/22/2024

Trade name: Hydrogenperoxide LR

(Contd. of page 3)

See item 7.

· Personal protective equipment:

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Breathing equipment: Use respiratory protective device against the effects of fume/dust/aerosol.
- · Recommended filter device for short term use: Filter P3
- · Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

Penetration time of glove material

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

use against the effects of fumes / dust

Use protective goggles that have been tested and approved in accordance with government standards (like NIOSH).

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

· Information on basic physical and chemical properties

Appearance:

· Form / Physical state: **Tablets** White · Color: · Odor: Odorless · Odor threshold: Not applicable.

· pH-value (12.5 g/l) at 20°C (68°F): 5.5

Melting point/freezing point: Not determined. Initial boiling point and boiling range: Not determined. · Flash point: Not applicable.

Flammability (solid, gas): The product is not combustible.

Auto igniting: Not applicable (solid). Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not self-igniting.

Product does not present an explosion hazard. Danger of explosion:

· Flammability or explosive limits:

Lower: Not applicable. Upper: Not applicable. none

· Oxidizing properties:

· Vapor Pressure: Not applicable (solid). Not determined. · Density: · Relative density: Not determined. · Vapor density: Not applicable. · Evaporation rate: Not applicable.

· Solubility(ies)

· Water:

· Partition coefficient (n-octanol/water): Not applicable (mixture). · Viscosity: · Kinematic: Not applicable (solid).

· Other information

· Solids content: 100.0 %

10 Stability and reactivity

· Reactivity No further relevant information available.

Printing date 04/22/2024 Reviewed on 04/22/2024

Trade name: Hydrogenperoxide LR

(Contd. of page 4)

- · Chemical stability Stable at ambient temperature (room temperature).
- · Possibility of hazardous reactions

Reacts with acids, alkalis and oxidizing agents.

--> Forms heat.

Reacts with peroxides.

Reacts with halogenated compounds.

- · Conditions to avoid Strong heating (decomposition)
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: see section 5

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:							
CAS: 7681-11-0 potassium iodide							
Oral	LD50	2779 mg/kg (rat)					
Dermal	LD50	3160 mg/kg (rabbit)					
	NOAEL	0.01 mg/kg /bw/d (human) organ: Thyroid					
CAS: 7631-95-0 sodium molybdate							
Oral	LD50	4233 mg/kg (rat) (OECD 401) (Registrant, ECHA)					
Dermal	LD50.	>2000 mg/kg (rat) (OECD 402) (Registrant, ECHA: limit test, no deaths at this concentration)					
Inhalative	LC50.	>5.1 mg/l4h (rat) (OECD 403) (Registrant, ECHA)					

- · Primary irritant effect:
- on the skin: Based on available data, the classification criteria are not met.
- · on the eye: Based on available data, the classification criteria are not met.
- Information on components: CAS 6283-63-2: DPD may cause allergic skin reaction
- · Sensitization: Based on available data, the classification criteria are not met.
- · Information on components:

CAS 6283-63-2: Sensitization possible in predisposed persons.

The following applies to iodides in general: Sensitation possible at predisposed persons.

· Carcinogenic categories

IADC (International Agency for Decearch on Concert)				
· IARC (International Agency for Research on Cancer)				
CAS: 999-99-9	one or more ingredient(s)	3		
	Group 3: Not classifiable as to carcinogenicity to humans			
· NTP (National Toxicology Program)				
None of the ingredients is listed.				
· OSHA-Ca (Occupational Safety & Health Administration)				
None of the ingredients is listed.				

- · Other information: see section 8 / 15
- · Synergistic Products: None
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure

Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 04/22/2024 Reviewed on 04/22/2024

Trade name: Hydrogenperoxide LR

(Contd. of page 5)

· Information on components:

OECD 414: Teratogenicity testing OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 7681-11-0 potassium iodide

OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test)
OECD 476 (negative) (In Vitro Mammalian Cell Gene Mutation Test)
Mouse (lymhoma L5178Y cells)

· Additional toxicological information:

In case of an acute molybdenum(VI) intoxication: diarrhoea, anaemia, fatigue, loss of appetite. Toxic effect on liver and kidneys after

high doses.

CAS: 7681-11-0 potassium iodide

(source: GESTIS)

Main Toxic Effects:

Acute: Irritation to the eyes, skin and airways, disturbance of thyroid function, cardiovascular effects, metabolic disturbances. Chronic: Disturbance of thyroid function, systemically conditioned skin damage and inflammation of the mucous membranes.

Furter Information (GESTIS, Merck):

Small amounts of iodine are essential for the body. However, long-term overdoses of iodine lead to disturbances in the thyroid function (hypo- and/or hyperthyroidism, possibly accompanied by thyroiditis). The effects are very complex.

Furthermore, symptoms of chronic iodine poisoning (iodine toxicosis, "iodism") can occur following intake of high doses of predisposed persons. They mainly consist of systemically conditioned irritation/inflammatory changes to the mucous membranes and skin.

lodide crosses the placenta and, when administered (orally) to pregnant women in very high doses, can lead to hypothyroidism and/or goiter in the fetus with deaths from tracheal compression

· Other information Other dangerous properties can not be excluded.

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 7681-11-0 potassium iodide

EC50 7.5 mg/l/48h (Daphnia magna) (OECD 202)

Merck

LC50 3780 mg/l/96h (rainbow trout) (OECD 203)

Merck

Other information:

Toxic for fish:

molybdenum compounds in general: > 25 mg/l

- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Other adverse effects

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of water supplies. Avoid transfer into the environment.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

US-

Printing date 04/22/2024 Reviewed on 04/22/2024

Trade name: Hydrogenperoxide LR

(Contd. of page 6)

14 Transport information

· UN-Number				
· DOT, IMDG, IATA	none			
· UN proper shipping name				
· DOT, IMDG, IATA	none			
· Transport hazard class(es)				
· DOT, IMDG, IATA				
· Class	none			
· Packing group				
DOT, IMDG, IATA	none			
· Environmental hazards:	Not applicable.			
· Special precautions for user	Not applicable.			
· Transport in bulk according to Annex II of MARPOL73/78				
and the IBC Code	Not applicable.			

Not dangerous according to the above specifications.

15 Regulatory information

· Transport/Additional information:

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

CAS No. 6283-63-2 is listed under CAS No. 6065-27-6

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

New Jersey Right-to-Know List:

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

· Pennsylvania Right-to-Know List:

None of the ingredients is listed.

Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 04/22/2024 Reviewed on 04/22/2024

Trade name: Hydrogenperoxide LR

(Contd. of page 7)

· Information about limitation of use:

Observe national regulations where applicable:

Employment restrictions concerning young persons must be observed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H372 Causes damage to organs through prolonged or repeated exposure.

· Version number / date of revision: 28 / 04/22/2024

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer •Group 1 - Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans

•Group 2B - Possibly carcinogenic to humans •Group 3 - Not classifiable as to carcinogenicity to humans •Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services

•Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1

Sources

Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency http://echa.europa.eu

GESTIS- Stoffdatenbank (Substance Database, Germany)

* Data compared to the previous version altered.