# Tintometer<sup>®</sup> Group Water Testing



Page 1/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.04.2024

Version number 42 (replaces version 41)

Revision: 18.04.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Product name: Hardness Y / N
- · Catalog number: 00515361, 515360BT, 515361BT, 503541, 00515369BT, 4515360BT, 4515361BT, 00503541
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- Supplier: Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

The Tintometer Limited Lovibond<sup>®</sup>House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

- · Informing department: e-mail: sds@lovibond.com Product Safety Department
- **1.4 Emergency telephone number:** +44 1235 239670 Languages: English

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- Precautionary statements
- P280 Wear protective gloves/protective clothing/eye protection.

phone: +49 (0)231 94510-0 e-mail: sales@lovibond.com

phone : +44 1980 664800 e-mail: SDS@lovibond.uk

1–≤2.5%

## Safety data sheet

according to 1907/2006/EC, Article 31

Version number 42 (replaces version 41)

Revision: 18.04.2024

#### Product name: Hardness Y / N

Printing date 18.04.2024

(Contd. of page 1) P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352 IF ON SKIN: Wash with plenty of water.

· 2.3 Other hazards No further relevant information available.

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

### Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

## SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

· Description: Mixture of organic and inorganic compounds

#### · Dangerous components:

CAS: 1310-65-2

EINECS: 215-183-4 Reg.nr.: 01-2119560576-31-XXXX A H302 ATE: LD50 oral: 330 mg/kg

Additional information For the wording of the listed hazard phrases refer to section 16.

lithium hydroxide

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air and call for doctor for safety reasons.
- · After skin contact
- Instantly rinse with water.
- If skin irritation continues, consult a doctor.
- After eye contact Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.
- After swallowing
- Rinse out mouth and then drink 1-2 glasses of water.
- Seek medical treatment.
- 4.2 Most important symptoms and effects, both acute and delayed:
- irritations
- after inhalation: mucous membrane irritation coughing breathing difficulty after swallowing of large amounts: sickness vomiting cramps

4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents
- CO<sub>2</sub>, extinguishing powder or water spay jet. Fight larger fires with water spray jet or alcohol-resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with a full water jet.

#### 5.2 Special hazards arising from the substance or mixture combustible

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Nitrogen oxides (NOx)

- LiOx
- 5.3 Advice for firefighters
- **Protective equipment:**

Wear self-contained breathing apparatus.

P313 Get medical advice/attention.

Version number 42 (replaces version 41)

Revision: 18.04.2024

#### Product name: Hardness Y / N

- Wear full protective suit.
- Additional information
   Collect contaminated fire fighting water separately. It must not enter drains.
- Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
- Ambient fire may liberate hazardous vapours.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures • Advice for non-emergency personnel: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources
- Advice for emergency responders: Protective equipment: see section 8
- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- · 6.3 Methods and material for containment and cleaning up:
- Ensure adequate ventilation. Collect mechanically.
- Dispose of contaminated material as waste according to item 13.
- **6.4 Reference to other sections** See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling
- · Advice on safe handling: Prevent formation of dust.
- · Hygiene measures:
- Avoid contact with the eyes.
- Take off immediately all contaminated clothing. Wash hands during breaks and at the end of the work. Do not eat, drink or smoke when using this product.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions:
- Store in cool, dry conditions in well sealed containers.
- Protect from heat and direct sunlight.
- Protect from the effects of light.
- Protect from humidity and keep away from water.
- This product is hygroscopic. Recommended storage temperature: 20°C +/- 5°C
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

Components with	n limit values that require monitoring at the workplace:	
CAS: 9004-34-6 ce		
WEL (Great Britain)	<ul> <li>N) Short-term value: 20* mg/m<sup>3</sup></li> <li>Long-term value: 10* 4** mg/m<sup>3</sup></li> <li>*inhalable dust **respirable</li> </ul>	
CAS: 1310-65-2 litl		
WEL (Great Britain)	n) Short-term value: 1 mg/m³	
· Regulatory inform	nation WEL (Great Britain): EH40/2020	ante an naga ()

(Contd. on page 4)

(Contd. of page 2)

Version number 42 (replaces version 41)

Revision: 18.04.2024

#### Product name: Hardness Y / N

			(Contd. of page
DNELs			
CAS: 1310	)-65-2	lithium hydroxide	
Oral	DNEL	12.4 mg/kg /bw/d (Consumer / acute / systemic effects)	
		4.13 mg/kg /bw/d (Consumer / long-term / systemic effects)	
Dermal	DNEL	100 mg/kg /bw/d (Worker / acute / systemic effects)	
		41.35 mg/kg /bw/d (Worker / long-term /systemic effects)	
		50 mg/kg /bw/d (Consumer / acute / systemic effects)	
		41.35 mg/kg /bw/d (Consumer / long-term / systemic effects)	
Inhalative	DNEL	30 mg/m³ (Worker / acute / systemic effects)	
		10 mg/m³ (Worker / long-term /systemic effects)	
		18.63 mg/m³ (Consumer / acute / systemic effects)	
		6.21 mg/m³ (Consumer / long-term / systemic effects)	
Recomme		nonitoring procedures:	

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· PNECs	5
CAS: 1	I310-65-2 lithium hydroxide
PNEC	79.2 mg/l (Sewage treatment plant)
	0.23 mg/l (Marine water)
	2.3 mg/l (Fresh water)
PNEC	0.45 mg/kg (Soil)
	0.9 mg/kg (Marine sediment)
	9 mg/kg (Fresh water sediment)

· Additional information: The lists that were valid during the compilation were used as basis.

#### · 8.2 Exposure controls

• Engineering measures: No further data; see section 7.

· Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Eye/face protection Tightly sealed safety glasses.
- Hand protection
- Protective gloves.

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves
- nitrile rubber, NBR
- Recommended thickness of the material:  $\geq$  0.11 mm
- Penetration time of glove material
- Value for the permeation: Level = 1 ( < 10 min )

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- Recommended filter device for short term use: Filter P2

• Environmental exposure controls Do not allow product to reach sewage system or water bodies.

9.1 Information on basic physical and che	emical properties	
Physical state	Solid.	
Form:	Tablets	
Colour:	Grey	
Odour:	Odourless	
Odour threshold:	Not applicable.	
Melting point/Freezing point:	Not determined.	
Boiling point or initial boiling point and b	oiling range Not determined.	

Printing date 18.04.2024

Version number 42 (replaces version 41)

Revision: 18.04.2024

#### Product name: Hardness Y / N

	(Contd. of page
· Flammability	The mixture is capable of catching fire or being set on fire.
· Explosive properties:	The product is not capable of dust explosion in the form supplied; enrichment with fine dust causes risk of dust explosion
· Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not applicable (solid).
Flash point:	260°C (CAS: 9004-34-6 cellulose)
Auto-ignition temperature:	420°C (CAS 9004-34-5)
	Not applicable (solid).
<ul> <li>Decomposition temperature:</li> </ul>	> 150°C (CAS 9004-34-5)
<sup>.</sup> pH (1.4 g/l) at 20°C	10.8
Kinematic viscosity	Not applicable (solid).
Solubility	
Water:	Slightly soluble
Partition coefficient n-octanol/water (log value)	Not applicable (mixture).
Vapour pressure:	Not applicable.
<ul> <li>Density and/or relative density</li> </ul>	
Density:	Not determined.
Relative density:	Not determined.
Relative gas density	Not applicable (solid).
Particle characteristics	Not determined.
9.2 Other information	
Information with regard to physical hazard classes	
Corrosive to metals	Void
Other safety characteristics	
Oxidising properties:	none
Additional information	
Solids content:	100.0 %

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity Dust can combine with air to form an explosive mixture.

· 10.2 Chemical stability Stable at ambient temperature (room temperature).

- 10.3 Possibility of hazardous reactions
- Aqueous solution reacts alkaline.
- Aqueous solution reacts with metals.
- Corrodes aluminium
- **10.4 Conditions to avoid** strong heating
- Exposure to moisture.
- 10.5 Incompatible materials:
- organic substances
- aluminium
- zinc

Г

· 10.6 Hazardous decomposition products: see section 5

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

<ul> <li>LD/LC50 values that are relevant for classification:</li> </ul>
--

CAS: 131	CAS: 1310-65-2 lithium hydroxide	
Oral	LD50	330 mg/kg (ATE) (Registrant, ECHA) Acute toxicity data are available for oral route of exposure: LD50 (rat, oral): female: 210 mg/kg bw; male: 280 mg/kg bw, both for lithium hydroxide anhydrous. As these values are most likely linked to local tissue damage due to the corrosiveness of the substance and are not only a result of "primary" systemic toxicity the LD50 oral of lithium chloride and lithium carbonate were taken into account after conversion. A LD50 value of 330 mg/kg bw were found to reflect properly the systemic toxicity of the corrosive substance lithium hydroxide anhydrous.

Version number 42 (replaces version 41)

Revision: 18.04.2024

#### Product name: Hardness Y / N

Printing date 18.04.2024

		(Contd. of page	e 5)
Dermal	LD50.	>2000 mg/kg /bw (rat)	
		(Registrant, ECHA)	
Inhalative	LC50	>3.4 mg/l /4h (rat)	
		(Registrant, ECHÁ)	
	NOAEL	13.9–84.8 mg/kg /bw/d (rat)	
		(Registrant, ECHA: oral)	

· Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.

• STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

• Additional toxicological information:

The following applies to lithium compounds in general:

after absorption: CNS disorders, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance

· 11.2 Information on other hazards

• Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

· Aquation	c toxicity:
CAS: 1	310-65-2 lithium hydroxide
	19.1 mg/l/48h (Daphnia magna) without pH-adjustment
NOEC	5.71 mg/l/72h (Pseudokirchneriella subcapitata)
NOEC	9.9 mg/l /34d (zebrafish)
	2.3 mg/l /21d (Daphnia magna)
EC50	87.57 mg/l/72h (Pseudokirchneriella subcapitata)
	62.2 mg/l/96h (zebrafish)

### · Other information:

The following applies for lithium compounds in general:

fish toxic from 100 mg/l, Daphnia toxic from 16 mg/l, plants toxic from 0,2 mg/l

12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

• 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

• **12.7 Other adverse effects** Avoid transfer into the environment.

· Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

Version number 42 (replaces version 41)

Revision: 18.04.2024

(Contd. of page 6)

#### Product name: Hardness Y / N

Printing date 18.04.2024

#### · European waste catalogue

16 05 06\* laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

## **SECTION 14: Transport information**

· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, IMDG, IATA</li> </ul>	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	Νο
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.
<ul> <li>14.7 Maritime transport in bulk according to II instruments</li> </ul>	MO Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulated explosives pr	recursors
None of the ingredients is	s listed.
Regulated poisons	
None of the ingredients is	s listed.
Reportable explosives p	precursors
None of the ingredients is	s listed.
Reportable poisons	
None of the ingredients is	s listed.
Regulation (EU) 2019/11	148 on the marketing and use of explosives precursors not regulated
Regulation (EU) No 649/	/2012 concerning the export and import of hazardous chemicals (PIC)
None of the ingredients is	s listed.
<b>v</b>	a listed. 4/2000 setting up a Community regime for the control of exports of dual-use items and
Regulation (EC) No 1334	4/2000 setting up a Community regime for the control of exports of dual-use items and
Regulation (EC) No 1334 technology: None of the ingredients is	4/2000 setting up a Community regime for the control of exports of dual-use items and
Regulation (EC) No 1334 technology: None of the ingredients is	4/2000 setting up a Community regime for the control of exports of dual-use items and blisted. /2004 on drug precursors
Regulation (EC) No 1334 technology: None of the ingredients is Regulation (EC) No 273/ None of the ingredients is	4/2000 setting up a Community regime for the control of exports of dual-use items and blisted. /2004 on drug precursors
Regulation (EC) No 1334 technology: None of the ingredients is Regulation (EC) No 273/ None of the ingredients is Regulation (EC) No 111/	4/2000 setting up a Community regime for the control of exports of dual-use items and a listed. /2004 on drug precursors a listed. /2005 laying down rules for the monitoring of trade between the Community and third countries
Regulation (EC) No 1334 technology: None of the ingredients is Regulation (EC) No 273/ None of the ingredients is Regulation (EC) No 111/ in drug precursors None of the ingredients is	4/2000 setting up a Community regime for the control of exports of dual-use items and a listed. /2004 on drug precursors a listed. /2005 laying down rules for the monitoring of trade between the Community and third countries

Version number 42 (replaces version 41)

Revision: 18.04.2024

## Product name: Hardness Y / N

## REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

## · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

Substances of very high concern (SVHC) according to REACH, Article 57

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w). Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of  $\geq 0.1\%$  (w / w).

· Directive 2012/18/EU (SEVESO III):

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Information about limitation of use: Not required.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Training hints Provide adequate information, instruction and training for operators.

#### · Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

#### Abbreviations and acronyms:

EC50: effective concentration, 50 percent (in vivo) STOT: specific target organ toxicity SE: single exposure RE: repeated exposure EC50: half maximal effective concentration IC50: half maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- ATE: Acute toxicity estimate values
- Acute Tox. 4: Acute toxicity Category 4
- Skin Corr. 1A: Skin corrosion/irritation Category 1A Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Dam. 1: Serious eye damage/eye irritation Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2

#### Sources

Data arise from safety data sheets, reference works and literature. GESTIS- Stoffdatenbank (Substance Database, Germany) RTECS (Registry of Toxic Effects of Chemical Substances) ECHA: European CHemicals Agency http://echa.europa.eu

#### \* \* Data compared to the previous version altered.

Printing date 18.04.2024

(Contd. of page 7)

GB