Tintometer[®] Group Water Testing



phone: +49 (0)231 94510-0 e-mail: sales@lovibond.com

phone: +44 1980 664800

e-mail: SDS@lovibond.uk

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.04.2024 Version number 56 (replaces version 55) Revision: 22.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Product name: Phosphate HR P2
- · Catalog number: 00515821, 515820BT, 515821BT, 00515829BT, 4515820BT, 4515821BT
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

The Tintometer Limited Lovibond® House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

Informing department: e-mail: sds@lovibond.com Product Safety Department

· 1.4 Emergency telephone number:

+44 1235 239670 Languages: English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 1B H360FD May damage fertility. May damage the unborn child.

STOT RE 2 H373 May cause damage to the respiratory system through prolonged or repeated exposure.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

boric acid

ammonium meta-vanadate

(Contd. on page 2)

Printing date 22.04.2024 Version number 56 (replaces version 55) Revision: 22.04.2024

Product name: Phosphate HR P2

(Contd. of page 1)

· Hazard statements

H360FD May damage fertility. May damage the unborn child.

H373 May cause damage to the respiratory system through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust.

P280 Wear protective gloves/protective clothing/eye protection.

P201 Obtain special instructions before use.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

· Additional information:

Restricted to professional users.

· 2.3 Other hazards No further relevant information available.

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of inorganic compounds.

· Dangerous components:		
CAS: 10043-35-3 EINECS: 233-139-2 Index No: 005-007-00-2 Reg.nr.: 01-2119486683-25-XXXX	boric acid Repr. 1B, H360FD	70–80%
CAS: 5329-14-6 EINECS: 226-218-8 Index No: 016-026-00-0 Reg.nr.: 01-2119846728-XXXX	sulfamic acid Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	2.5–5%
CAS: 7803-55-6 EINECS: 232-261-3	ammonium meta-vanadate ♦ Acute Tox. 3, H301; ♦ Repr. 2, H361fd; STOT RE 1, H372; ♦ Aquatic Chronic 2, H411; ♦ Acute Tox. 4, H332; Eye Irrit. 2, H319	≤2.5%
SVHC		

·SVHC

CAS: 10043-35-3 boric acid

· SVHC (UK)

CAS: 10043-35-3 boric acid

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information Instantly remove any clothing soiled by the product.

· After inhalation

Supply fresh air.

Seek medical treatment.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

Seek medical treatment.

· After eye contact Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Seek medical treatment.

Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed:

absorption

after inhalation:

Printing date 22.04.2024 Version number 56 (replaces version 55) Revision: 22.04.2024

Product name: Phosphate HR P2

(Contd. of page 2)

mucosal irritations, cough, shortness of breath

damage to the affected mucous membranes possible

after swallowing:

sickness

vomiting

diarrhoea

after absorption of large amounts:

gastric or intestinal trouble

fatigue

respiratory paralysis

ataxia (impaired locomotor coordination)

drop in temperature

cardiovascular disorders

drop in blood pressure

unconsciousness

pain

cramps

- Danger Danger of pulmonary oedema.
- · 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

nitrous gases

Sulphur oxides (SOx)

Nitrogen oxides (NOx)

Ammonia (NH₃)

smoke of metal oxide

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Avoid causing dust.

- · Advice for emergency responders: Protective equipment: see section 8
- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

Printing date 22.04.2024 Version number 56 (replaces version 55) Revision: 22.04.2024

Product name: Phosphate HR P2

(Contd. of page 3)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

· Advice on safe handling:

Prevent formation of dust.

Provide suction extractors if dust is formed.

· Hygiene measures:

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Store protective clothing separately.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and containers: Store in cool location.
- Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions).
- Further information about storage conditions:

Store in a locked cabinet or with access restricted to technical experts or their assistants.

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed containers.

Protect from the effects of light.

Protect from humidity and keep away from water.

This product is hygroscopic.

- · Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

Derived No Effect Level (DNEL)

CAS: 10043-35-3 boric acid			
Oral	DNEL	0.98 mg/kg (Consumer / acute / systemic effects)	
		0.98 mg/kg (Consumer / long-term / systemic effects)	
Dermal	DNEL	392 mg/kg (Worker / long-term /systemic effects)	
		196 mg/kg (Consumer / long-term / systemic effects)	
Inhalative	DNEL	L 8.3 mg/m³ (Worker / long-term /systemic effects)	
		4.15 mg/m³ (Consumer / long-term / systemic effects)	

Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· PNECs

Predicted No Effect Concentration (PNEC)

CAS: 1	CAS: 10043-35-3 boric acid		
PNEC	PNEC 10 mg/l (Sewage treatment plant)		
	2.02 mg/l (Marine water)		
	13.7 mg/l (Aquatic intermittent release)		
	2.02 mg/l (Fresh water)		
PNEC	5.4 mg/kg (Soil)		

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

(Contd. on page 5)

Printing date 22.04.2024 Version number 56 (replaces version 55) Revision: 22.04.2024

Product name: Phosphate HR P2

(Contd. of page 4)

Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Eye/face protection Safety glasses
- Hand protection

Protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- Recommended filter device for short term use: Filter P3
- · Environmental exposure controls Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state
Form:
Colour:
Odourless
Odour threshold:
Solid.
Tablets
Orange
Odourless
Not applicable.

Melting point/Freezing point:

Not determined.

Boiling point or initial boiling point and boiling range Not determined.

• Flammability The product is not combustible. • Explosive properties: Product is not explosive.

Lower and upper explosion limit

Lower:
Upper:
Not applicable.
Not applicable.

Flash point:
Not applicable.
Not applicable.
Not applicable.

Not applicable (solid).

Decomposition temperature:
>150°C (CAS 10043-35-3)

· pH (9.7 g/l) at 20°C 3.6

· Kinematic viscosity Not applicable (solid).

· Solubility

· Water: Soluble

• Partition coefficient n-octanol/water (log value)
• Vapour pressure:

Not applicable (mixture).

Not applicable (solid).

Density and/or relative density

Density: Not determined.
 Relative density: Not determined.
 Relative gas density Not applicable (solid).
 Particle characteristics Not determined.

9.2 Other information

 \cdot Information with regard to physical hazard classes

· Corrosive to metals Void

· Other safety characteristics

· Oxidising properties: none · Additional information

· Solids content: 100 %

SECTION 10: Stability and reactivity

· 10.1 Reactivity see section 10.3

(Contd. of page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.04.2024 Version number 56 (replaces version 55) Revision: 22.04.2024

Product name: Phosphate HR P2

· 10.2 Chemical stability Stable at ambient temperature (room temperature).

• 10.3 Possibility of hazardous reactions

Aqueous solution reacts acidic.

Hydrogen is formed in the presence of aluminum or zinc.

Reacts with acids, alkalis and oxidizing agents

Violent reactions possible with:

Nitrates chlorine

- · 10.4 Conditions to avoid To avoid thermal decomposition do not overheat.
- · 10.5 Incompatible materials: metals
- 10.6 Hazardous decomposition products:

Ammonia (NH₃)

In case of fire: see section 5.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

Acute toxicity based on available data, the classification chieffa are not met.			
· Acute tox	· Acute toxicity estimate (ATE _(MIX)) - Calculation method:		
Inhalative	Inhalative CLP ATE _(MIX) 100 mg/l/4h (dust)		
· LD/LC50 v	values tha	at are relevant for classification:	
CAS: 100	CAS: 10043-35-3 boric acid		
Oral	LD50	2660 mg/kg (rat) (OECD 401) (GESTIS, ECHA registrant)	
Dermal	Dermal LD50. >2000 mg/kg (rat) (ECHA, registrant: no deaths occurred.)		
	LD₀	1500 mg/kg (child) (MERCK)	
	NOAEL	9.6 mg/kg (rat) (NTP)	
CAS: 5329	CAS: 5329-14-6 sulfamic acid		
Oral	Oral LD50 3160 mg/kg (rat) (GESTIS)		
CAS: 780	CAS: 7803-55-6 ammonium meta-vanadate		
Oral	LD50	169 mg/kg (rat) (OECD 401) (Merck)	
Dermal	LD50.	>2500 mg/kg (rat) (OECD402) (Registrant, ECHA: limit-test, all test animals survived at this concentration)	
Inhalative	Inhalative LC50/4h 2.5 mg/l (rat) (OECD 403) (Merck)		

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Information on components:			
CAS: 10043-35-	CAS: 10043-35-3 boric acid		
Irritation of skin		(rabbit: no irritation) (Registrant, ECHA)	
Irritation of eyes	OECD 405	(rabbit: slight irritation)	
CAS: 5329-14-6	CAS: 5329-14-6 sulfamic acid		
Irritation of skin	OECD 404	(rabbit: irritation)	
Irritation of eyes	OECD 405	(rabbit: irritation)	
CAS: 7803-55-6 ammonium meta-vanadate			
Irritation of skin	OECD 404	(rabbit: no irritation)	
Irritation of eyes	OECD 405	(rabbit: irritation)	

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 22.04.2024 Version number 56 (replaces version 55) Revision: 22.04.2024

Product name: Phosphate HR P2

(Contd. of page 6)

Information on components:

CAS: 10043-35-3 boric acid

Sensitisation OECD 406 (guinea pig: negative)

- $\cdot \ \textbf{Germ cell mutagenicity} \ \ \textbf{Based on available data, the classification criteria are not met.}$
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity May damage fertility. May damage the unborn child.

· Information on components:		
CAS: 10043-35-3 boric acid		
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test)	
OECD 476	(negative) (In Vitro Mammalian Cell Gene Mutation Test) (mouse lymphomea test)	
OECD 414	(negative) (oral, rat) (ECHA, registrant: no evidence of developmental toxicity up to 55 mg/kg bw. At 76 mg/kg bw there was reduced fetal bodyweight, short and wavy ribs, and these effects disappeared during the postnatal period.)	
OECD 474	(negative) (in vivo, mice)	
CAS: 5329-14-6 sulfamic acid		
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test) (Salmonella typhimurium)	
OECD 476	(negative) (In Vitro Mammalian Cell Gene Mutation Test)	

· STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.

STOT (specific target organ toxicity) -repeated exposure

(negative) (mouse, oral)

May cause damage to the respiratory system through prolonged or repeated exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

(negative) (In Vitro Mammalian Cell Micronucleus Test)

Aspiration flazaru based on available data, the diassilication chiefla are not the

Information on likely routes of exposure

"Under occupational conditions, the main intake pathway for boric acid (CAS 10043-35-3) proceeds via the respiratory tract. Furthermore, the uptake of the solid or its concentrated solutions should be expected following contact with damaged or inflamed skin." (GESTIS)

· Additional toxicological information:

In case of an acute molybdenum(VI) intoxication: diarrhoea, anaemia, fatigue, loss of appetite. Toxic effect on liver and kidneys after

high doses.

OECD 474

OECD 487

CAS 10043-35-3: Absorption through gastro-intestinal tract, mucous membranes

CAS: 10043-35-3 boric acid

(source: GESTIS)

Main toxic effects:

Acute: Slightly irritating to the eyes and skin; gastrointestinal disturbances, CNS-effects and (later) skin damage after massive poisoning

Chronic: Irritation to the mucous membranes following inhalative exposure, effects to the gastrointestinal tract and CNS

Further Information (Merck):

"Toxicity reported for borates in humans: ingestion or absorption may cause nausea, vomiting, diarrhea, abdominal cramps, anderythematous lesions on the skin and mucous membranes.

Other symptoms include: circulatory collapse, tachycardia, cyanosis, delirium, convulsions, and coma.

Death has been reported to occur in infants from less than 5 grams and in adults from 5 to 20 grams.'

"Liver - Irregularities - Based on Human Evidence"

CAS: 5329-14-6 sulfamic acid

(source: GESTIS)

Main toxic effects

Acute: Irritative through to corrosive effects to the mucous membranes and skin:

insufficient information available on systemic effects

Chronic: No information available

· 11.2 Information on other hazards

· Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)

Printing date 22.04.2024 Version number 56 (replaces version 55) Revision: 22.04.2024

Product name: Phosphate HR P2

(Contd. of page 7)

· Other information Other dangerous properties can not be excluded.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:			
CAS: 10043-35-3 boric acid			
EC50	133 mg/l/48h (Daphnia magna) (ECOTOX)		
LC50	50–100 mg/l/96h (rainbow trout) (ECOTOX)		
CAS: 5	329-14-6 sulfamic acid		
EC50	71.6 mg/l/48h (Daphnia magna) (OECD 202)		
EC50	14.2 mg/l/96h (fish) (GESTIS)		
LC50	70.3 mg/l/96h (fathhead minnow) (OECD 203) (Merck)		
CAS: 7	803-55-6 ammonium meta-vanadate		
NOEC	0.87 mg/l (fish) (30d) (ECHA: Clarias batrachus)		
LC50	2.6 mg/l/96h (fish) (ECOTOX: Ictalurus catus)		
· Bacterial toxicity:			
CAS: 5329-14-6 sulfamic acid			
EC10	EC10 ≥1000 mg/l (Pseudomonas putida) (16h)		

(IUCLID) Other information:

Toxic for fish:

molybdenum compounds in general: > 25 mg/l

 $NH_4^+ > 0.3 \text{ mg/l}$

- 12.2 Persistence and degradability
- Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 10043-35-3 boric acid

log Pow -1.09 (.) (OECD 107, 22°C) (Merck)

CAS: 5329-14-6 sulfamic acid

log Pow 0.1 (.) (experimental) (Merck)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of water supplies. Avoid transfer into the environment.

Water hazard:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

GB

Printing date 22.04.2024 Version number 56 (replaces version 55) Revision: 22.04.2024

Product name: Phosphate HR P2

(Contd. of page 8)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 07* discarded inorganic chemicals consisting of or containing hazardous substances

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.

Not applicable.

Not applicable.

Not dangerous according to the above specifications.

SECTION 15: Regulatory information

· 14.7 Maritime transport in bulk according to IMO

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act UK

instruments

· Regulated explosives precursors

· 14.6 Special precautions for user

· Transport/Additional information:

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated
- Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

(Contd. on page 10)

Printing date 22.04.2024 Version number 56 (replaces version 55) Revision: 22.04.2024

Product name: Phosphate HR P2

(Contd. of page 9)

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed

· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

- · Substances of very high concern (SVHC) according to REACH, Article 57 see item 3 SVHC
- · Substances of very high concern (SVHC) according to UK REACH see item 3 SVHC
- · Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 30
- · Information about limitation of use:

Employment restrictions concerning young persons must be observed (94/33/EC).

Employment restrictions concerning pregnant and lactating women must be observed (92/85/EEC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Training hints Provide adequate information, instruction and training for operators.

Relevant phrases

H301 Toxic if swallowed.

Causes skin irritation. H315

Causes serious eve irritation. H319

H332 Harmful if inhaled.

H360FD May damage fertility. May damage the unborn child.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Causes damage to organs through prolonged or repeated exposure. H372

H411 Toxic to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects. H412

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

(Contd. on page 11)

Printing date 22.04.2024 Version number 56 (replaces version 55) Revision: 22.04.2024

Product name: Phosphate HR P2

Repr. 1B: Reproductive toxicity – Category 1B
Repr. 2: Reproductive toxicity – Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· Sources

Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency http://echa.europa.eu

GESTIS- Stoffdatenbank (Substance Database, Germany)

IUCLID (International Uniform Chemical Information Database)

ECOTOX Database

* Data compared to the previous version altered.

(Contd. of page 10)

GB -