Lovibond® Water Testing

Tintometer® Group



Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 09/25/2018 Reviewed on 09/25/2018

1 Identification

- · Product identifier
- · Trade name: Vario Ammonia Salicylate F10 ml
- · _SDS valid from Lot: T09A
- · Catalogue number: 00531389, 531380, 4531380, 531382
- · Application of the substance / the mixture: Reagent for water analysis
- · Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA

phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- Hazard-determining components of labeling:

sodium salicylate

sodium nitroprusside dihydrate

· Hazard statements

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

· Precautionary statements

P280 Wear protective gloves / eye protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· Other hazards No further relevant information available.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** mixture of organic compounds

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 09/25/2018 Reviewed on 09/25/2018

Trade name: Vario Ammonia Salicylate F10 ml

· Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

CAS: 54-21-7 EINECS: 200-198-0	sodium salicylate	① Acute Tox. 4, H302; Eye Irrit. 2A, H319	60–70%
RTECS: VO5075000			
	sodium nitroprusside dihydrate	♦ Acute Tox. 3, H301	≤2.5%
EINECS: 238-373-9			
RTECS: LJ 8925000			

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with plenty of water.
- After eye contact: Rinse opened eye for several minutes (at least 15 min) under running water. Then consult a doctor.
- After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

Seek medical treatment.

· Most important symptoms and effects, both acute and delayed

irritations resorption

after inhalation:

mucosal irritations, cough, breathing difficulty

after swallowing:

sickness

vomiting

diarrhoea

after swallowing of large amounts:

tinnitus (ringing in the ears)

headache

dizziness

disorientation

drop in blood pressure

disorder of electrolyte balance

fever

cramps

coma

- · Danger: Danger of circulatory collapse.
- Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

nitrous gases

Nitrogen oxides (NOx)

cyanide compounds, sodium monoxide

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

Printing date 09/25/2018 Reviewed on 09/25/2018

Trade name: Vario Ammonia Salicylate F10 ml

Ambient fire may liberate hazardous vapours.

(Contd. of page 2)

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
- Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Advice for emergency responders: Protective equipment: see section 8
- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling
- · Advice on safe handling:

Use only in well ventilated areas.

Prevent formation of dust.

· Hygiene measures:

Avoid contact with the eyes.

Avoid contact with the skin.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from exposure to the light.

Store in dry conditions.

Protect from humidity and water.

- · Recommended storage temperature: 10°C 25°C (50°F 77°F)
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- · Personal protective equipment:
- · Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter P2
- · Protection of hands:

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

(Contd. on page 4)

Printing date 09/25/2018 Reviewed on 09/25/2018

Trade name: Vario Ammonia Salicylate F10 ml

(Contd. of page 3)

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Safety glasses
- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

· Information on basic physical and chemical properties				
· Appearance:				
Form / Physical state:	Powder			
Color:	Light colored.			
· Odor:	Odorless			
· Odor threshold:	Not applicable.			
· pH-value (50 g/l) at 20°C (68°F):	8.1			
· Melting point/freezing point:	Not determined.			
· Initial boiling point and boiling range:	Not determined.			
· Flash point:	Not applicable.			
· Flammability (solid, gas):	The product is not combustible.			
· Decomposition temperature:	Not determined.			
· Auto-ignition temperature:	Product is not self-igniting.			
 Danger of explosion: Flammability or explosive limits: 	Product does not present an explosion hazard.			
Lower:	Not applicable.			
Upper:	Not applicable.			
· Oxidizing properties:	none			
· Vapor Pressure:	Not applicable.			
Density at 20°C (68°F):	1.25 g/cm³ (10.43 lbs/gal)			
Relative density:	Not determined.			
· Vapor density:	Not applicable.			
· Evaporation rate:	Not applicable.			
· Solubility(ies)				
Water:	Soluble.			
· Partition coefficient (n-octanol/water)	· Partition coefficient (n-octanol/water): Not applicable.			
· Viscosity:	Not applicable.			
· Solvent content:				
Organic solvents:	0.0 %			
Solids content:	100.0 %			
· Other information	No further relevant information available.			

10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions"
- · Chemical stability Stable at ambient temperature (room temperature).
- Possibility of hazardous reactions Contact with acids releases toxic gases.
- · Conditions to avoid Strong heating (decomposition)
- · Incompatible materials: No further relevant information available.

(Contd. on page 5)

Printing date 09/25/2018 Reviewed on 09/25/2018

Trade name: Vario Ammonia Salicylate F10 ml

(Contd. of page 4)

· Hazardous decomposition products:

Hydrogen cyanide (prussic acid HCN) see section 5

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Classification according to calculation procedure.
- · Acute toxicity estimate (ATE_(MIX)) Calculation method:

Oral GHS ATE_(MIX) 1257 mg/kg (.)

· LD/LC50 values that are relevant for classification:

CAS: 54-21-7 sodium salicylate

Oral LD50 930 mg/kg (rat) (RTECS)

LDLo 700 mg/kg (human) (RTECS)

CAS: 13755-38-9 sodium nitroprusside dihydrate

Oral LD50 99 mg/kg (rat)

(RTECS, anhydrous substance)

- · Primary irritant effect:
- on the skin: Based on available data, the classification criteria are not met.
- · on the eye: Causes serious eye irritation.
- · Information on components: CAS 54-21-7: chronic: dermatitis
- · Sensitization: Based on available data, the classification criteria are not met.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- Other information: see section 8 / 15
- · Synergistic Products: None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

The following complies to cyanogen compounds / nitriles in general:

Utmost caution! Release of hydrocyanic acid is possible - blockade of cellular respiration.

The following applies to soluble iron compounds: nausea and vomiting after swallowing. The absorption of large quantities is followed by cardiovascular disorders. Toxic effect on liver and kidneys.

CAS 54-21-7: skin resorption (effects similar to those of ingestion)

CAS 54-21-7: chronic: central nervous system effects

Printing date 09/25/2018 Reviewed on 09/25/2018

Trade name: Vario Ammonia Salicylate F10 ml

(Contd. of page 5)

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 54-21-7 sodium salicylate

EC10 304 mg/l (Daphnia magna) (24)

(ECOTOX)

LC50 | 1370 mg/l/96h (fathhead minnow)

(ECOTOX)

CAS: 13755-38-9 sodium nitroprusside dihydrate

EC50 1 mg/l/24h (Daphnia magna)

LC50 0.05 mg/l (fish)

Other information:

Toxic for fish:

the following applies to dissolved iron compounds in general:

toxic as from 0.9 mg/l at pH 6.5 - 7.5

lethal as from 1.0 mg/l at pH 5.5 - 6.7

- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 54-21-7 sodium salicylate

log Pow -1.43 (.) (calculated)

- Mobility in soil No further relevant information available.
- Other adverse effects Avoid transfer into the environment.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	none	
· UN proper shipping name · DOT, IMDG, IATA	none	
· Transport hazard class(es)		
· DOT, IMDG, IATA · Class	none	
· Packing group · DOT, IMDG, IATA	none	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· Transport/Additional information:	Not dangerous according to the above specifications.	

Printing date 09/25/2018 Reviewed on 09/25/2018

Trade name: Vario Ammonia Salicylate F10 ml

(Contd. of page 6)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

New Jersey Right-to-Know List:

None of the ingredients is listed.

New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

Pennsylvania Right-to-Know List:

None of the ingredients is listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

EPA (Environmental Protection Agency)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Information about limitation of use: Employment restrictions concerning young persons must be observed.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

Date of preparation / last revision 09/25/2018 / 28

· Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

- •A2 Suspected human carcinogen
- •A3 Confirmed animal carcinogen with unknown relevance to humans
- •A4 Not classifiable as a human carcinogen
- •A5 Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

•Group 1 - Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans

Printing date 09/25/2018 Reviewed on 09/25/2018

Trade name: Vario Ammonia Salicylate F10 ml

(Contd. of page 7)

•Group 2B - Possibly carcinogenic to humans •Group 3 - Not classifiable as to carcinogenicity to humans •Group 4 - Probably not carcinogenic to humans

Group 4 - Probably Not carcinogenic to numans
 NTP - National Toxicology Program, U.S. Department of Health and Human Services
 Group K - Known to be Human Carcinogens
 Group R - Reasonably Anticipated to be Human Carcinogens
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Data arise from safety data sheets, reference works and literature.

ECOTOX Database

RTECS (Registry of Toxic Effects of Chemical Substances)

* Data compared to the previous version altered.

US