# Tintometer<sup>®</sup> Group Water Testing



phone: +49 (0)231 94510-0 e-mail: sales@lovibond.com

phone: +44 1980 664800

e-mail: SDS@lovibond.uk

Page 1/10

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Vario Potassium Persulfate F10
- · Catalog number: 00531569, 531560, 4531560, 531562
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

The Tintometer Limited Lovibond® House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

Informing department: e-mail: sds@lovibond.com Product Safety Department

· 1.4 Emergency telephone number:

+44 1235 239670 Languages: English

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS03 flame over circle

Ox. Sol. 3 H272 May intensify fire; oxidiser.



GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS07

Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

(Contd. on page 2)

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

**Product name: Vario Potassium Persulfate F10** 

(Contd. of page 1)

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms







GHS03

)3 GHS07

#### Signal word Danger

#### · Hazard-determining components of labelling:

disodium peroxodisulphate potassium persulphate

#### Hazard statements

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

#### **Precautionary statements**

P261 Avoid breathing dust.

P280 Wear protective gloves/protective clothing/eye protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

· 2.3 Other hazards No further relevant information available.

#### · Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

#### Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of inorganic compounds.

· Dangerous components:			
	disodium peroxodisulphate	90–100%	
EINECS: 231-892-1	Ox. Sol. 3, H272; & Resp. Sens. 1, H334; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335		
CAS: 7727-21-1	potassium persulphate	5-<10%	
EINECS: 231-781-8 Index No: 016-061-00-1	Ox. Sol. 3, H272; & Resp. Sens. 1, H334; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SÉ 3, H335		

Additional information For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air or oxygen; call for doctor.
- · After skin contact

Instantly rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.

(Contd. on page 3)

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

#### **Product name: Vario Potassium Persulfate F10**

(Contd. of page 2)

#### · After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed:

allergic reactions

irritations

after inhalation:

coughing

breathing difficulty

after swallowing:

sickness

vomiting

gastric or intestinal trouble

mucous membrane irritation

headache

#### Danger

Danger of pulmonary oedema.

risk of airways sensitization

risk of skin sensitization

· 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Has a fire-promoting effect due to release of oxygen.

Risk of dust explosion

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Sulphur oxides (SOx)

Sodium oxide

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid causing dust.

- · Advice for emergency responders: Protective equipment: see section 8
- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

GB

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

**Product name: Vario Potassium Persulfate F10** 

(Contd. of page 3)

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### · Advice on safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Thorough dedusting.

#### Hygiene measures:

Do not inhale dust / smoke / mist.

Avoid contact with the skin.

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

#### · 7.2 Conditions for safe storage, including any incompatibilities

- · Requirements to be met by storerooms and containers: Store in cool location.
- Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

#### Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

Protect from the effects of light.

Store under dry conditions.

Protect from humidity and keep away from water.

- · Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

#### Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### · Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

#### · Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

· Eye/face protection Safety glasses

#### Hand protection

Protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

#### Material of gloves

nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.11$  mm

#### Penetration time of glove material

Value for the permeation: Level = 1 ( < 10 min )

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- Recommended filter device for short term use: Filter P2

(Contd. on page 5)

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

**Product name: Vario Potassium Persulfate F10** 

(Contd. of page 4)

Environmental exposure controls Do not allow product to reach sewage system or water bodies.

#### **SECTION 9: Physical and chemical properties**

 $\cdot$  9.1 Information on basic physical and chemical properties

Physical state
Form:
Colour:
Odourless
Odour threshold:
Melting point/Freezing point:

Solid.
Powder
White
Odourless
Not applicable.
Not determined.

· Boiling point or initial boiling point and boiling range Not determined.

• Flammability Contact with combustible material may cause fire.

• **Explosive properties:** Product is not explosive.

Risk of dust explosion if enriched with fine dust in presence of air

· Lower and upper explosion limit

Lower:
Upper:
Not determined.
Not determined.

Flash point:
Not applicable.

Auto-ignition temperature:
Not applicable (solid).

Decomposition temperature:
> 100°C (CAS 7727-21-1)

· pH (9 g/l) at 20°C 4.2

Kinematic viscosity
 Not applicable (solid).

· Solubility

· Water: Soluble

· Partition coefficient n-octanol/water (log value) Not applicable (mixture).

· Vapour pressure: Not applicable.

· Density and/or relative density

Density at 20°C:
 Relative density:
 Relative gas density
 Particle characteristics

2.41 g/cm³
Not determined.
Not applicable (solid).
Not determined.

· 9.2 Other information

· Information with regard to physical hazard classes

· Corrosive to metals Void

· Other safety characteristics

• Oxidising properties: May intensify fire; oxidiser.

· Additional information

· Solids content: 100.0 %

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity Risk of dust explosion
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- 10.3 Possibility of hazardous reactions

Reacts with alcohols

Reacts with reducing agents

Reacts with heavy metals

Reacts with strong acids and alkali

10.4 Conditions to avoid

Exposure to moisture.

Strong heating (decomposition)

- · 10.5 Incompatible materials: combustible substances
- · 10.6 Hazardous decomposition products:

oxygen

see section 5

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

Product name: Vario Potassium Persulfate F10

(Contd. of page 5)

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Classification according to calculation procedure:

Harmful if swallowed.

Acute toxicity estimate (ATE(MIX)) - Calculation method: Oral CLP ATE<sub>(MIX)</sub> 908 mg/kg (.)

LD/LC50 values that are relevant for classification:

#### CAS: 7775-27-1 disodium peroxodisulphate

CAS: 7727 21 1 notassium parsulphata		
	I D50 IPR	226 mg/kg (mouse)
Dermal	LD50	>10000 mg/kg (rabbit)
Oral	LD50	920 mg/kg (rat) (IUCLID)

#### AS: 7727-21-1 potassium persulphate

Oral	LD50	802 mg/kg (rat) (RTECS)
		(RTECS)
Dermal	LD50	>10000 mg/kg (rabbit)

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- Information on components:

CAS 7775-27-1: chronic: dermatitis

CAS: 7775-27-1 disodium peroxodisulphate			
Irritation of skin		(rabbit: slight irritation) (ECHA: read-across CAS 7727-54-0 Diammonium persulfate)	
Irritation of eyes	OECD 405	(rabbit: slight irritation)	
CAS: 7727-21-1 potassium persulphate			
Irritation of skin		(rabbit: slight irritation) (ECHA: read-across CAS 7727-54-0 Diammonium persulfate)	
Irritation of eyes	OECD 405	(rabbit: slight irritation)	

#### Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

#### Information on components:

#### CAS: 7775-27-1 disodium peroxodisulphate

Sensitisation OECD 406 (guinea pig: positive)

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

#### · Information on components:

#### CAS: 7775-27-1 disodium peroxodisulphate

OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test) (IUCLID)

- · STOT (specific target organ toxicity) -single exposure May cause respiratory irritation.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### · Information on likely routes of exposure

In persons occupationally exposed to persulphates, skin diseases have been observed very frequently, which were attributed to irritative effects on the one hand, but predominantly to allergic reactions. In addition to the above-mentioned early-type reactions, allergic dermatitis and chronic recurrent eczema have been described as late-type reactions. (GESTIS)

#### Additional toxicological information:

#### CAS: 7775-27-1 disodium peroxodisulphate

(source: GESTIS)

acute: irritant effect on mucous membranes, sensitising effect, danger of acute intolerance reactions chronic: allergic skin and respiratory diseases[GESTIS]

(Contd. on page 7)

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

**Product name: Vario Potassium Persulfate F10** 

(Contd. of page 6)

#### CAS: 7727-21-1 potassium persulphate

. (source: GESTIS)

acute: sensitising effect, danger of acute hypersensitivity reactions.

chronic: allergic skin and respiratory diseases[GESTIS]

- · 11.2 Information on other hazards
- Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- Other information

Other dangerous properties can not be excluded.

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

· Aquati	Aquatic toxicity:		
CAS: 7775-27-1 disodium peroxodisulphate			
EC50	133 mg/l/48h (Daphnia magna)		
NOEC	91.7 mg/l/96h (rainbow trout) (ECHA)		
NOEC	67.6 mg/l/48h (Daphnia magna) (ECHA)		
LC50	771 mg/l/96h (bluegill)		
	163 mg/l/96h (rainbow trout) (ECHA)		
CAS: 7	CAS: 7727-21-1 potassium persulphate		
EC50	120 mg/l/48h (Daphnia magna)		
LC50	100 mg/l/96h (guppy) (Hommel)		
Dooton	Postavial tavialtu		

#### · Bacterial toxicity:

#### CAS: 7727-21-1 potassium persulphate

EC50 36 mg/l (Pseudomonas putida) (Hommel)

#### Other information:

Toxic for fish:

Sulphates > 7 g/l

- · 12.2 Persistence and degradability .
- Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects

Reacts with water to form toxic decomposition products.

Avoid transfer into the environment.

· Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

#### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

#### **Product name: Vario Potassium Persulfate F10**

Hand over to disposers of hazardous waste.

(Contd. of page 7)

- · European waste catalogue
- 16 05 07\* discarded inorganic chemicals consisting of or containing hazardous substances
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3215	
· 14.2 UN proper shipping name · ADR · IMDG, IATA	3215 PERSULPHATES, INORGANIC, N.O.S. PERSULPHATES, INORGANIC, N.O.S.	
· 14.3 Transport hazard class(es)		
· ADR		
<u>8</u>		
· Class · Label	5.1 (O2) Oxidising substances. 5.1	
· IMDG, IATA	J. I	
INDG, IATA		
· Class	5.1 Oxidising substances.	
Label	5.1	
· 14.4 Packing group · ADR, IMDG, IATA	III	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user     · Kemler Number:     · EMS Number:     · Stowage Category     · Segregation Code	Warning: Oxidising substances. 50 F-A,S-Q A SG40 Stow "separated from" SGG2-ammonium compounds other than mixtures of ammonium persulphates and/or potassium persulphates and/or sodium persulphates. SG49 Stow "separated from" SGG6-cyanides	
· 14.7 Maritime transport in bulk according to IMO		
instruments  Transport/Additional information:	Not applicable.	
· ADR		
· Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	
· Transport category · Tunnel restriction code	3 E	
· IMDG · Limited quantities (LQ)	5 kg	

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

**Product name: Vario Potassium Persulfate F10** 

(Contd. of page 8)

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act UK
- Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated
- Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

· Substances of very high concern (SVHC) according to REACH, Article 57

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

- · Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P8 OXIDISING LIQUIDS AND SOLIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- Information about limitation of use: Employment restrictions concerning young persons must be observed (94/33/EC).
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Training hints Provide adequate information, instruction and training for operators.

Printing date 14.11.2023 Version number 17 (replaces version 16) Revision: 14.11.2023

#### Product name: Vario Potassium Persulfate F10

(Contd. of page 9)

#### · Relevant phrases

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

#### Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure RE: repeated exposure

EC50: half maximal effective concentration IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Ox. Sol. 3: Oxidizing solids – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Data arise from safety data sheets, reference works and literature.

RTECS (Registry of Toxic Effects of Chemical Substances )

ECHA: European CHemicals Agency http://echa.europa.eu

GESTIS- Stoffdatenbank (Substance Database, Germany)

IUCLID (International Uniform Chemical Information Database)

\* Data compared to the previous version altered.