

### Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 09/05/2022

Reviewed on 09/05/2022

## 1 Identification

- **Product identifier**
- **Trade name:** COD / CSB Mercury Free, 0-15000 mg/l
- **Catalogue number:** 420712, 2420712
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**  
Tintometer Inc.  
6456 Parkland Drive  
Sarasota, FL 34243  
USA  
phone: (941) 756-6410  
fax: (941) 727-9654  
www.lovibond.us  
Made in Germany
- **Emergency telephone number:** + 1 866 928 0789 (English, French, Spanish)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Sensitization - Respiratory 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
Germ Cell Mutagenicity 1B H340 May cause genetic defects.  
Carcinogenicity 1B H350 May cause cancer.  
Toxic to Reproduction 1B H360 May damage fertility or the unborn child.



GHS05 Corrosion

Corrosive to Metals 1 H290 May be corrosive to metals.  
Skin Corrosion 1A H314 Causes severe skin burns and eye damage.  
Eye Damage 1 H318 Causes serious eye damage.



GHS09 Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.  
Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).

(Contd. on page 2)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 09/05/2022

Reviewed on 09/05/2022

Trade name: **COD / CSB Mercury Free, 0-15000 mg/l**

(Contd. of page 1)

### Hazard pictograms



GHS05    GHS08    GHS09

### Signal word Danger

### Hazard-determining components of labeling:

sulphuric acid 61 %  
potassium dichromate

### Hazard statements

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H317 May cause an allergic skin reaction.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H360 May damage fertility or the unborn child.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

### Precautionary statements

P260 Do not breathe mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P310 IF exposed or concerned: Immediately call a poison center/doctor.  
P405 Store locked up.

### Other hazards

Contact with skin and inhalation of aerosols/ vapours of the preparation should be avoided.  
Acid burns have to treated immediately, as it may otherwise cause badly curing wounds.

## \* 3 Composition/information on ingredients

### Chemical characterization: Mixtures

Description: sulfuric acid solution

### Composition and Information on Ingredients:

The percent content of the chromium compound mentioned below refers to the amount of the chromate ions dissolved in water.  
Cancer Status IARC: Strong inorganic acid mists containing sulphuric acid can cause cancer.  
Percent ranges are used due to the confidential product information.

CAS: 7664-93-9 EINECS: 231-639-5 Index number: 016-020-00-8 RTECS: WS5600000	sulphuric acid ⚠ Corrosive to Metals 1, H290; Skin Corrosion 1A, H314	60–70%
CAS: 10294-26-5 EINECS: 233-653-7	disilver(1+) sulfate ⚠ Eye Damage 1, H318; ⚠ Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=100)	0.25–<1%
CAS: 7778-50-9 EINECS: 231-906-6 Index number: 024-002-00-6 RTECS: HX 7680000	potassium dichromate ⚠ Oxidizing Solids 2, H272; ⚠ Acute Toxicity - Oral 3, H301; Acute Toxicity - Inhalation 2, H330; ⚠ Sensitization - Respiratory 1, H334; Germ Cell Mutagenicity 1B, H340; Carcinogenicity 1B, H350; Toxic to Reproduction 1B, H360; Specific Target Organ Toxicity - Repeated Exposure 1, H372; ⚠ Skin Corrosion 1B, H314; ⚠ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); ⚠ Acute Toxicity - Dermal 4, H312; Sensitization - Skin 1, H317	0.25–<1%

Additional information: For the wording of the listed hazard phrases refer to section 16.

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 09/05/2022

Reviewed on 09/05/2022

Trade name: COD / CSB Mercury Free, 0-15000 mg/l

(Contd. of page 2)

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Personal protection for the First Aider.  
Immediately remove any clothing soiled by the product.
- **After inhalation:**  
Supply fresh air or oxygen; call for doctor.  
In case of unconsciousness remove to fresh air, apply artificial respiration, and consult a physician.
- **After skin contact:**  
Wash with polyethylene glycol 400 and then rinse with copious amounts of water.  
Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.
- **After eye contact:**  
Rinse opened eye for several minutes (at least 15 min) under running water.  
Call a doctor immediately.
- **After swallowing:**  
Rinse out mouth and then drink 1-2 glasses of water.  
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed**  
burns  
resorption  
allergic reactions  
after inhalation:  
coughing  
breathing difficulty  
asthma attacks  
damage to the affected mucous membranes  
after swallowing:  
strong caustic effect  
sickness  
vomiting  
diarrhoea  
pain  
cramps  
after resorption:  
cardiovascular disorders  
methaemoglobinaemia  
unconsciousness  
CNS disorders
- **Danger:**  
Danger of circulatory collapse.  
Danger of gastric perforation.  
Danger of pulmonary edema.  
risk of skin sensitization  
risk of airways sensitization
- **Indication of any immediate medical attention and special treatment needed:**  
If swallowed or in case of vomiting, danger of entering the lungs.  
Later observation for pneumonia and pulmonary edema.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, sand, extinguishing powder.  
Water spray
- **For safety reasons unsuitable extinguishing agents:**  
Water with full jet  
--> exothermic reaction.
- **Special hazards arising from the substance or mixture**  
The product is not combustible.  
Formation of toxic gases is possible during heating or in case of fire.  
In case of fire, the following can be released:  
Sulfur oxides (SO<sub>x</sub>)  
chromium oxides

(Contd. on page 4)

— US —

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 09/05/2022

Reviewed on 09/05/2022

---

**Trade name: COD / CSB Mercury Free, 0-15000 mg/l**


---

(Contd. of page 3)

Potassium oxide

- **Advice for firefighters**

- **Protective equipment:**

- Wear self-contained respiratory protective device.

- Wear fully protective suit.

- **Additional information**

- Collect contaminated fire fighting water separately. It must not enter the sewage system.

- Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

- Ambient fire may liberate hazardous vapours.

---

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

- **Advice for non-emergency personnel:**

- Wear protective equipment. Keep unprotected persons away.

- Avoid substance contact.

- Ensure adequate ventilation

- Use respiratory protective device against the effects of fume/dust/aerosol.

- **Advice for emergency responders:** Protective equipment: see section 8

- **Environmental precautions:**

- Do not allow product to reach sewage system or any water course.

- Prevent seepage into sewage system, workpits and cellars.

- **Methods and material for containment and cleaning up:**

- Ensure adequate ventilation.

- Use neutralizing agent.

- Neutralize with diluted sodium hydroxide solution.

- Absorb with liquid-binding material (sand, diatomite, universal binders).

- Dispose contaminated material as waste according to item 13.

- **Reference to other sections**

- See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.

---

## 7 Handling and storage

- **Precautions for safe handling**

- **Advice on safe handling:**

- Open and handle receptacle with care.

- Work only in fume cabinet.

- Prevent formation of aerosols.

- **Hygiene measures:**

- Do not inhale gases / fumes / aerosols.

- Do not get in eyes, on skin, or on clothing.

- Take off immediately all contaminated clothing.

- Store protective clothing separately.

- Wash hands before breaks and at the end of work.

- Do not eat, drink or smoke when using this product.

- **Conditions for safe storage, including any incompatibilities**

- **Requirements to be met by storerooms and receptacles:**

- Store in a cool location.

- Keep only in original container.

- **Information about storage in one common storage facility:**

- Store away from metals.

- Do not store together with alkalis (caustic solutions).

- Store away from flammable substances.

- **Further information about storage conditions:**

- Store locked up or with access restricted to technical experts or their assistants.

- Ensure that persons do not handle until all safety precautions have been read and understood.

- Keep receptacle tightly sealed.

- Protect from heat and direct sunlight.

- Protect from exposure to the light.

- Protect from humidity and water.

- **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)

---

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 09/05/2022

Reviewed on 09/05/2022

Trade name: **COD / CSB Mercury Free, 0-15000 mg/l**

(Contd. of page 4)

· **Specific end use(s)** No further relevant information available.

### \* 8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

<b>CAS: 7664-93-9 sulphuric acid</b>	
PEL (USA)	Long-term value: 1 mg/m <sup>3</sup>
REL (USA)	Long-term value: 1 mg/m <sup>3</sup>
TLV (USA)	Long-term value: 0.2* mg/m <sup>3</sup> *as thoracic fraction, A2
EL (Canada)	Long-term value: 0.2 mg/m <sup>3</sup> thoracic, ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.2 mg/m <sup>3</sup>
<b>CAS: 10294-26-5 disilver(1+) sulfate</b>	
EL (Canada)	Short-term value: 0.03 mg/m <sup>3</sup> Long-term value: 0.01 mg/m <sup>3</sup> as Ag
<b>CAS: 7778-50-9 potassium dichromate</b>	
PEL (USA)	Long-term value: 0.005* mg/m <sup>3</sup> Ceiling limit value: 0.1** mg/m <sup>3</sup> *as Cr(VI) **as CrO <sub>3</sub> ; see 29 CFR 1910.1026
REL (USA)	Long-term value: 0.0002 mg/m <sup>3</sup> as Cr; See Pocket Guide Apps. A and C
TLV (USA)	Short-term value: 0.0005 mg/m <sup>3</sup> Long-term value: 0.0002 mg/m <sup>3</sup> as Cr(VI); inhalable, Skin; BEI, DSEN, RSEN
EL (Canada)	Long-term value: 0.025 mg/m <sup>3</sup> Ceiling limit value: 0.1 mg/m <sup>3</sup> as Cr; ACGIH A1, IARC 1; Skin; S(D), S(R)

· **Ingredients with biological limit values:**

<b>CAS: 7778-50-9 potassium dichromate</b>	
BEI (USA)	25 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Total chromium (fume)
	10 µg/L Medium: urine Time: increase during shift Parameter: Total chromium (fume)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Engineering measures:**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· **Personal protective equipment:**

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Recommended filter device for short term use:** Combination filter B-P2

· **Protection of hands:**

Acid resistant gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· **Material of gloves**

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 09/05/2022

Reviewed on 09/05/2022

Trade name: **COD / CSB Mercury Free, 0-15000 mg/l**

(Contd. of page 5)

Recommended thickness of the material:  $\geq 0.3$  mm

- **Penetration time of glove material**

Value for the permeation: Level  $\leq 1$  (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**

Tightly sealed goggles

Face protection

Use protective goggles that have been tested and approved in accordance with government standards (like NIOSH).

- **Body protection:** Acid resistant protective clothing

- **Limitation and supervision of exposure into the environment:**

Avoid release to the environment.

Do not allow product to reach sewage system or any water course.

## \* 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **Appearance:**

- **Form / Physical state:**

Solution

- **Color:**

Yellow-brown

- **Odor:**

Recognizable

- **Odor threshold:**

Not determined.

- **pH-value at 20°C (68°F):**

1

Strongly acidic

- **Melting point/freezing point:**

Not determined.

- **Initial boiling point and boiling range:**

Not determined.

- **Flash point:**

Not applicable.

- **Flammability (solid, gas):**

Not applicable.

- **Ignition temperature:**

Not applicable.

- **Decomposition temperature:**

Not determined.

- **Auto-ignition temperature:**

Product is not self-igniting.

- **Danger of explosion:**

Product does not present an explosion hazard.

- **Flammability or explosive limits:**

- **Lower:**

Not applicable.

- **Upper:**

Not applicable.

- **Oxidizing properties:**

CAS 7664-93-9 :

Oxidizing potential

- **Vapor Pressure:**

Not determined.

- **Density at 20°C (68°F):**

1.53 g/cm<sup>3</sup> (12.77 lbs/gal)

- **Relative density:**

Not determined.

- **Vapor density:**

Not determined.

- **Evaporation rate:**

Not determined.

- **Solubility(ies)**

- **Water:**

Fully miscible.

- **Partition coefficient (n-octanol/water):**

Not applicable (mixture).

- **Viscosity:**

- **Kinematic:**

Not determined.

- **Other information**

- **Solids content:**

&lt; 1 %

- **Solvent content:**

- **Organic solvents:**

0 %

- **Water:**

&lt; 40 %

## 10 Stability and reactivity

- **Reactivity** see section "Possibility of hazardous reactions"

- **Chemical stability** Stable at ambient temperature (room temperature).

- **Possibility of hazardous reactions**

Reacts with metals forming hydrogen (Danger of explosion in case of large amounts!)

Corrosive action on metals.

When diluting, always add acid to water, never vice versa.

Diluting or dissolving in water always causes rapid heating.

(Contd. on page 7)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 09/05/2022

Reviewed on 09/05/2022

Trade name: **COD / CSB Mercury Free, 0-15000 mg/l**

(Contd. of page 6)

Reacts with acids, alkalis and oxidizing agents.

Reacts with reducing agents.

Reacts with peroxides.

Reacts with halogenated compounds.

Reacts with ammonia (NH<sub>3</sub>).· **Conditions to avoid** strong heating· **Incompatible materials:**

metals

organic substances

combustible materials

organic solvents

· **Hazardous decomposition products:** see section 5

## \* 11 Toxicological information

· **Information on toxicological effects**· **Acute toxicity:** Based on available data, the classification criteria are not met.· **Acute toxicity estimate (ATE<sub>(MX)</sub>) - Calculation method:**

Oral	GHS ATE <sub>(MX)</sub>	3286 mg/kg (.)
Inhalative	GHS ATE <sub>(MX)</sub>	50 mg/l/4h (.) (Aerosol)

· **LD/LC50 values that are relevant for classification:****CAS: 7664-93-9 sulphuric acid**

Oral	LD50	2140 mg/kg (rat) (IUCLID)
Inhalative	LC 50	510 mg/m <sup>3</sup> /2h (rat) IUCLID

**CAS: 10294-26-5 disilver(1+) sulfate**

Oral	LD50	>5000 mg/kg (rat) (OECD 401) (Registrant, ECHA)
------	------	--

**CAS: 7778-50-9 potassium dichromate**

Oral	LD50	90.5 mg/kg (rat) (OECD 401) (ECHA, registrant: LD50 = 90.5 mg/kg female to 168.0 mg/kg male)
	LDLo	26 mg/kg (child) 143 mg/kg (man)
Dermal	LD50	1170 mg/kg (rat) (IUCLID)
Inhalative	LC50/4h	0.094 mg/l (rat) (OECD 403, Aerosol)
	LD50 IPR	28 mg/kg (rat)

· **Primary irritant effect:**· **on the skin:** Causes severe skin burns.· **on the eye:**

Causes serious eye damage.

Risk of blindness!

· **Information on components:****CAS: 10294-26-5 disilver(1+) sulfate**

Irritation of skin	OECD 404	(rabbit: no irritation)
Irritation of eyes	OECD 405	(rabbit: burns)

**CAS: 7778-50-9 potassium dichromate**

Irritation of skin	OECD 404	(rabbit: irritation)
--------------------	----------	----------------------

· **Sensitization:**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

(Contd. on page 8)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 09/05/2022

Reviewed on 09/05/2022

Trade name: **COD / CSB Mercury Free, 0-15000 mg/l**

(Contd. of page 7)

<b>Information on components:</b>		
<b>CAS: 7778-50-9 potassium dichromate</b>		
Sensitization	Patch test (human)	(positive) (IUCRID)

**Carcinogenic categories**

<b>IARC (International Agency for Research on Cancer)</b>		
CAS: 7664-93-9	sulphuric acid	1
CAS: 7778-50-9	potassium dichromate	1

**NTP (National Toxicology Program)**

CAS: 7664-93-9	sulphuric acid	K
CAS: 7778-50-9	potassium dichromate	K

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**Other information:**

see section 8 / 15

Cancer Status of Sulfuric acid: The International Agency for Research on Cancer (IARC) has classified "strong inorganic acid mists containing sulfuric acid" as a known human carcinogen, (IARC category 1). This classification applies only to mists containing sulfuric acid and not to sulfuric acid or sulfuric acid solutions.

A2 (Suspected for humans) by ACGIH

**Synergistic Products:** None**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**

The following statements refer to the mixture:

Germ Cell Mutagenicity 1B, Carcinogenicity 1B, Toxic to Reproduction 1B

**Germ cell mutagenicity** May cause genetic defects.**Carcinogenicity** May cause cancer.**Reproductive toxicity** May damage fertility or the unborn child.**STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.**STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**Additional toxicological information:**

CAS 7789-00-6 Potassium chromate / CAS 7778-50-9 Potassium dichromate

Main toxic effects [GESTIS]:

acute: irritation/damage to mucous membranes and skin, sensitizing effect (skin/respiratory tract). Damage to kidneys, blood and liver.

chronic: irritation/damage to the skin and mucous membranes, especially in the nose and throat. After penetration of the substance into wounds, these tend to form ulcers.

Allergic skin and respiratory diseases.

resorptive effects: primarily damage to the kidneys up to acute kidney failure; in addition, hemorrhagic diathesis, thrombocytopenia, anemia, possibly methemoglobinemia;

rarely: rapid onset of CNS damage or hepatitis as a late consequence; also promoting respiratory infections.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The aerosol is corrosive to the eyes, the skin and the respiratory tract. Inhalation of aerosols may cause lung oedema.

**CAS: 7664-93-9 sulphuric acid**

(source: GESTIS)

Main toxic effects

Acute: Irritation up to chemical burns to the mucous membranes and skin, danger of serious damage to the eyes and lungs

Chronic: Irritation to the eyes and airways, erosion of the teeth, damage to the skin

Further Information:

Concentrated S. differs considerably from dilute Sulfuric acid with regard to chemical properties and effects.

With increased dilution Sulfuric acid acts less aggressively.

**Other information** Other dangerous properties can not be excluded.

US

(Contd. on page 9)



# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 09/05/2022

Reviewed on 09/05/2022

Trade name: **COD / CSB Mercury Free, 0-15000 mg/l**

(Contd. of page 8)

## 12 Ecological information

### · Toxicity

#### · Aquatic toxicity:

##### **CAS: 7664-93-9 sulphuric acid**

EC50 >100 mg/l/48h (Daphnia magna) (OECD 202)  
(ECHA)

LC50 16–29 mg/l/96h (bluegill)  
(Merck)

##### **CAS: 10294-26-5 disilver(1+) sulfate**

EC50 0.00022 mg/l/48h (Daphnia magna)  
(ECHA)

EC10 0.00214 mg/l (Daphnia magna) (ASTM)  
( ECHA: 21d, test substance: AgNO<sub>3</sub>)  
0.00017 mg/l (rainbow trout)  
ECHA

0.00039 mg/l (fathhead minnow) (ASTM E1241-98)  
(28d, test substance: AgNO<sub>3</sub>, result in mg/l Ag)

0.00041 mg/l /24h (Pseudokirchneriella subcapitata)  
ECHA

LC50 0.0012 mg/l/96h (fathhead minnow)  
US-EPA

##### **CAS: 7778-50-9 potassium dichromate**

EC50 0.62 mg/l/48h (Daphnia magna) (OECD 202)  
(Merck)

NOEC 0.016–0.064 mg/l (Daphnia magna) (7d)  
6 mg/l (fathhead minnow) (7d)

IC50 0.16–0.59 mg/l/96 h (Chlorella vulgaris)  
(IUCLID)

EC50 0.31 mg/l/72h (Desmodesmus subspicatus)

LC50 58.5 mg/l/96h (byr)  
0.131 mg/l/96h (bluegill)

160 mg/l/96h (guppy)  
26.13 mg/l/96h (fathhead minnow)  
(Merck/IUCLID)

### · Bacterial toxicity:

sulfates toxic > 2.5 g/l

##### **CAS: 7778-50-9 potassium dichromate**

EC50 58 mg/l (Photobacterium phosphoreum) (30 min; Microtox-Test)

### · Other information:

Toxic for fish:  
sulfates > 7 g/l

### · Persistence and degradability .

#### · Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

### · Bioaccumulative potential

No further relevant information available.

### · Mobility in soil

No further relevant information available.

### · Other adverse effects

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Avoid transfer into the environment.

## 13 Disposal considerations

### · Waste treatment methods

### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/05/2022

Reviewed on 09/05/2022




Trade name: COD / CSB Mercury Free, 0-15000 mg/l

(Contd. of page 9)

Hand over to hazardous waste disposers.

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

<ul style="list-style-type: none"> <li>· UN-Number</li> <li>· DOT, IMDG, IATA</li> </ul>	UN1830
<ul style="list-style-type: none"> <li>· UN proper shipping name</li> <li>· DOT</li> <li>· IMDG</li> <li>· IATA</li> </ul>	Sulfuric acid SULPHURIC ACID, MARINE POLLUTANT SULPHURIC ACID
<ul style="list-style-type: none"> <li>· Transport hazard class(es)</li> <li>· DOT</li> </ul>	<div style="text-align: center;">  <p>CORROSIVE 8</p> </div>
<ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>	8 Corrosive substances 8
<ul style="list-style-type: none"> <li>· IMDG</li> </ul>	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>	8 Corrosive substances 8
<ul style="list-style-type: none"> <li>· IATA</li> </ul>	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>	8 Corrosive substances 8
<ul style="list-style-type: none"> <li>· Packing group</li> <li>· DOT, IMDG, IATA</li> </ul>	II
<ul style="list-style-type: none"> <li>· Environmental hazards:</li> <li>· Marine pollutant:</li> </ul>	Product contains environmentally hazardous substances: disilver(1+) sulfate Symbol (fish and tree)
<ul style="list-style-type: none"> <li>· Special precautions for user</li> <li>· Hazard identification number (Kemler code):</li> <li>· EMS Number:</li> <li>· Segregation groups</li> <li>· Stowage Category</li> <li>· Stowage Code</li> </ul>	Warning: Corrosive substances 80 F-A,S-B (SGG1) Acids E SW15 For metal drums, stowage category B.
<ul style="list-style-type: none"> <li>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>	Not applicable.
<ul style="list-style-type: none"> <li>· Transport/Additional information:</li> <li>· DOT</li> <li>· Quantity limitations</li> </ul>	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L

(Contd. on page 11)

# Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/05/2022

Reviewed on 09/05/2022

Trade name: COD / CSB Mercury Free, 0-15000 mg/l

(Contd. of page 10)

<ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
--	---

## \*15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· <b>Section 355 (Extremely hazardous substances):</b>		
CAS: 7664-93-9	sulphuric acid	
· <b>Section 313 (Specific toxic chemical listings):</b>		
CAS: 7664-93-9	sulphuric acid	
CAS: 10294-26-5	disilver(1+) sulfate	
CAS: 7778-50-9	potassium dichromate	
· <b>TSCA (Toxic Substances Control Act):</b>		
All components have the value ACTIVE.		
· <b>Hazardous Air Pollutants</b>		
CAS: 7778-50-9	potassium dichromate	
· <b>Proposition 65</b>		
· <b>Chemicals known to cause cancer:</b>		
CAS: 7778-50-9	potassium dichromate	
· <b>Chemicals known to cause reproductive toxicity for females:</b>		
CAS: 7778-50-9	potassium dichromate	
· <b>Chemicals known to cause reproductive toxicity for males:</b>		
CAS: 7778-50-9	potassium dichromate	
· <b>Chemicals known to cause developmental toxicity:</b>		
CAS: 7778-50-9	potassium dichromate	
· <b>New Jersey Right-to-Know List:</b>		
CAS: 7664-93-9	sulphuric acid	
CAS: 7778-50-9	potassium dichromate	
· <b>New Jersey Special Hazardous Substance List:</b>		
CAS: 7664-93-9	sulphuric acid	CA, CO, R2
CAS: 7778-50-9	potassium dichromate	CA, MU
· <b>Pennsylvania Right-to-Know List:</b>		
CAS: 7664-93-9	sulphuric acid	
CAS: 7778-50-9	potassium dichromate	
· <b>Pennsylvania Special Hazardous Substance List:</b>		
CAS: 7664-93-9	sulphuric acid	E
CAS: 7778-50-9	potassium dichromate	E
· <b>EPA (Environmental Protection Agency)</b>		
CAS: 7778-50-9	potassium dichromate	A(inh), D(oral), K/L(inh), CBD(oral)
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>		
CAS: 7778-50-9	potassium dichromate	

- **Information about limitation of use:**

Observe national regulations where applicable:  
 Employment restrictions concerning young persons must be observed.  
 Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 12)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 09/05/2022

Reviewed on 09/05/2022

Trade name: **COD / CSB Mercury Free, 0-15000 mg/l**

(Contd. of page 11)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H272 May intensify fire; oxidizer.  
 H290 May be corrosive to metals.  
 H301 Toxic if swallowed.  
 H312 Harmful in contact with skin.  
 H314 Causes severe skin burns and eye damage.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H330 Fatal if inhaled.  
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 H340 May cause genetic defects.  
 H350 May cause cancer.  
 H360 May damage fertility or the unborn child.  
 H372 Causes damage to organs through prolonged or repeated exposure.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.

· **Recommended restriction of use:** professional/industrial use only

· **Date of preparation / last revision** 09/05/2022 / 22

· **Abbreviations and acronyms:**

OECD: Organisation for Economic Co-operation and Development  
 STOT: specific target organ toxicity  
 SE: single exposure  
 RE: repeated exposure  
 EC50: half maximal effective concentration  
 IC50: half maximal inhibitory concentration  
 NOEL or NOEC: No Observed Effect Level or Concentration  
 ACGIH® - American Conference of Governmental Industrial Hygienists  
 •A1 - Confirmed human carcinogen  
 •A2 - Suspected human carcinogen  
 •A3 - Confirmed animal carcinogen with unknown relevance to humans  
 •A4 - Not classifiable as a human carcinogen  
 •A5 - Not suspected as a human carcinogen  
 IARC - International Agency for Research on Cancer  
 •Group 1 - Carcinogenic to humans  
 •Group 2A - Probably carcinogenic to humans  
 •Group 2B - Possibly carcinogenic to humans  
 •Group 3 - Not classifiable as to carcinogenicity to humans  
 •Group 4 - Probably not carcinogenic to humans  
 NTP - National Toxicology Program, U.S. Department of Health and Human Services  
 •Group K - Known to be Human Carcinogens  
 •Group R - Reasonably Anticipated to be Human Carcinogens  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 NIOSH: National Institute for Occupational Safety  
 OSHA: Occupational Safety & Health  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit  
 BEI: Biological Exposure Limit  
 Oxidizing Solids 2: Oxidizing solids – Category 2  
 Corrosive to Metals 1: Corrosive to metals – Category 1  
 Acute Toxicity - Oral 3: Acute toxicity – Category 3  
 Acute Toxicity - Dermal 4: Acute toxicity – Category 4  
 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2  
 Skin Corrosion 1A: Skin corrosion/irritation – Category 1A  
 Skin Corrosion 1B: Skin corrosion/irritation – Category 1B  
 Eye Damage 1: Serious eye damage/eye irritation – Category 1  
 Sensitization - Respiratory 1: Respiratory sensitisation – Category 1  
 Sensitization - Skin 1: Skin sensitisation – Category 1  
 Germ Cell Mutagenicity 1B: Germ cell mutagenicity – Category 1B  
 Carcinogenicity 1B: Carcinogenicity – Category 1B  
 Toxic to Reproduction 1B: Reproductive toxicity – Category 1B

(Contd. on page 13)

# Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/05/2022

Reviewed on 09/05/2022

---

**Trade name: COD / CSB Mercury Free, 0-15000 mg/l**

---

(Contd. of page 12)

Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

**Sources**

Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency <http://echa.europa.eu>

GESTIS- Stoffdatenbank (Substance Database, Germany)

IUCLID (International Uniform Chemical Information Database)

· \* Data compared to the previous version altered.

---

US

---