## **Lovibond® Water Testing**

### Tintometer® Group



## Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 11/08/2017 Reviewed on 11/08/2017

#### 1 Identification

- · Product identifier
- · Trade name: Hydrazine TEST powder
- · Catalogue number: 462910
- · Application of the substance / the mixture: Reagent for water analysis
- · Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA

phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

#### 2 Hazard(s) identification

· Classification of the substance or mixture



**GHS05 Corrosion** 

Eye Dam. 1 H318 Causes serious eye damage.

- Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

sodium bisulfate

· Hazard statements

H318 Causes serious eye damage.

· Precautionary statements

P280 Wear protective gloves / eye protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a doctor.

· Other hazards No further relevant information available.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following hazardous components.
- · Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

(Contd. on page 2)

(Contd. of page 1)

## Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 11/08/2017 Reviewed on 11/08/2017

Trade name: Hydrazine TEST powder

		(00	ina. or page 1)	
CAS: 7681-38-1	sodium bisulfate	♦ Eye Dam. 1, H318	90–100%	
EINECS: 231-665-7		,		
Index number: 016-046-00-X				
RTECS: VZ1860000				

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

· After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

Seek medical treatment.

· Most important symptoms and effects, both acute and delayed

after inhalation:

irritations

coughing

breathing difficulty

after swallowing:

gastric or intestinal disorders

after swallowing of large amounts:

fatigue

ataxia (impaired locomotor coordination)

drop in temperature

cramps

· Indication of any immediate medical attention and special treatment needed: No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Nitrogen oxides (NOx)

nitrous gases

Sulfur oxides (SOx)

Sodium oxide

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Advice for emergency responders: Protective equipment: see section 8
- · Environmental precautions: Do not allow product to reach sewage system or any water course.

(Contd. on page 3)

# Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 11/08/2017 Reviewed on 11/08/2017

#### Trade name: Hydrazine TEST powder

(Contd. of page 2)

#### · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- · Advice on safe handling: Ensure good ventilation/exhaustion at the workplace.
- · Hygiene measures:

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from exposure to the light.

Store in dry conditions.

Protect from humidity and water.

This product is hygroscopic.

- · Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- · Personal protective equipment:
- · Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter P2
- · Protection of hands:

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed goggles
- · Body protection: Protective work clothing

(Contd. on page 4)

## **Safety Data Sheet** acc. to OSHA HCS (HazCom 2012)

Printing date 11/08/2017 Reviewed on 11/08/2017

Trade name: Hydrazine TEST powder

(Contd. of page 3)

· Limitation and supervision of exposure into the environment: No further relevant information available.

## 9 Physical and chemical properties

or nyelodi dha ohemida propertios			
· Information on basic physical and chemical properties · Appearance:			
Form / Physical state:	Powder		
Color:	Light yellow		
551511			
· Odor:	Odorless		
· Odor threshold:	Not applicable.		
· pH-value at 20 °C (68 °F):	0,9		
· Melting point/freezing point:	Not determined.		
<ul> <li>Initial boiling point and boiling range:</li> </ul>	Not determined.		
· Flash point:	Not applicable.		
· Flammability (solid, gas):	Not applicable.		
Ignition temperature:	Not determined.		
· Decomposition temperature:	Not determined.		
· Auto-ignition temperature:	Product is not self-igniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Flammability or explosive limits:	·		
Lower:	Not applicable.		
Upper:	Not applicable.		
· Oxidizing properties:	none		
<u> </u>			
· Vapor Pressure:	Not applicable.		
· Density at 20 °C (68 °F):	2,662 g/cm³ (22.21 lbs/gal)		
Relative density:	Not determined.		
· Vapor density:	Not applicable.		
· Evaporation rate:	Not applicable.		
· Solubility(ies)	070 //		
Water at 20 °C (68 °F):	670 g/l		
	Soluble.		
· Partition coefficient (n-octanol/water): Not applicable.			
· Viscosity:	Not applicable.		
· Solvent content:			
Organic solvents:	0,0 %		
Solids content:	100,0 %		
· Other information	No further relevant information available.		

#### 10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions"
- · Chemical stability Stable at ambient temperature (room temperature).
- · Possibility of hazardous reactions

Forms hydrogen in aqueous solution with metals (Danger of explosion!).

Aqueous solution reacts with metals.

Liberates acid in contact with water or alcohol.

Reacts with strong alkalis and oxidizing agents.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials:

metals

alkalis

alcohols

## Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 11/08/2017 Reviewed on 11/08/2017

Trade name: Hydrazine TEST powder

(Contd. of page 4)

· Hazardous decomposition products:

hydrogen see section 5

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: The following statements refer to the individual components.
- · Primary irritant effect:
- · on the skin: temporary erythema possible
- · on the eye:

Causes serious eye damage.

Risk of corneal clouding.

- · Sensitization: Based on available data, the classification criteria are not met.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Other information: see section 8 / 15
- · Synergistic Products: None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Bacterial toxicity: sulfates toxic > 2.5 g/l
- · Other information:

Toxic for fish:

sulfates > 7 g/l

- · Persistence and degradability No further relevant information available.
- · Other information: Quantitative data on the ecological effect of this mixture are not available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

# Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 11/08/2017 Reviewed on 11/08/2017

Trade name: Hydrazine TEST powder

(Contd. of page 5)

· Recommended cleansing agent: Water, if necessary with cleansing agents.

#### 14 Transport information

· UN-Number

· DOT, IMDG, IATA

none

· UN proper shipping name

· DOT, IMDG, IATA

none

· Transport hazard class(es)

· DOT, IMDG, IATA

· Class

Packing groupDOT, IMDG, IATA

none

none

· Environmental hazards:

· Marine pollutant:

No

Special precautions for user
 Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code

Not applicable.

Not applicable.

· Transport/Additional information:

Not dangerous according to the above specifications.

#### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

· Pennsylvania Right-to-Know List:

None of the ingredients is listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 7)

## Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 11/08/2017 Reviewed on 11/08/2017

Trade name: Hydrazine TEST powder

(Contd. of page 6)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Information about limitation of use: Employment restrictions concerning young persons must be observed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H318 Causes serious eye damage.

· Date of preparation / last revision 11/08/2017 / 44

Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation EC50: effective concentration, 50 percent (in vivo)

STOT: specific target organ toxicity SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen •A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

•Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans
Group 2B - Possibly carcinogenic to humans
Group 3 - Not classifiable as to carcinogenicity to humans

•Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services

•Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

- Sources Data arise from safety data sheets, reference works and literature.
- · \* Data compared to the previous version altered.