# Tintometer<sup>®</sup> Group Water Testing



phone: +49 (0)231 94510-0 e-mail: sales@lovibond.com

phone: +44 1980 664800

e-mail: SDS@lovibond.uk

Page 1/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.05.2024 Version number 76 (replaces version 75) Revision: 13.05.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Nitrate Test Powder
- · Catalog number: 465230, 465230-0, SDT183
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

The Tintometer Limited Lovibond® House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

· Informing department: e-mail: sds@lovibond.com Product Safety Department

· 1.4 Emergency telephone number:

+44 1235 239670 Languages: English

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS09

- · Signal word Warning
- Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P391 Collect spillage.

(Contd. on page 2)

Printing date 13.05.2024 Version number 76 (replaces version 75) Revision: 13.05.2024

**Product name: Nitrate Test Powder** 

(Contd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• 2.3 Other hazards No further relevant information available.

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of organic and inorganic compounds
- Dangerous components:

M-Factor: 1

ſ	CAS: 7440-66-6	zinc powder - zinc dust (stabilized)	60–70%
	EINECS: 231-175-3	♦ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1)	
	Index No: 030-001-01-9		
L	Reg.nr.: 01-2119467174-37-XXXX		
	CAS: 63-74-1	sulphanilamide	≤2.5%
	EINECS: 200-563-4		

· Additional information For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed:

after absorption:

fever

gastric or intestinal trouble

sickness

vomiting

cardiovascular disorders

· 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents

Cement

Dry sand

Special powder for metal fires.

For safety reasons unsuitable extinguishing agents

Water

Foam

5.2 Special hazards arising from the substance or mixture

combustible

Risk of dust explosion

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Sulphur oxides (SOx)

Nitrogen oxides (NOx)

hydrogen

(Contd. on page 3)

Printing date 13.05.2024 Version number 76 (replaces version 75) Revision: 13.05.2024

**Product name: Nitrate Test Powder** 

(Contd. of page 2)

Zinc oxide

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

**Additional information** 

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

· Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid breathing dust.

· Advice for emergency responders: Protective equipment: see section 8

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

· Advice on safe handling:

Prevent formation of dust.

Thorough dedusting.

Keep ignition sources away - Do not smoke.

Take action to prevent static discharges.

· Hygiene measures:

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and containers: Store in cool location.
- Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

Store away from flammable substances.

Store away from water.

Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Protect from the effects of light.

Store under dry conditions.

Protect from humidity and keep away from water.

- · Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

GB -

Printing date 13.05.2024 Version number 76 (replaces version 75) Revision: 13.05.2024

**Product name: Nitrate Test Powder** 

(Contd. of page 3)

#### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7727-43-7 barium sulfate

WEL (Great Britain) Long-term value: 10\* 4\*\* mg/m³
\*inhalable dust \*\*respirable dust

Regulatory information WEL (Great Britain): EH40/2020

Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- **Engineering measures:**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

· Eye/face protection

Safety glasses

use against the effects of fumes / dust

Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.11$  mm

· Penetration time of glove material

Value for the permeation: Level = 1 ( < 10 min )

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- Recommended filter device for short term use: Filter P2
- · Environmental exposure controls Do not allow product to reach sewage system or water bodies.

#### **SECTION 9: Physical and chemical properties**

• 9.1 Information on basic physical and chemical properties

Physical state
Form:
Colour:
Odour:
Odour threshold:

Solid.
Powder
Grey
Odourless
Not applicable.

Melting point/Freezing point:
 Boiling point or initial boiling point and boiling range Not determined.
 Flammability

• Explosive properties: Product is not explosive.

Risk of dust explosion if enriched with fine dust in presence of air

· Lower and upper explosion limit

Lower: Not applicable.
Upper: Not applicable.
Flash point: Not applicable (solid).

• Auto-ignition temperature: 460°C (CAS 7440-66-6, CAS: 7440-66-6 zinc powder - zinc dust

(stabilized))

• Decomposition temperature: Not determined.

· pH (17.3 g/l) at 20°C 7.1

· Kinematic viscosity Not applicable (solid).

(Contd. on page 5)

Printing date 13.05.2024 Version number 76 (replaces version 75) Revision: 13.05.2024

**Product name: Nitrate Test Powder** 

(Contd. of page 4)

· Solubility · Water:

· Partition coefficient n-octanol/water (log value)

· Vapour pressure:

Density and/or relative density

Density at 20°C: Relative density: Relative gas density Particle characteristics

Partially insoluble. Not applicable (mixture).

Not applicable.

6.12 g/cm3 Not determined. Not applicable (solid). Not determined.

· 9.2 Other information

· Information with regard to physical hazard classes

· Corrosive to metals

· Other safety characteristics

Oxidising properties:

**Additional information** 

· Solids content:

Void

none

100 %

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity Risk of dust explosion
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- 10.3 Possibility of hazardous reactions

Reacts with moist air

Reacts with peroxides

Reacts with halogenated compounds

Reacts with oxidizing agents

Reacts with acids and alkali (lyes).

Develops readily flammable gases / fumes

- · 10.4 Conditions to avoid Exposure to moisture.
- · 10.5 Incompatible materials: combustible substances
- 10.6 Hazardous decomposition products:

Hydrogen (with water)

In case of fire: see section 5.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

#### CAS: 7440-66-6 zinc powder - zinc dust (stabilized)

Oral LD50. >2000 mg/kg (rat)

(Registrant, Echa: limit test, no mortality observed)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · Information on components:

CAS 7440-66-6: Did not show teratogenic effects in animal experients (IUCLID).

CAS 7440-66-6: Did not show carcinogenic effects in animal experiments (IUCLID).

CAS 7440-66-6: No impairment of reproductive performance in animal experiments (IUCLID).

- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 13.05.2024 Version number 76 (replaces version 75) Revision: 13.05.2024

**Product name: Nitrate Test Powder** 

(Contd. of page 5)

- · 11.2 Information on other hazards
- · Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

· Bacterial toxicity: sulphates toxic > 2.5 g/l

Other information:

(Merck)

Toxic for fish:

Sulphates > 7 g/l

Zn > 0.1 mg/l

Ba > 158 mg/l

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of water supplies. Avoid transfer into the environment.

Water hazard:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to disposers of hazardous waste.

Disposal recommendation: as waste containing heavy metals (contains very small amounts of heavy metals)

Disposal recommendation: as waste containing heavy metals (contains very small amounts of heavy metals)

- European waste catalogue
- 16 05 06 laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

#### **SECTION 14: Transport information**

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA UN3077

(Contd. on page 7)

Printing date 13.05.2024 Version number 76 (replaces version 75) Revision: 13.05.2024

**Product name: Nitrate Test Powder** 

(Contd. of page 6)

· 14.2 UN proper shipping name · ADR 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc powder - zinc dust (stabilized))

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc

powder - zinc dust (stabilized)), MARINE POLLUTANT

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc

powder - zinc dust (stabilized))

· 14.3 Transport hazard class(es)

· ADR

· IMDG

·IATA



· Class 9 (M7) Miscellaneous dangerous substances and articles.

· Label

· IMDG, IATA



· Class 9 Miscellaneous dangerous substances and articles. 9

· Label

· 14.4 Packing group · ADR, IMDG, IATA Ш

· 14.5 Environmental hazards: Product contains environmentally hazardous substances: zinc powder -

zinc dust (stabilized)

· Marine pollutant: Yes

Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) Symbol (fish and tree) Special marking (IATA):

· 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.

· Kemler Number: 90 · EMS Number: F-A.S-F

· Segregation groups (SGG7) Heavy metals and their salts (including their organometallic

compounds)

· Stowage Category

· Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

· Transport/Additional information:

· ADR

· Excepted quantities (EQ): E1 · Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

· Transport category 3 Ε

· Tunnel restriction code

· IMDG

· Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

Printing date 13.05.2024 Version number 76 (replaces version 75) Revision: 13.05.2024

**Product name: Nitrate Test Powder** 

(Contd. of page 7)

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act UK
- · Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated
- Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

- · Substances of very high concern (SVHC) according to REACH, Article 57
- This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).
- Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

- · Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · Information about limitation of use: Not required.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- · Training hints Provide adequate information, instruction and training for operators.
- · Relevant phrases

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation EC50: effective concentration, 50 percent (in vivo)

(Contd. of page 8)

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.05.2024 Version number 76 (replaces version 75) Revision: 13.05.2024

**Product name: Nitrate Test Powder** 

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

#### **Sources**

Data arise from safety data sheets, reference works and literature. RTECS (Registry of Toxic Effects of Chemical Substances ) ECHA: European CHemicals Agency http://echa.europa.eu

\* \* Data compared to the previous version altered.