

### Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 07/24/2024

Reviewed on 07/24/2024

## 1 Identification

- **Product identifier**
- **Trade name: Alkalinity Reagent ALK3**
- **Catalogue number:** 56Z013298, 56L0132, 56L013230, 56U013230, 56L013265, 56L013298, 56U013265, 56U013298, SDT010
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**  
Tintometer Inc.  
6456 Parkland Drive  
Sarasota, FL 34243  
USA  
phone: (941) 756-6410  
fax: (941) 727-9654  
www.lovibond.us  
Made in Germany
- **Emergency telephone number:** + 1 866 928 0789 (English, French, Spanish)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Corrosive to Metals 1 H290 May be corrosive to metals.  
Skin Corrosion 1A H314 Causes severe skin burns and eye damage.  
Eye Damage 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
sulphuric acid 29 %
- **Hazard statements**  
H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**  
P260 Do not breathe mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection.  
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P310 IF exposed or concerned: Immediately call a poison center/doctor.
- **Other hazards** Acid burns have to treated immediately, as it may otherwise cause badly curing wounds.

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Alkalinity Reagent ALK3

(Contd. of page 1)

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** aqueous solution
- **Composition and Information on Ingredients:**  
Cancer Status IARC: Strong inorganic acid mists containing sulphuric acid can cause cancer.  
Percent ranges are used due to the confidential product information.

CAS: 7664-93-9 EINECS: 231-639-5 Index number: 016-020-00-8 RTECS: WS5600000	sulphuric acid	☠ Corrosive to Metals 1, H290; Skin Corrosion 1A, H314	20–30%
---	----------------	--	--------

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**  
Supply fresh air.  
Call a doctor immediately.
- **After skin contact:**  
Immediately wash with polyethylene glycol 400.  
Immediately rinse with plenty of water.  
Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.
- **After eye contact:**  
Rinse opened eye for several minutes (at least 15 min) under running water.  
Call a doctor immediately.
- **After swallowing:**  
Rinse out mouth and then drink 1-2 glasses of water.  
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed**  
burns  
after inhalation:  
coughing  
breathing difficulty  
damage to the affected mucous membranes  
after swallowing:  
sickness  
vomiting  
diarrhoea  
pain  
strong caustic effect
- **Danger:**  
Danger of circulatory collapse.  
Danger of gastric perforation.  
Danger of pulmonary edema.
- **Indication of any immediate medical attention and special treatment needed:**  
If swallowed or in case of vomiting, danger of entering the lungs.  
Later observation for pneumonia and pulmonary edema.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
The product is not combustible.  
Formation of toxic gases is possible during heating or in case of fire.  
In case of fire, the following can be released:  
Sulfur oxides (SOx)
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.

(Contd. on page 3)

US

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Alkalinity Reagent ALK3

(Contd. of page 2)

Wear fully protective suit.

**Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

- **Advice for non-emergency personnel:**

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use respiratory protective device against the effects of fume/dust/aerosol.

- **Advice for emergency responders:** Protective equipment: see section 8

- **Environmental precautions:** Do not allow product to reach sewage system or any water course.

- **Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Use neutralizing agent.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to section 13.

- **Reference to other sections**

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- **Precautions for safe handling**

- **Advice on safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- **Hygiene measures:**

Do not inhale gases / fumes / aerosols.

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- **Conditions for safe storage, including any incompatibilities**

- **Requirements to be met by storerooms and receptacles:** Store in a cool location.

- **Information about storage in one common storage facility:**

Store away from metals.

Do not store together with alkalis (caustic solutions).

Store away from flammable substances.

- **Further information about storage conditions:**

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

Protect from exposure to the light.

Protect from humidity and water.

- **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)

- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

**CAS: 7664-93-9 sulphuric acid**PEL (USA) Long-term value: 1 mg/m<sup>3</sup>REL (USA) Long-term value: 1 mg/m<sup>3</sup>

(Contd. on page 4)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Alkalinity Reagent ALK3

(Contd. of page 3)

TLV (USA)	Long-term value: 0.2* mg/m <sup>3</sup> *as thoracic fraction, A2
EL (Canada)	Long-term value: 0.2 mg/m <sup>3</sup> thoracic, ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.2 mg/m <sup>3</sup>

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Engineering measures:**  
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.
- **Personal protective equipment:**  
Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.
- **Breathing equipment:** Use respiratory protective device against the effects of fume/dust/aerosol.
- **Recommended filter device for short term use:** Filter P2
- **Protection of hands:**  
Acid resistant gloves  
Preventive skin protection by use of skin-protecting agents is recommended.  
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**  
Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.11$  mm
- **Penetration time of glove material**  
Value for the permeation: Level  $\leq 1$  (10 min)  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**  
Tightly sealed goggles  
Use protective goggles that have been tested and approved in accordance with government standards (like NIOSH).
- **Body protection:** Acid resistant protective clothing
- **Limitation and supervision of exposure into the environment:**  
Do not allow product to reach sewage system or any water course.

## \* 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **Appearance:**
- **Form / Physical state:** Liquid
- **Color:** Colorless
- **Odor:** Odorless
- **Odor threshold:** Not applicable.
- **pH-value at 20°C (68°F):** 1  
Strongly acidic
- **Melting point/freezing point:** Not determined.
- **Initial boiling point and boiling range:** Not determined.
- **Flash point:** Not applicable.
- **Flammability (solid, gas):** The product is not combustible.
- **Auto igniting:** Not applicable.
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Flammability or explosive limits:**
- **Lower:** Not applicable.
- **Upper:** Not applicable.
- **Oxidizing properties:** CAS 7664-93-9 :  
Oxidizing potential
- **Vapor Pressure:** Not determined.
- **Density at 20°C (68°F):** 1.2 g/cm<sup>3</sup> (10.01 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate:** Not determined.

(Contd. on page 5)

US

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Alkalinity Reagent ALK3

(Contd. of page 4)

· <b>Solubility(ies)</b>	
· <b>Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not applicable (mixture).
· <b>Viscosity:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.
· <b>Other information</b>	
· <b>Solids content:</b>	0 %
· <b>Solvent content:</b>	
· <b>Organic solvents:</b>	0 %
· <b>Water:</b>	60-75 %
· <b>Information with regard to physical hazard classes .</b>	
· <b>Corrosive to metals</b>	May be corrosive to metals. Information on incompatible materials can be found in Sections 7 and 10.

## 10 Stability and reactivity

- **Reactivity** see section "Possibility of hazardous reactions"
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions**  
 Reacts with metals forming hydrogen (Danger of explosion in case of large amounts!)  
 Corrosive action on metals.  
 When diluting, always add acid to water, never vice versa.  
 Diluting or dissolving in water always causes rapid heating.  
 Reacts with peroxides.  
 Reacts with reducing agents.  
 Reacts with halogenated compounds.  
 Reacts with oxidizing agents.  
 Reacts with acids and alkali (lyes).  
 Reacts with ammonia (NH<sub>3</sub>).
- **Conditions to avoid** Strong heating (decomposition)
- **Incompatible materials:**  
 metals  
 combustible materials  
 organic solvents
- **Hazardous decomposition products:** see section 5

## \*11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

**CAS: 7664-93-9 sulphuric acid**

Oral	LD50	2140 mg/kg (rat) (IUCLID)
Inhalative	LC 50	510 mg/m <sup>3</sup> /2h (rat) IUCLID

- **Primary irritant effect:**
- **on the skin:** Causes severe skin burns.
- **on the eye:**  
 Causes serious eye damage.  
 Risk of blindness!
- **Sensitization:** Based on available data, the classification criteria are not met.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

CAS: 7664-93-9 sulphuric acid

1

(Contd. on page 6)

US

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Alkalinity Reagent ALK3

(Contd. of page 5)

· <b>NTP (National Toxicology Program)</b>	
CAS: 7664-93-9	sulphuric acid
· <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>	
None of the ingredients is listed.	

K

· **Other information:**

see section 8 / 15

Cancer Status of Sulfuric acid: The International Agency for Research on Cancer (IARC) has classified "strong inorganic acid mists containing sulfuric acid" as a known human carcinogen, (IARC category 1). This classification applies only to mists containing sulfuric acid and not to sulfuric acid or sulfuric acid solutions.

A2 (Suspected for humans) by ACGIH

· **Synergistic Products:** None· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):** The following statements refer to the mixture:· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.· **Carcinogenicity** Based on available data, the classification criteria are not met.· **Reproductive toxicity** Based on available data, the classification criteria are not met.· **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.· **Aspiration hazard** Based on available data, the classification criteria are not met.· **Additional toxicological information:**

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The aerosol is corrosive to the eyes, the skin and the respiratory tract. Inhalation of aerosols may cause lung oedema.

**CAS: 7664-93-9 sulphuric acid**

(source: GESTIS)

Main toxic effects

Acute: Irritation up to chemical burns to the mucous membranes and skin, danger of serious damage to the eyes and lungs

Chronic: Irritation to the eyes and airways, erosion of the teeth, damage to the skin

Further Information:

Concentrated S. differs considerably from dilute Sulfuric acid with regard to chemical properties and effects.

With increased dilution Sulfuric acid acts less aggressively.

· **Other information** No further relevant information available.

## 12 Ecological information

· **Toxicity**· **Aquatic toxicity:****CAS: 7664-93-9 sulphuric acid**EC50 >100 mg/l/48h (Daphnia magna) (OECD 202)  
(ECHA)LC50 16–29 mg/l/96h (bluegill)  
(Merck)· **Bacterial toxicity:** sulfates toxic > 2.5 g/l· **Other information:**

Toxic for fish:

Sulfates &gt; 7 g/l

· **Persistence and degradability .**· **Other information:**

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Other adverse effects**

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Neutralization possible in waste water treatment plants.

(Contd. on page 7)

US

# Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Alkalinity Reagent ALK3



Avoid transfer into the environment.

(Contd. of page 6)

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
Hand over to hazardous waste disposers.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· UN-Number	
· DOT, IMDG, IATA	UN2796
· UN proper shipping name	
· DOT	Sulfuric acid
· IMDG, IATA	SULPHURIC ACID
· Transport hazard class(es)	
· DOT	
	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Hazard identification number (Kemler code):	80
· EMS Number:	F-A, S-B
· Segregation groups	(SGG1) Acids
· Stowage Category	B
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· IMDG	
· Limited quantities (LQ)	1L

(Contd. on page 8)

US

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Alkalinity Reagent ALK3

(Contd. of page 7)

<b>· Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
-----------------------------------	---

### \*15 Regulatory information

**· Safety, health and environmental regulations/legislation specific for the substance or mixture**

**· Sara**

**· Section 355 (Extremely hazardous substances):**

CAS: 7664-93-9	sulphuric acid
----------------	----------------

**· Section 313 (Specific toxic chemical listings):**

CAS: 7664-93-9	sulphuric acid
----------------	----------------

**· TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.
---------------------------------------

**· Hazardous Air Pollutants**

None of the ingredients is listed.
------------------------------------

**· Proposition 65**

**· Chemicals known to cause cancer:**

None of the ingredients is listed.
------------------------------------

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.
------------------------------------

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.
------------------------------------

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.
------------------------------------

**· New Jersey Right-to-Know List:**

CAS: 7664-93-9	sulphuric acid
----------------	----------------

**· New Jersey Special Hazardous Substance List:**

CAS: 7664-93-9	sulphuric acid		CA, CO, R2
----------------	----------------	--	------------

**· Pennsylvania Right-to-Know List:**

CAS: 7664-93-9	sulphuric acid
----------------	----------------

**· Pennsylvania Special Hazardous Substance List:**

CAS: 7664-93-9	sulphuric acid		E
----------------	----------------	--	---

**· EPA (Environmental Protection Agency)**

None of the ingredients is listed.
------------------------------------

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.
------------------------------------

**· Information about limitation of use:**

Observe national regulations where applicable:

Employment restrictions concerning young persons must be observed.

**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Relevant phrases**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

**· Version number / date of revision:** 6 / 07/24/2024

**· Abbreviations and acronyms:**

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

(Contd. on page 9)

— US —



# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/24/2024

Reviewed on 07/24/2024

---

**Trade name: Alkalinity Reagent ALK3**


---

(Contd. of page 8)

EC50: half maximal effective concentration  
 IC50: half maximal inhibitory concentration  
 NOEL or NOEC: No Observed Effect Level or Concentration  
 ACGIH® - American Conference of Governmental Industrial Hygienists  
 •A1 - Confirmed human carcinogen  
 •A2 - Suspected human carcinogen  
 •A3 - Confirmed animal carcinogen with unknown relevance to humans  
 •A4 - Not classifiable as a human carcinogen  
 •A5 - Not suspected as a human carcinogen  
 IARC - International Agency for Research on Cancer  
 •Group 1 - Carcinogenic to humans  
 •Group 2A - Probably carcinogenic to humans  
 •Group 2B - Possibly carcinogenic to humans  
 •Group 3 - Not classifiable as to carcinogenicity to humans  
 •Group 4 - Probably not carcinogenic to humans  
 NTP - National Toxicology Program, U.S. Department of Health and Human Services  
 •Group K - Known to be Human Carcinogens  
 •Group R - Reasonably Anticipated to be Human Carcinogens  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 NIOSH: National Institute for Occupational Safety  
 OSHA: Occupational Safety & Health  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit  
 Corrosive to Metals 1: Corrosive to metals – Category 1  
 Skin Corrosion 1A: Skin corrosion/irritation – Category 1A  
 Eye Damage 1: Serious eye damage/eye irritation – Category 1

· **Sources**

Data arise from safety data sheets, reference works and literature.  
 GESTIS- Stoffdatenbank (Substance Database, Germany)  
 ECHA: European CHEMicals Agency <http://echa.europa.eu>  
 IUCLID (International Uniform Chemical Information Database)

· **\* Data compared to the previous version altered.**