Lovibond[®] Water Testing

Tintometer® Group



Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/22/2024

1 Identification

- · Product identifier
- Trade name: Chloride LR Titrant CC2
- Catalogue number: 56Z014298, 56L014265, 56L014272, 56L014230, 56U014230, 56L014298, 56U014298, 56L014297, 56U014297, 56L014297, 56L0142, SDT024
- Application of the substance / the mixture: Reagent for water analysis
- **Manufacturer/Supplier:** Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany
- · Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



Corrosive to Metals 1 H290 May be corrosive to metals.



GHS09 Environment

Aquatic Acute 1H400 Very toxic to aquatic life.Aquatic Chronic 1H410 Very toxic to aquatic life with long lasting effects.



Skin Irritation 2H315 Causes skin irritation.Eye Irritation 2AH319 Causes serious eye irritation.

· Label elements

• **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS). • **Hazard pictograms**




Signal word Warning
 Hazard statements

 H290 May be corrosive to metals.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H410 Very toxic to aquatic life with long lasting effects.

 Precautionary statements

 P280
 Wear protective gloves/protective clothing/eye protection.



Printing date 08/22/2024

Reviewed on 08/22/2024

Trade name: Chloride LR Titrant CC2

	(Contd. of page 1)
P273	Avoid release to the environment.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
P302+P352	If on skin: Wash with plenty of water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: aqueous solution

· Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

CAS: 7761-88-8	silver nitrate	1–≤2.5%
EINECS: 231-853-9	🚸 Oxidizing Solids 2, H272; 🚸 Skin Corrosion 1B, H314; 🚸 Aquatic Acute 1, H400	
Index number: 047-001-00-2	(M=1000); Aquatic Chronic 1, H410 (M=100); 🔿 Acute Toxicity - Oral 4, H302	
· Additional information: For	the wording of the listed hazard phrases refer to section 16.	

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with plenty of water. If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes (at least 15 min) under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

If symptoms persist consult doctor. Most important symptoms and effects, both acute and delayed irritations after swallowing of large amounts: irritations gastric or intestinal disorders cardiovascular disorders vomiting CNS disorders methaemoglobinaemia · Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

nitrous gases

Nitrogen oxides (NOx)

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit. Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Printing date 08/22/2024

Trade name: Chloride LR Titrant CC2

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Advice for non-emergency personnel:
- Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- Advice for emergency responders: Protective equipment: see section 8
- Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
- Methods and material for containment and cleaning up:
- Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, universal binders). Dispose contaminated material as waste according to section 13.
- · Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling
- · Advice on safe handling: No special precautions are necessary if used correctly.
- · Hygiene measures:
- Avoid contact with the skin.
- Avoid contact with the eyes.
- Take off immediately all contaminated clothing.
- Wash hands before breaks and at the end of work.
- Do not eat, drink or smoke when using this product.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Keep only in original container.

- · Information about storage in one common storage facility: Store away from metals.
- Further information about storage conditions:
- Protect from heat and direct sunlight. Store in the dark.
- Protect from exposure to the light.
- Protect from humidity and water.
- Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components	· Components with limit values that require monitoring at the workplace:	
CAS: 7761-88-8 silver nitrate		
PEL (USA)	Long-term value: 0.01 mg/m³ as Ag	
REL (USA)	Long-term value: 0.01 mg/m³ as Ag	
TLV (USA)	Long-term value: 0.01 mg/m³ as Ag	
EL (Canada)	Short-term value: 0.03 mg/m³ Long-term value: 0.01 mg/m³ as Ag	
	(Contd. on page 4)	
	US	

(Contd. of page 2)

Reviewed on 08/22/2024

Printing date 08/22/2024

Reviewed on 08/22/2024

Trade name: Chloride LR Titrant CC2

(Contd. of page 3)

· Additional information: The lists that were valid during the creation were used as basis.

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment:

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Breathing equipment: Use respiratory protective device against the effects of fume/dust/aerosol.
- · Recommended filter device for short term use: Filter ABEK
- **Protection of hands:** Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves
- Nitrile rubber, NBR

Recommended thickness of the material: \geq 0.11 mm

- Penetration time of glove material
- Value for the permeation: Level \leq 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye protection:**

Safety glasses

Use protective goggles that have been tested and approved in accordance with government standards (like NIOSH).

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

Information on basic physical and chemical p	properties	
Appearance:		
 Form / Physical state: 	Solution	
· Color:	Colorless	
· Odor:	Odorless	
· Odor threshold:	Not applicable.	
[·] pH-value at 20°C (68°F):	5	
 Melting point/freezing point: 	Not determined.	
 Initial boiling point and boiling range: 	100°C (212°F) (CAS: 7732-18-5 water)	
Flash point:	Not applicable.	
 Flammability (solid, gas): 	The product is not combustible.	
Auto igniting:	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Flammability or explosive limits:		
Lower:	Not applicable.	
Upper:	Not applicable.	
 Oxidizing properties: 	none	
Vapor Pressure:	Not determined.	
Density at 20°C (68°F):	1 g/cm³ (8.35 lbs/gal)	
Relative density:	Not determined.	
· Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility(ies)		
Water:	Fully miscible.	
 Partition coefficient (n-octanol/water): 	Not applicable (mixture).	
Viscosity:		
· Kinematic:	Not determined.	
· Other information		
· Solids content:	< 5 %	
· Solvent content:		
· Organic solvents:	0 %	
-	(Contri on n	=)

Printing date 08/22/2024

Reviewed on 08/22/2024

Trade name: Chloride LR Titrant CC2

	(Contd. of page 4)	
· Water:	> 95 %	
· Information with regard to physical hazard classes .		
· Corrosive to metals	May be corrosive to metals. Information on incompatible materials can be found in Sections 7 and 10.	

10 Stability and reactivity

· Reactivity see section "Possibility of hazardous reactions"

- · Chemical stability
- Stable at ambient temperature (room temperature). sensitivity to light
- **Possibility of hazardous reactions** Corrosive action on metals. Reacts with alcohols.
- · Conditions to avoid Strong heating (decomposition)
- · Incompatible materials: metals aluminum steel
- Hazardous decomposition products: nitrous gases

In case of fire: see section 5.

^{*}11 Toxicological information

· Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 7761-88-8 silver nitrate Oral LD50 1173 mg/kg (rat) (RTECS)

· Primary irritant effect:

- on the skin: Causes skin irritation.
- · on the eye: Causes serious eye irritation.

· Sensitization: Based on available data, the classification criteria are not met.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Other information: see section 8 / 15

· Synergistic Products: None

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met. • STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 08/22/2024

Reviewed on 08/22/2024

Trade name: Chloride LR Titrant CC2

· Additional toxicological information:

CAS: 7761-88-8 silver nitrate

(source: GESTIS)

Main toxic effects:

Acute: Irritant to caustic effect on mucous membranes and skin.

After ingestion of high doses: gastrointestinal complaints, disorders of the cardiovascular system and disorders of the central nervous system.

chronic: silver deposits in the tissues (argyria)

Further information:

Depending on the concentration, dust and solutions have an irritating to highly caustic effect on mucous membranes and skin. 5-50% solutions caused severe eye damage, in some cases permanent corneal opacity.

12 Ecological information

· Toxicity

· Aquati	· Aquatic toxicity:		
CAS: 7	CAS: 7761-88-8 silver nitrate		
LC50	0.00022 mg/l/48h (Daphnia magna) (OECD 202) (Merck, Ag-Ion)		
EC10	0.0021 mg/l (Daphnia magna) (21) (Registrant, ECHA)		
NOEC	0.00037 mg/l (fathhead minnow) (OECD 210) (Merck)		
LC50	0.0012 mg/l/96h (fathhead minnow) (US-EPA) (Merck, Ag-Ion)		
· Persistence and degradability . · Other information:			

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

· Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

· Other adverse effects Avoid transfer into the environment.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, IMDG, IATA	UN1760
· UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Silver nitrate)
·IMDG	CORROSIVE LIQUID, N.O.S. (SILVER NITRATE), MARINE POLLUTANT
·IATA	CORROSIVE LIQUID, N.O.S. (SILVER NITRATE)
	(Contd. on page

- US ----

Printing date 08/22/2024

Reviewed on 08/22/2024

Trade name: Chloride LR Titrant CC2

	(Contd. of page
· Transport hazard class(es)	
DOT	
The state	
CORROSIVE	
· Class · Label	8 Corrosive substances 8
·IMDG	
· Class · Label	8 Corrosive substances 8
·IATA	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, IMDG, IATA	111
· Environmental hazards:	
Marine pollutant:	Symbol (fish and tree)
• Special precautions for user	Warning: Corrosive substances
 Hazard identification number (Kemler code): EMS Number: 	80 F-A,S-B
· Segregation groups	(SGG7) Heavy metals and their salts (including their organometallic compounds)
· Stowage Category	A
· Stowage Code	SW2 Clear of living quarters.
 Transport in bulk according to Annex II of MARPOI and the IBC Code 	L73/78 Not applicable.
· Transport/Additional information:	
DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
·IMDG	
Limited quantities (LQ)	5L Code: 51
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

15 Regulatory information

 $^{\rm \cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\rm \cdot}$ Sara

 Section 355 (Extremely 	hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

CAS: 7761-88-8 silver nitrate

(Contd. on page 8)

Printing date 08/22/2024

Reviewed on 08/22/2024

Trade name: Chloride LR Titrant CC2

	(Contd. of page 7
 TSCA (Toxic Substances Control Act): 	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· New Jersey Right-to-Know List:	
CAS: 7761-88-8 silver nitrate	
· New Jersey Special Hazardous Substance List:	
CAS: 7761-88-8 silver nitrate	CO
· Pennsylvania Right-to-Know List:	
CAS: 7761-88-8 silver nitrate	
· Pennsylvania Special Hazardous Substance List:	
CAS: 7761-88-8 silver nitrate	E
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

· Information about limitation of use: Not required.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Version number / date of revision: 7 / 08/22/2024

Abbreviations and acronyms:

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH[®] - American Conference of Governmental Industrial Hygienists

- •A1 Confirmed human carcinogen
- •A2 Suspected human carcinogen
- •A3 Confirmed animal carcinogen with unknown relevance to humans
- •A4 Not classifiable as a human carcinogen •A5 Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

- •Group 1 Carcinogenic to humans

- •Group 2A Probably carcinogenic to humans •Group 2B Possibly carcinogenic to humans •Group 3 Not classifiable as to carcinogenicity to humans
- •Group 4 Probably not carcinogenic to humans
- NTP National Toxicology Program, U.S. Department of Health and Human Services •Group K - Known to be Human Carcinogens
- •Group R Reasonably Anticipated to be Human Carcinogens

Printing date 08/22/2024

Trade name: Chloride LR Titrant CC2

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Oxidizing Solids 2: Oxidizing solids - Category 2 Corrosive to Metals 1: Corrosive to metals – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Skin Corrosion 1B: Skin corrosion/irritation – Category 1B Skin Irritation 2: Skin corrosion/irritation - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Sources Data arise from safety data sheets, reference works and literature.

RTECS (Registry of Toxic Effects of Chemical Substances) ECHA: European CHemicals Agency http://echa.europa.eu GESTIS- Stoffdatenbank (Substance Database, Germany)

** Data compared to the previous version altered.

(Contd. of page 8)

US ·

Reviewed on 08/22/2024