

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 12/05/2023

Reviewed on 12/05/2023

1 Identification

- **Product identifier**
- **Trade name: Isothiazolinone Reagent DK3**
- **Catalogue number:** 56Z046398, 56L046330, 56U046330, 56L046391, 56U046391, 56L046365, 56U046365, 56L0463, SDT256
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**
Tintometer Inc.
6456 Parkland Drive
Sarasota, FL 34243
USA
phone: (941) 756-6410
fax: (941) 727-9654
www.lovibond.us
Made in Germany
- **Emergency telephone number:** + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Corrosive to Metals 1
Skin Corrosion 1B
Eye Damage 1

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.



GHS07

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).
- **Hazard pictograms**



GHS05



GHS07

- **Signal word** Danger
- **Hazard-determining components of labeling:**
ammonia 17 %
- **Hazard statements**
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
- **Precautionary statements**
P260 Do not breathe mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P310 IF exposed or concerned: Immediately call a poison center/doctor.
P390 Absorb spillage to prevent material damage.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/05/2023

Reviewed on 12/05/2023

Trade name: Isothiazolinone Reagent DK3

(Contd. of page 1)

- **Other hazards** No further relevant information available.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** aqueous solution
- **Composition and Information on Ingredients:**
Percent ranges are used due to the confidential product information.

CAS: 1336-21-6	ammonia	10–20%
EINECS: 215-647-6	⚠ Corrosive to Metals 1, H290; Skin Corrosion 1B, H314; ⚠ Aquatic Acute 1, H400	
Index number: 007-001-01-2	(M=1); ⚠ Specific Target Organ Toxicity - Single Exposure 3, H335	
RTECS: BQ9625000		

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air.
Call a doctor immediately.
- **After skin contact:**
Immediately wash with polyethylene glycol 400.
Immediately rinse with plenty of water.
Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.
- **After eye contact:**
Rinse opened eye for several minutes (at least 15 min) under running water.
Call a doctor immediately.
- **After swallowing:**
Rinse out mouth and then drink 1-2 glasses of water.
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed**
burns
resorption
after inhalation:
mucosal irritations, cough, breathing difficulty
Possible damages: damage of respiratory tract
after swallowing:
strong caustic effect
sickness
vomiting
abdominal pain
diarrhoea
cramps
Shock
- **Danger:**
Danger of circulatory collapse.
Danger of gastric perforation.
Danger of pulmonary edema.
- **Indication of any immediate medical attention and special treatment needed:**
If swallowed or in case of vomiting, danger of entering the lungs.
Later observation for pneumonia and pulmonary edema.
Monitor circulation.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
Can form explosive gas-air mixtures.
The product is not combustible.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/05/2023

Reviewed on 12/05/2023

Trade name: Isothiazolinone Reagent DK3

(Contd. of page 2)

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Nitrogen oxides (NO_x)

Ammonia (NH₃)

- **Advice for firefighters**

- **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

- **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

- **Advice for non-emergency personnel:**

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use respiratory protective device against the effects of fume/dust/aerosol.

- **Advice for emergency responders:** Protective equipment: see section 8

- **Environmental precautions:** Do not allow product to reach sewage system or any water course.

- **Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to section 13.

- **Reference to other sections**

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**

- **Advice on safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- **Hygiene measures:**

Do not inhale gases / fumes / aerosols.

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- **Conditions for safe storage, including any incompatibilities**

- **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Keep only in original container.

Unsuitable material for container: metals, metal alloys

Unsuitable material for receptacle: aluminium

- **Information about storage in one common storage facility:**

Store away from metals.

Do not store together with acids.

Do not store together with alkalis (caustic solutions).

Store away from oxidizing agents.

- **Further information about storage conditions:**

Protect from heat and direct sunlight.

Protect from exposure to the light.

Protect from humidity and water.

- **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/05/2023

Reviewed on 12/05/2023

Trade name: Isothiazolinone Reagent DK3

(Contd. of page 3)

- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.
- **Personal protective equipment:**
Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.
- **Breathing equipment:** Use respiratory protective device against the effects of fume/dust/aerosol.
- **Recommended filter device for short term use:** Filter K
- **Protection of hands:**
Protective gloves
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**
Fluorocarbon rubber (Viton)
Recommended thickness of the material: ≥ 0.4 mm
- **Penetration time of glove material**
Value for the permeation: Level ≤ 1 (10 min)
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**
Tightly sealed goggles
Use protective goggles that have been tested and approved in accordance with government standards (like NIOSH).
- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment:**
Do not allow product to reach sewage system or any water course.

* 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **Appearance:**
- **Form / Physical state:** Liquid
- **Color:** Colorless
- **Odor:** Ammonia-like
- **Odor threshold:** CAS 1336-21-6: 0.02 - 71 ppm NH₃
- **pH-value at 20°C (68°F):** 10.5
Strongly alkaline
- **Melting point/freezing point:** Not determined.
- **Initial boiling point and boiling range:** 37°C (98.6°F) (CAS 1336-21-6 / 25%)
- **Flash point:** Not applicable.
- **Flammability (solid, gas):** Ammonia solution is not itself flammable, but can form an ignitable ammonia/air mixture by outgassing.
- **Auto igniting:** Not applicable.
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Product is not self-igniting.
- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
- **Flammability or explosive limits:**
 - **Lower:** 15.4 Vol % (25%, CAS: 1336-21-6 ammonia)
 - **Upper:** 33.6 Vol % (25%, CAS: 1336-21-6 ammonia)
- **Oxidizing properties:** none
- **Vapor Pressure at 20°C (68°F):** 483 hPa (362.3 mm Hg) (CAS 1336-21-6 / 25%)
- **Density at 20°C (68°F):** ~0.9 g/cm³ (~7.51 lbs/gal)

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/05/2023

Reviewed on 12/05/2023

Trade name: Isothiazolinone Reagent DK3

(Contd. of page 4)

· Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.
· Solubility(ies)	
· Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not applicable (mixture).
· Viscosity:	Not determined.
· Kinematic:	Not determined.
· Other information	
· Solids content:	0 %
· Solvent content:	
· Organic solvents:	0 %
· Water:	> 80 %
· Information with regard to physical hazard classes	
· Corrosive to metals	May be corrosive to metals. Information on incompatible materials can be found in Sections 7 and 10.

10 Stability and reactivity

- **Reactivity** Fumes can combine with air to form an explosive mixture.
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions**
 - Corrosive action on metals.
 - Reacts with various metals.
 - Reacts with halogenated compounds.
 - Reacts with strong acids and oxidizing agents.
- **Conditions to avoid** strong heating
- **Incompatible materials:**
 - various metals, metal alloys
 - aluminum
 - copper
 - zinc
- **Hazardous decomposition products:**
 - Ammonia (NH₃)
 - In case of fire: see section 5.

*11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:		
CAS: 1336-21-6 ammonia		
Oral	LDo	43 mg/kg (human) (29% solution, RTECS)

CAS: 1336-21-6 ammonia		
Oral	LDo	43 mg/kg (human) (29% solution, RTECS)

- **Primary irritant effect:**

- **on the skin:** Causes severe skin burns.
- **on the eye:**
 - Causes serious eye damage.
 - Risk of blindness!

- **Sensitization:** Based on available data, the classification criteria are not met.

- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)
None of the ingredients is listed.

· NTP (National Toxicology Program)
None of the ingredients is listed.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/05/2023

Reviewed on 12/05/2023

Trade name: Isothiazolinone Reagent DK3

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· **Other information:** see section 8 / 15· **Synergistic Products:** None· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):** The following statements refer to the mixture:· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.· **Carcinogenicity** Based on available data, the classification criteria are not met.· **Reproductive toxicity** Based on available data, the classification criteria are not met.· **STOT (specific target organ toxicity) -single exposure** May cause respiratory irritation.· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.· **Aspiration hazard** Based on available data, the classification criteria are not met.· **Additional toxicological information:**

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

CAS: 1336-21-6 ammonia

· (source: GESTIS)

Main toxic effects:

acute: Irritant and caustic effect on eyes and skin, respiratory tract irritation/damage from released gas/aerosol.

Severe damage to the digestive tract if ingested

chronic: chronic irritation of the respiratory tract/ respiratory diseases

· **Other information** Other dangerous properties can not be excluded.

12 Ecological information

· **Toxicity**· **Aquatic toxicity:**

CAS: 1336-21-6 ammonia

EC50 24 mg/l/48h (Daphnia magna)

1.16 mg/l/48h (Daphnia pulex)

LC50 0.53 mg/l/96h (rainbow trout)

· **Other information:**

Toxic for fish:

NH₄⁺ > 0.3 mg/l· **Persistence and degradability .**· **Other information:**

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

· **Bioaccumulative potential**

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 1336-21-6 ammonia

log Pow -1.38 (.) (experimental)

· **Mobility in soil** No further relevant information available.· **Other adverse effects**

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Avoid transfer into the environment.

13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/05/2023



Reviewed on 12/05/2023

Trade name: Isothiazolinone Reagent DK3

(Contd. of page 6)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

<ul style="list-style-type: none"> · UN-Number · DOT, IMDG, IATA 	<p style="margin: 0;">UN2672</p>
<ul style="list-style-type: none"> · UN proper shipping name · DOT · IMDG, IATA 	<p style="margin: 0;">Ammonia solution AMMONIA SOLUTION</p>
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT 	<div style="text-align: center;">  <p style="margin: 0;">CORROSIVE 8</p> </div>
<ul style="list-style-type: none"> · Class · Label 	<p style="margin: 0;">8 Corrosive substances 8</p>
<ul style="list-style-type: none"> · IMDG, IATA 	<div style="text-align: center;">  <p style="margin: 0;">CORROSIVE 8</p> </div>
<ul style="list-style-type: none"> · Class · Label 	<p style="margin: 0;">8 Corrosive substances 8</p>
<ul style="list-style-type: none"> · Packing group · DOT, IMDG, IATA 	<p style="margin: 0;">III</p>
<ul style="list-style-type: none"> · Environmental hazards: 	<p style="margin: 0;">Not applicable.</p>
<ul style="list-style-type: none"> · Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Stowage Code · Segregation Code 	<p style="margin: 0;">Warning: Corrosive substances 80 F-A,S-B (SGG18) Alkalis A SW2 Clear of living quarters. SW3 Shall be transported under temperature control. SG35 Stow "separated from" SGG1-acids</p>
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	<p style="margin: 0;">Not applicable.</p>
<ul style="list-style-type: none"> · Transport/Additional information: · DOT · Quantity limitations 	<p style="margin: 0;">On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L</p>
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	<p style="margin: 0;">5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml</p>

— US —
(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/05/2023

Reviewed on 12/05/2023

Trade name: Isothiazolinone Reagent DK3

(Contd. of page 7)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (Extremely hazardous substances):
--

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):
--

CAS: 1336-21-6 ammonia

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:
--

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:
--

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

CAS: 1336-21-6 ammonia

· New Jersey Special Hazardous Substance List:

CAS: 1336-21-6 ammonia

CO

· Pennsylvania Right-to-Know List:

CAS: 1336-21-6 ammonia

· Pennsylvania Special Hazardous Substance List:

CAS: 1336-21-6 ammonia

E

· EPA (Environmental Protection Agency)
--

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Information about limitation of use:

Observe national regulations where applicable: Employment restrictions concerning young persons must be observed.
--

- | |
|---|
| · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. |
|---|

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.

- | |
|--|
| · Version number / date of revision: 8 / 12/05/2023 |
|--|

· Abbreviations and acronyms:

STOT: specific target organ toxicity
SE: single exposure
RE: repeated exposure
EC50: half maximal effective concentration
IC50: half maximal inhibitory concentration
NOEL or NOEC: No Observed Effect Level or Concentration

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/05/2023

Reviewed on 12/05/2023

Trade name: Isothiazolinone Reagent DK3

(Contd. of page 8)

ACGIH® - American Conference of Governmental Industrial Hygienists

- A1 - Confirmed human carcinogen
- A2 - Suspected human carcinogen
- A3 - Confirmed animal carcinogen with unknown relevance to humans
- A4 - Not classifiable as a human carcinogen
- A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

- Group 1 - Carcinogenic to humans
- Group 2A - Probably carcinogenic to humans
- Group 2B - Possibly carcinogenic to humans
- Group 3 - Not classifiable as to carcinogenicity to humans
- Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services

- Group K - Known to be Human Carcinogens
- Group R - Reasonably Anticipated to be Human Carcinogens

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Corrosive to Metals 1: Corrosive to metals – Category 1

Skin Corrosion 1B: Skin corrosion/irritation – Category 1B

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

• Sources

Data arise from safety data sheets, reference works and literature.

RTECS (Registry of Toxic Effects of Chemical Substances)

GESTIS- Stoffdatenbank (Substance Database, Germany)

ECHA: European CHemicals Agency <http://echa.europa.eu>

• * Data compared to the previous version altered.
