Tintometer[®] Group Water Testing



Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023 Version number 7 (replaces version 6) Revision: 25.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Isothiazolinone Reagent DK5
- · Catalog number:

56Z046598, 56L046530, 56U046530, 56L0465, 56L046565, 56U046565, 56L046597, 56U046597, 56L646530, SDT258

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

phone: +49 (0)231 94510-0 e-mail: sales@lovibond.com

The Tintometer Limited Lovibond® House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

phone : +44 1980 664800 e-mail: SDS@lovibond.uk

- · Informing department: e-mail: sds@lovibond.com Product Safety Department
- · 1.4 Emergency telephone number:

+44 1235 239670 Languages: English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



Printing date 25.10.2023 Version number 7 (replaces version 6) Revision: 25.10.2023

Product name: Isothiazolinone Reagent DK5

(Contd. of page 1)

· Signal word Warning

Hazard statements

H290 May be corrosive to metals. H315 Causes skin irritation. H319 Causes serious eye irritation.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P311 Call a doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

· 2.3 Other hazards No further relevant information available.

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of inorganic compounds.

· Dangerous components:		
CAS: 10377-48-7	Lithium sulfate	10–20%
EINECS: 233-820-4	♦ Acute Tox. 4, H302	
CAS: 7664-38-2	phosphoric acid	5–<10%
EINECS: 231-633-2 Index No: 015-011-00-6 Reg.nr.: 01-2119485924-24-XXXX	Met. Corr.1, H290; Skin Corr. 1B, H314;	
CAS: 13472-45-2	sodium tungstate	5–10%
EINECS: 236-743-4	♦ Acute Tox. 4, H302	
CAS: 7647-01-0	hydrochloric acid	2.5–5%
EINECS: 231-595-7	♦ Met. Corr.1, H290; Skin Corr. 1B, H314; ♦ STOT SE 3, H335	
Index No: 017-002-01-X	Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %	
Reg.nr.: 01-2119484862-27-XXXX		
	Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3: C ≥ 10 %	
	3101 3E 3, C 2 10 %	

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

Instantly rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed:

Irritation and corrosion

after inhalation:

mucous membrane irritation

coughing

breathing difficulty after swallowing:

sickness

(Contd. on page 3)

Printing date 25.10.2023 Version number 7 (replaces version 6) Revision: 25.10.2023

Product name: Isothiazolinone Reagent DK5

(Contd. of page 2)

vomiting diarrhoea

• 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Sulphur oxides (SOx)

Hydrogen chloride (HCI)

Phosporus oxides (PxOx)

LiOx

Sodium oxide

- · 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Advice for emergency responders: Protective equipment: see section 8
- \cdot 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Neutralize with diluted sodium hydroxide solution or by throwing on lime sand, lime or sodium carbonate.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- · Advice on safe handling: No special precautions necessary if used correctly.
- · Hygiene measures:

Avoid contact with the skin.

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and containers:

Store in cool location.

Keep only in original packaging.

Information about storage in one common storage facility:

Store away from metals.

Do not store together with alkalis (caustic solutions).

(Contd. on page 4)

Printing date 25.10.2023 Version number 7 (replaces version 6) Revision: 25.10.2023

Product name: Isothiazolinone Reagent DK5

(Contd. of page 3)

· Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from the effects of light.

Protect from humidity and keep away from water.

- · Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

	· Components with limit values that require monitoring at the workplace:		
	CAS: 7664-38-2 phosphoric acid		
	WEL (Great Britain)	Short-term value: 2 mg/m³ Long-term value: 1 mg/m³	
	IOELV (European Union)	Short-term value: 2 mg/m³ Long-term value: 1 mg/m³	
ı	CAS: 7647-01-0 hydrochloric acid		
WEL (Great Britain) Short-term value: 8 mg/m³, 5 ppm Long-term value: 2 mg/m³, 1 ppm (gas and aerosol mists)		Long-term value: 2 mg/m³, 1 ppm	
	IOELV (European Union)	Short-term value: 15 mg/m³, 10 ppm Long-term value: 8 mg/m³, 5 ppm	

Regulatory information

WEL (Great Britain): EH40/2020

IOELV (European Union): (EU) 2019/1831

· Additional information: IOELV = Indicative Occupational Exposure Limit

DNELs

Derived No Effect Level (DNEL)

	CAS: 7647-01-0 hydrochloric acid		
ſ	Inhalative	DNEL	15 mg/m³ (Worker / acute / local effects)
			8 mg/m³ (Worker / long-term / local effects)

· Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

PNECs

Predicted No Effect Concentration (PNEC)

CAS: 7	CAS: 7647-01-0 hydrochloric acid		
PNEC	0.036 mg/l (Sewage treatment plant)		
	0.036 mg/l (Marine water)		
	0.045 mg/l (Aquatic intermittent release)		
	0.036 mg/l (Fresh water)		

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls

Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

Eye/face protection

Safety glasses

Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.

Hand protection

Protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

(Contd. on page 5)

Printing date 25.10.2023 Version number 7 (replaces version 6) Revision: 25.10.2023

Product name: Isothiazolinone Reagent DK5

(Contd. of page 4)

· Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Combination filter ABEK-P2
- · Environmental exposure controls Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties		
· Physical state	Fluid	
· Form:	Solution	
· Colour:	Yellow	
· Odour:	Recognisable	
· Odour threshold:	Not determined.	
· Melting point/Freezing point:	Not determined.	
Boiling point or initial boiling point and boiling range	Not determined.	

· Flammability The product is not combustible. **Explosive properties:** Product is not explosive.

· Lower and upper explosion limit

Not applicable. Lower: Not applicable. Upper: Not applicable. · Flash point: · Auto-ignition temperature: Not applicable. Not determined. Decomposition temperature:

· pH at 20°C

Strongly acidic Not determined. · Kinematic viscosity

· Solubility

· Water: Fully miscible

· Partition coefficient n-octanol/water (log value) Not applicable (mixture).

· Vapour pressure: Not determined.

Density and/or relative density

Density at 20°C: 1.2 g/cm3 · Relative density: Not determined. · Relative gas density Not determined. Particle characteristics Not applicable (liquid).

· 9.2 Other information

· Information with regard to physical hazard classes

· Corrosive to metals May be corrosive to metals.

· Other safety characteristics Oxidising properties:

none

· Additional information

· Solids content: < 30 % · Solvent content:

0 % · Organic solvents: Water: > 50 %

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section 10.3
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- 10.3 Possibility of hazardous reactions

Reacts with metals forming hydrogen (Danger of explosion in case of large amounts!)

Corrosive action on metals

Reacts with alkali (lyes)

(Contd. on page 6)

Printing date 25.10.2023 Version number 7 (replaces version 6) Revision: 25.10.2023

Product name: Isothiazolinone Reagent DK5

(Contd. of page 5)

- · 10.4 Conditions to avoid Strong heating (decomposition)
- · 10.5 Incompatible materials:

metals

alkali metals aluminium

· 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:			
CAS: 10377-48-7 Lithium sulfate			
Oral	LD50	613 mg/kg (rat)	
CAS: 766	4-38-2	phosphoric acid	
Oral	LD50	1530 mg/kg (rat) (RTECS)	
Dermal	LD50	2740 mg/kg (rabbit) (RTECS)	
Inhalative	LC50	>0.85 mg/l/1h (rat) (RTECS)	
CAS: 134	72-45-2	sodium tungstate	
Oral	LD50	1190 mg/kg (rat) (RTECS)	
Dermal	LD50.	>2000 mg/kg (rat) (OECD 402) (ECHA: limit test, there were no deaths during the study.)	
CAS: 7647-01-0 hydrochloric acid			
Inhalative	LC50	3124 ppm / 1h (rat) (RTECS,V, pure)	

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.

· Information on components:			
CAS: 13472-45-2 sodium tungstate			
Irritation of skin		(rabbit: no irritation)	
		(Merck)	
_		(rabbit: no irritation)	
CAS: 7647-01-0 hydrochloric acid			
Irritation of skin	OECD 404	(rabbit: burns)	
Irritation of eyes	OECD 405	(rabbit: burns)	

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

The production of the state of			
· Information on components:			
CAS: 7664-3	CAS: 7664-38-2 phosphoric acid		
Sensitisation	Sensitisation Patch test (human) (negative)		
		(IUCLID)	
CAS: 13472-	CAS: 13472-45-2 sodium tungstate		
Sensitisation	OECD 406	(guinea pig: negative)	
		(Merck)	
CAS: 7647-01-0 hydrochloric acid			
Sensitisation	OECD 406	(negative) (EPA OPP 81-6: Guinea pig maximisation test)	

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · Information on components:

OECD 414: Teratogenicity testing OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

Printing date 25.10.2023 Version number 7 (replaces version 6) Revision: 25.10.2023

Product name: Isothiazolinone Reagent DK5

(Contd. of page 6)

CAS: 7664	CAS: 7664-38-2 phosphoric acid		
	(negative) (Bacterial Reverse Mutation Test - Ames test) (IUCLID)		
	CAS: 13472-45-2 sodium tungstate		
	(negative) (In Vitro Mammalian Cell Gene Mutation Test) (Merck)		
OECD 474	(negative) (Mammalian Erythrocyte Micronucleus Test)		

- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

· Information on likely routes of exposure

(Meck: mouse, male, oral)

Exposure to hydrochloric acid is possible during occupational handling due to contact with the skin and inhalation of vapors. The main intake pathway is considered to be via the respiratory tract.

Gastrointestinal tract: Specific kinetic studies are not available. They are considered not necessary because gastric juice already contains a high concentration of hydrochloric acid which is physiologically conditioned. Following ingestion, local effects are therefore of priority. [GESTIS]

Main routes of absorption: In the workplace, phosphoric acid (P.) is probably absorbed preferentially by inhalation. Due to the low vapour pressure of P., toxicologically relevant inhalation exposure is to be expected mainly when aerosols are released.[GESTIS]

· Additional toxicological information:

The following applies to lithium compounds in general:

after absorption: CNS disorders, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance

CAS: 7664-38-2 phosphoric acid

(source: GESTIS)

Main toxic effects:

Acute: Irritant to corrosive effect on the eyes, respiratory tract and skin, damage to the gastrointestinal tract after ingestion chronic: Irritant effect on the respiratory tract

CAS: 7647-01-0 hydrochloric acid

(source: GESTIS)

Main toxic effects

Acute: Irritation and corrosion to the eyes, airways and skin, danger of severe damage to the eyes and lungs,

following ingestion, concentration-dependent damage to the gastrointestinal tract

Chronic: Airway diseases, damage to the teeth, gastrointestinal disorders

Further Information:

The acute action of hydrochloric acid is based on the locally damaging effects on contacted tissues which are primarily dependent on the concentration. Following repeated contact with the skin, even diluted hydrochloric acid can cause skin damage (reddening, drying, fissures, dermatitis). The critical effect following repeated inhalative exposure is irritation to the respiratory tract.

· 11.2 Information on other hazards

· Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

Other information

Other dangerous properties can not be excluded.

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

EC50	100 mg/l/48h (Daphnia magna) (OECD 202)
EC50	100 mg/l/72h (Desmodesmus subspicatus) (OECD 201)

LC50 138 mg/l/96h (mosquitofish)

(Contd. on page 8)

Printing date 25.10.2023 Version number 7 (replaces version 6) Revision: 25.10.2023

Product name: Isothiazolinone Reagent DK5

(Contd. of page 7)

CAS: 13472-45-2 sodium tungstate

NOEC >9.8 mg/l (zebrafish) (OECD 210; 38 d)

(Merck)

EC50 >17.7 mg/l/72h (Pseudokirchneriella subcapitata) (OECD 201)

(Merck)

CAS: 7647-01-0 hydrochloric acid

EC50 | 20.5 mg/l/96h (bluegill) (OECD 203)

(Merck)

· Bacterial toxicity:

CAS: 7664-38-2 phosphoric acid

EC50 >1000 mg/l /3h (activated sludge) (OECD 209)

Other information:

The following applies for lithium compounds in general:

fish toxic from 100 mg/l, Daphnia toxic from 16 mg/l, plants toxic from 0,2 mg/l

Toxic for fish:

HCI > 25 mg/l

12.2 Persistence and degradability .

Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

· 12.3 Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 7664-38-2 phosphoric acid

log Pow -0.77 (.) (calculated)

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of water supplies. Forms corrosive mixtures with water even if diluted.

Harmful effect due to pH shift.

Avoid transfer into the environment.

Water hazard:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 07* discarded inorganic chemicals consisting of or containing hazardous substances

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA UN3264

(Contd. on page 9)

Printing date 25.10.2023 Version number 7 (replaces version 6) Revision: 25.10.2023

Product name: Isothiazolinone Reagent DK5

(Contd. of page 8)

	(Contd. of page 8)
· 14.2 UN proper shipping name · ADR · IMDG, IATA	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, PHOSPHORIC ACID, SOLUTION) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, PHOSPHORIC ACID, SOLUTION)
· 14.3 Transport hazard class(es)	
· ADR	
· Class	8 (C1) Corrosive substances.
· Label	8
· IMDG, IATA	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Kemler Number: EMS Number: Segregation groups Stowage Category Stowage Code 	Warning: Corrosive substances. 80 F-A,S-B (SGG1) Acids A SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according to IN	10
instruments	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category · Tunnel restriction code	3 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act UK
- · Regulated explosives precursors

The concentration of the substance is less than the stated mass percentage and should still be considered as reportable substance:

CAS: 7664-38-2	phosphoric acid	30%
CAS: 7647-01-0	hydrochloric acid	10%

(Contd. on page 10)

Printing date 25.10.2023 Version number 7 (replaces version 6) Revision: 25.10.2023

Product name: Isothiazolinone Reagent DK5

(Contd. of page 9)

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

- Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated
- Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

CAS: 7647-01-0 hydrochloric acid

3

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

CAS: 7647-01-0 hydrochloric acid

3

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

- Substances of very high concern (SVHC) according to REACH, Article 57
- This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).
- Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

- · Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- Information about limitation of use: Not required.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Training hints Provide adequate information, instruction and training for operators.
- · Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

Printing date 25.10.2023 Version number 7 (replaces version 6) Revision: 25.10.2023

Product name: Isothiazolinone Reagent DK5

(Contd. of page 10)

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· Sources

Data arise from safety data sheets, reference works and literature. IUCLID (International Uniform Chemical Information Database) RTECS (Registry of Toxic Effects of Chemical Substances) GESTIS- Stoffdatenbank (Substance Database, Germany) ECHA: European CHemicals Agency http://echa.europa.eu

* Data compared to the previous version altered.

GB -