Lovibond® Water Testing

Tintometer® Group



Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 08/26/2022 Reviewed on 08/26/2022

1 Identification

- · Product identifier
- · Trade name: KS506 1.128N Silver Nitrate / Vario Chloride Silver Nitrate 1.128N
- · Catalogue number: 56Z050698, 56U050613, 56L050613, 56L650613
- · Application of the substance / the mixture: Reagent for water analysis
- · Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA

phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Corrosive to Metals 1 H290 May be corrosive to metals.

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



GHS09 Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- · Hazard pictograms





GHS05

GHS09

- Signal word Danger
- · Hazard-determining components of labeling:

silver nitrate

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection.

P273 Avoid release to the environment.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

(Contd. on page 2)

Printing date 08/26/2022 Reviewed on 08/26/2022

Trade name: KS506 - 1.128N Silver Nitrate / Vario Chloride Silver Nitrate 1.128N

(Contd. of page 1)

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a doctor.

· Other hazards No further relevant information available.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: aqueous solution
- · Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air.

Call a doctor immediately.

· After skin contact:

Immediately wash with polyethylene glycol 400.

Immediately rinse with plenty of water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

· After eye contact:

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

· After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed

burns

dizziness

gastric or intestinal disorders

methaemoglobinaemia

after swallowing of large amounts:

vomiting

diarrhoea

strong caustic effect

CNS disorders

cardiovascular disorders

- · Danger: Risk of corneal clouding.
- Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs.

Later observation for pneumonia and pulmonary edema.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Nitrogen oxides (NOx)

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Printing date 08/26/2022 Reviewed on 08/26/2022

Trade name: KS506 - 1.128N Silver Nitrate / Vario Chloride Silver Nitrate 1.128N

(Contd. of page 2)

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

· Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use respiratory protective device against the effects of fume/dust/aerosol.

· Advice for emergency responders: Protective equipment: see section 8

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling
- · Advice on safe handling: Prevent formation of aerosols.
- · Hygiene measures:

Do not inhale gases / fumes / aerosols.

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from metals.
- Further information about storage conditions:

Protect from heat and direct sunlight.

Store in the dark.

Protect from exposure to the light.

Protect from humidity and water.

- · Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

 \cdot Components with limit values that require monitoring at the workplace:

CAS: 7761-88-8 silver nitrate

PEL (USA) Long-term value: 0.01 mg/m³

as Ag

REL (USA) Long-term value: 0.01 mg/m³

as Ag

(Contd. on page 4)

Printing date 08/26/2022 Reviewed on 08/26/2022

Trade name: KS506 - 1.128N Silver Nitrate / Vario Chloride Silver Nitrate 1.128N

(Contd. of page 3)

TLV (USA) Long-term value: 0.01 mg/m³ as Ag Short-term value: 0.03 mg/m³ EL (Canada) Long-term value: 0.01 mg/m³ as Aq

· Additional information: The lists that were valid during the creation were used as basis.

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment:

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Breathing equipment: Use respiratory protective device against the effects of fume/dust/aerosol.
- Recommended filter device for short term use: Filter ABEK
- · Protection of hands:

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

Penetration time of glove material

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Tightly sealed goggles

Use protective goggles that have been tested and approved in accordance with government standards (like NIOSH).

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· Appearance:

· Form / Physical state: Solution · Color: Colorless · Odor: Odorless · Odor threshold: Not applicable. · pH-value at 20°C (68°F): 5

Melting point/freezing point: Not determined. Initial boiling point and boiling range: Not determined.

· Flash point: Not applicable. · Flammability (solid, gas): The product is not combustible.

Ignition temperature: Not applicable. Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Flammability or explosive limits:

Not applicable. · Lower: Upper: Not applicable.

· Oxidizing properties: none

Vapor Pressure: Not determined. Density at 20°C (68°F): 1.2 g/cm³ (10.01 lbs/gal)

Relative density: Not determined. · Vapor density: Not determined. · Evaporation rate: Not determined.

· Solubility(ies)

· Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not applicable (mixture).

(Contd. on page 5)

Printing date 08/26/2022 Reviewed on 08/26/2022

Trade name: KS506 - 1.128N Silver Nitrate / Vario Chloride Silver Nitrate 1.128N

(Contd. of page 4)

Viscosity: Not determined.Kinematic: Not determined.Other information

Solids content: < 20 %
Solvent content:
Organic solvents: 0 %
Water: > 80 %

10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions"
- · Chemical stability

Stable at ambient temperature (room temperature). sensitivity to light

· Possibility of hazardous reactions

Corrosive action on metals.

Reacts with oxidizing agents.

Reacts with alcohols.

· Conditions to avoid

To avoid thermal decomposition do not overheat.

Exposure to light

Incompatible materials:

metals

aluminum

steel

· Hazardous decomposition products: see section 5

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

CAS: 7761-88-8 silver nitrate

Oral LD50 1173 mg/kg (rat) (RTECS)

- · Primary irritant effect:
- on the skin:

Caustic effect on skin and mucous membranes.

Causes severe skin burns.

on the eye:

Causes serious eye damage.

Risk of blindness!

- · Sensitization: No sensitizing effects known.
- · Carcinogenic categories
- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Other information: see section 8 / 15
- · Synergistic Products: None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 08/26/2022 Reviewed on 08/26/2022

Trade name: KS506 - 1.128N Silver Nitrate / Vario Chloride Silver Nitrate 1.128N

(Contd. of page 5)

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

CAS: 7761-88-8 silver nitrate

(source: GESTIS)

Main toxic effects:

Acute: Irritant to caustic effect on mucous membranes and skin.

After ingestion of high doses: gastrointestinal complaints, disorders of the cardiovascular system and disorders of the central nervous system.

chronic: silver deposits in the tissues (argyria)

Further information:

Depending on the concentration, dust and solutions have an irritating to highly caustic effect on mucous membranes and skin. 5-50% solutions caused severe eye damage, in some cases permanent corneal opacity.

12 Ecological information

· Toxicity

	· •····································	
	· Aquation	c toxicity:
CAS: 7761-88-8 silver nitrate		761-88-8 silver nitrate
		0.00022 mg/l/48h (Daphnia magna) (OECD 202) (Merck, Ag-lon)
		0.0021 mg/l (Daphnia magna) (21) (Registrant, ECHA)
		0.00037 mg/l (fathhead minnow) (OECD 210) (Merck)
		0.0012 mg/l/96h (fathhead minnow) (US-EPA) (Merck, Ag-lon)

- Persistence and degradability
- Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Other adverse effects Avoid transfer into the environment.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA UN1760
- · UN proper shipping name
- DOT Corrosive liquids, n.o.s. (Silver nitrate)

(Contd. on page 7)

Printing date 08/26/2022 Reviewed on 08/26/2022

Trade name: KS506 - 1.128N Silver Nitrate / Vario Chloride Silver Nitrate 1.128N

· IMDG

· Limited quantities (LQ)

· Excepted quantities (EQ)

(Contd. of page 6) ·IMDG CORROSIVE LIQUID, N.O.S. (SILVER NITRATE), MARINE **POLLUTANT** ·IATA CORROSIVE LIQUID, N.O.S. (SILVER NITRATE) · Transport hazard class(es) · DOT · Class 8 Corrosive substances · Label ·IMDG · Class 8 Corrosive substances · Label · IATA · Class 8 Corrosive substances · Label 8 · Packing group DOT, IMDG, IATA Ш · Environmental hazards: Product contains environmentally hazardous substances: silver nitrate · Marine pollutant: Yes Symbol (fish and tree) · Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B Segregation groups (SGG7) Heavy metals and their salts (including their organometallic compounds) · Stowage Category · Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

5L

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Printing date 08/26/2022 Reviewed on 08/26/2022

Trade name: KS506 - 1.128N Silver Nitrate / Vario Chloride Silver Nitrate 1.128N

(Contd. of page 7)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 7761-88-8 silver nitrate

TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

New Jersey Right-to-Know List:

CAS: 7761-88-8 silver nitrate

New Jersey Special Hazardous Substance List:

CAS: 7761-88-8 silver nitrate

CO

Pennsylvania Right-to-Know List:

CAS: 7761-88-8 silver nitrate

Pennsylvania Special Hazardous Substance List:

CAS: 7761-88-8 silver nitrate

Ε

EPA (Environmental Protection Agency)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Information about limitation of use:

Observe national regulations where applicable:

Employment restrictions concerning young persons must be observed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Date of preparation / last revision 08/26/2022 / 6

Abbreviations and acronyms:

EC50: effective concentration, 50 percent (in vivo)

STOT: specific target organ toxicity

SE: single exposure RE: repeated exposure

EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

Printing date 08/26/2022 Reviewed on 08/26/2022

Trade name: KS506 - 1.128N Silver Nitrate / Vario Chloride Silver Nitrate 1.128N

(Contd. of page 8)

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer
•Group 1 - Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans •Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to carcinogenicity to humans
Group 4 - Probably not carcinogenic to humans
NTP - National Toxicology Program, U.S. Department of Health and Human Services
Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

Oxidizing Solids 2: Oxidizing solids - Category 2

Corrosive to Metals 1: Corrosive to metals - Category 1

Acute Toxicity - Oral 4: Acute toxicity - Category 4
Skin Corrosion 1B: Skin corrosion/Irritation - Category 1B
Eye Damage 1: Serious eye damage/eye irritation - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Data arise from safety data sheets, reference works and literature.

RTECS (Registry of Toxic Effects of Chemical Substances)

GESTIS- Stoffdatenbank (Substance Database, Germany)

·* Data compared to the previous version altered.