Lovibond® Water Testing

Tintometer® Group



Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 02/25/2019 Reviewed on 02/25/2019

1 Identification

- · Product identifier
- · Trade name: KS520 0.1N Silver Nitrate
- · Catalogue number: 56Z052098, 56L052095, 56U052095, 56L052098, 56U052098, 56U052097, 56U052097
- · Application of the substance / the mixture: Reagent for water analysis
- · Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA

phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.



Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- · Hazard pictograms



GHS05

- · Signal word Warning
- · Hazard statements

H290 May be corrosive to metals. H319 Causes serious eye irritation.

Precautionary statements

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.
P302+P352 If on skin: Wash with plenty of soap and water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

· Other hazards No further relevant information available.

--- US -

Printing date 02/25/2019 Reviewed on 02/25/2019

Trade name: KS520 - 0.1N Silver Nitrate

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: aqueous solution

Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes (at least 15 min) under running water. Then consult a doctor.
- After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

If symptoms persist consult doctor.

Most important symptoms and effects, both acute and delayed

irritations

after swallowing of large amounts:

gastric or intestinal disorders

methaemoglobinaemia

CNS disorders

cardiovascular disorders

· Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Nitrogen oxides (NOx)

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Advice for non-emergency personnel: Ensure adequate ventilation
- · Advice for emergency responders: Protective equipment: see section 8
- **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Ensure adequate ventilation.

(Contd. on page 3)

Printing date 02/25/2019 Reviewed on 02/25/2019

Trade name: KS520 - 0.1N Silver Nitrate

(Contd. of page 2)

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Advice on safe handling: No special precautions are necessary if used correctly.
- · Hygiene measures:

Avoid contact with the skin.

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from metals.
- Further information about storage conditions:

Protect from heat and direct sunlight.

Store in the dark.

Protect from exposure to the light.

Protect from humidity and water.

- · Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace: CAS: 7761-88-8 silver nitrate		
REL (USA)	Long-term value: 0.01 mg/m³ as Ag	
TLV (USA)	Long-term value: 0.01 mg/m³ as Ag	
EL (Canada)	Short-term value: 0.03 mg/m³ Long-term value: 0.01 mg/m³ as Ag	

- · Additional information: The lists that were valid during the creation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- · Personal protective equipment:
- · Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter ABEK
- · Protection of hands:

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 02/25/2019 Reviewed on 02/25/2019

Trade name: KS520 - 0.1N Silver Nitrate

· Eye protection: Safety glasses

· Body protection: Protective work clothing

 \cdot Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

· Information on basic physical and che	emical properties
· Appearance:	
Form / Physical state:	Fluid
Color:	Colorless
· Odor:	Odorless
· Odor threshold:	Not applicable.
· pH-value at 20°C (68°F):	5
· Melting point/freezing point:	Not applicable.
Initial boiling point and boiling range:	
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self-igniting.
Danger of explosion: Flammability or explosive limits:	Product does not present an explosion hazard.
Lower:	Not applicable.
Upper:	Not applicable.
· Oxidizing properties:	none
· Vapor Pressure:	Not determined.
Density at 20°C (68°F):	1 g/cm³ (8.35 lbs/gal)
Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.
· Solubility(ies)	
Water:	Fully miscible.
Partition coefficient (n-octanol/water)	: Not determined.
· Viscosity:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
Water:	> 95 %
Solids content:	< 5 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions"
- Chemical stability

Stable at ambient temperature (room temperature). sensitivity to light

· Possibility of hazardous reactions

Corrosive action on metals.

Reacts with alcohols.

· Conditions to avoid

To avoid thermal decomposition do not overheat.

Exposure to light

(Contd. on page 5)

Printing date 02/25/2019 Reviewed on 02/25/2019

Trade name: KS520 - 0.1N Silver Nitrate

(Contd. of page 4)

· Incompatible materials:

combustible materials

aluminum

steel

· Hazardous decomposition products: see section 5

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

CAS: 7761-88-8 silver nitrate

Oral LD50 1173 mg/kg (rat) (RTECS)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Causes serious eye irritation.
- · Sensitization: No sensitizing effects known.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Other information: see section 8 / 15
- · Synergistic Products: None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

· Aquati	· Aquatic toxicity:		
CAS: 7761-88-8 silver nitrate			
LC50	0.00022 mg/l/48h (Daphnia magna) (OECD 202) (Merck, Ag-lon)		
EC10	0.0021 mg/l (Daphnia magna) (21) (Registrant, ECHA)		
NOEC	0.00037 mg/l (fathhead minnow) (OECD 210) (Merck)		
LC50	0.0012 mg/l/96h (fathhead minnow) (US-EPA) (Merck, Ag-lon)		

- Persistence and degradability .
- Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 6)

Printing date 02/25/2019 Reviewed on 02/25/2019

Trade name: KS520 - 0.1N Silver Nitrate

· Other adverse effects Avoid transfer into the environment.

(Contd. of page 5)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

· Uncleaned packagings:

Quantity limitations

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

JN-Number	
DOT, IMDG, IATA	UN1760
UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Silver nitrate)
MDG	CORROSIVE LIQUID, N.O.S. (SILVER NITRATE), MARINE
	POLLUTANT
IATA	CORROSIVE LIQUID, N.O.S. (SILVER NITRATE)
Transport hazard class(es)	
DOT, IATA	
Class	8 Corrosive substances
Label	8
IMDG	·
^ ^	
F3 AV	
Class Label	8 Corrosive substances 8
	0
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	Yes
	Symbol (fish and tree)
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Segregation groups	Heavy metals and their salts (including their organometallic
	compounds)
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of I	
and the IBC Code	Not applicable.

On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

Printing date 02/25/2019 Reviewed on 02/25/2019

Trade name: KS520 - 0.1N Silver Nitrate

(Contd. of page 6)

·IMDG

Limited quantities (LQ)Excepted quantities (EQ)

5L Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 7761-88-8 silver nitrate

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

New Jersey Right-to-Know List:

CAS: 7761-88-8 silver nitrate

· New Jersey Special Hazardous Substance List:

CAS: 7761-88-8 silver nitrate

CO

· Pennsylvania Right-to-Know List:

CAS: 7761-88-8 silver nitrate

· Pennsylvania Special Hazardous Substance List:

CAS: 7761-88-8 silver nitrate

E

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Information about limitation of use: Employment restrictions concerning young persons must be observed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

- Date of preparation / last revision 02/25/2019 / 2
- · Abbreviations and acronyms:

EC50: effective concentration, 50 percent (in vivo)

STOT: specific target organ toxicity

SE: single exposure RE: repeated exposure

Printing date 02/25/2019 Reviewed on 02/25/2019

Trade name: KS520 - 0.1N Silver Nitrate

(Contd. of page 7)

EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans
•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen

ARC - International Agency for Research on Cancer
•Group 1 - Carcinogenic to humans
•Group 2A - Probably carcinogenic to humans
•Group 2B - Possibly carcinogenic to humans

•Group 3 - Not classifiable as to carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans
 NTP - National Toxicology Program, U.S. Department of Health and Human Services
 Group K - Known to be Human Carcinogens
 Group R - Reasonably Anticipated to be Human Carcinogens

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit
Ox. Sol. 2: Oxidizing solids – Category 2
Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

· Sources

Data arise from safety data sheets, reference works and literature.

RTECS (Registry of Toxic Effects of Chemical Substances)