

### Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 02/05/2019

Reviewed on 02/05/2019

## 1 Identification

- **Product identifier**
- **Trade name:** Hydrochloric acid 1:1 Catalysed (Betz Reagent)
- **Catalogue number:** 56Z612698, 56L612698, 56L612695, 56L612665, 56U612698, 56U612695, 56U612665
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**  
Tintometer Inc.  
6456 Parkland Drive  
Sarasota, FL 34243  
USA  
phone: (941) 756-6410  
fax: (941) 727-9654  
www.lovibond.us  
Made in Germany
- **Emergency telephone number:** + 1 866 928 0789 (English, French, Spanish)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**

· **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).

- **Hazard pictograms**



GHS05



GHS07

- **Signal word** Warning

- **Hazard-determining components of labeling:**

hydrochloric acid 19 %

- **Hazard statements**

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

- **Precautionary statements**

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/attention.

(Contd. on page 2)

US

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 02/05/2019

Reviewed on 02/05/2019

Trade name: **Hydrochloric acid 1:1 Catalysed (Betz Reagent)**

(Contd. of page 1)

P390 Absorb spillage to prevent material damage.

· **Other hazards** No further relevant information available.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** aqueous solution
- **Composition and Information on Ingredients:**  
Percent ranges are used due to the confidential product information.

CAS: 7647-01-0 EINECS: 231-595-7 Index number: 017-002-01-X RTECS: MW 9620000	hydrochloric acid	⚠ Skin Corr. 1B, H314; ⚠ STOT SE 3, H335	10–20%
--	-------------------	--	--------

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately rinse with plenty of water.  
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes (at least 15 min) under running water. Then consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink 1-2 glasses of water.  
If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**  
irritations  
after inhalation:  
mucosal irritations, cough, breathing difficulty  
damage to the affected mucous membranes possible
- **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
The product is not combustible.  
Formation of toxic gases is possible during heating or in case of fire.  
Hydrogen chloride (HCl)
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information**  
Collect contaminated fire fighting water separately. It must not enter the sewage system.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
Ambient fire may liberate hazardous vapours.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
- **Advice for non-emergency personnel:**  
Wear protective equipment. Keep unprotected persons away.  
Avoid substance contact.  
Ensure adequate ventilation

(Contd. on page 3)

— US —

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 02/05/2019

Reviewed on 02/05/2019

---

**Trade name: Hydrochloric acid 1:1 Catalysed (Betz Reagent)**


---

(Contd. of page 2)

- **Advice for emergency responders:** Protective equipment: see section 8
  - **Environmental precautions:** Do not allow product to reach sewage system or any water course.
  - **Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Neutralize with diluted sodium hydroxide solution or by throwing on lime sand, lime or sodium carbonate.  
Absorb with liquid-binding material (sand, diatomite, universal binders).  
Dispose contaminated material as waste according to item 13.
  - **Reference to other sections**  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- 

## 7 Handling and storage

- **Precautions for safe handling**
  - **Advice on safe handling:** Prevent formation of aerosols.
  - **Hygiene measures:**  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the skin.  
Avoid contact with the eyes.  
Take off immediately all contaminated clothing.  
Wash hands before breaks and at the end of work.  
Do not eat, drink or smoke when using this product.
  - **Conditions for safe storage, including any incompatibilities**
  - **Storage:**
  - **Requirements to be met by storerooms and receptacles:** Store in a cool location.
  - **Information about storage in one common storage facility:**  
Store away from metals.  
Do not store together with alkalis (caustic solutions).
  - **Further information about storage conditions:**  
Protect from heat and direct sunlight.  
Protect from exposure to the light.  
Protect from humidity and water.
  - **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)
  - **Specific end use(s)** No further relevant information available.
- 

## 8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

<b>CAS: 7647-01-0 hydrochloric acid</b>	
PEL (USA)	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm
REL (USA)	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm
TLV (USA)	Ceiling limit value: 2.98 mg/m <sup>3</sup> , 2 ppm
EL (Canada)	Ceiling limit value: 2 ppm
EV (Canada)	Ceiling limit value: 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Engineering measures:**  
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.  
See item 7.
- **Personal protective equipment:**
- **Breathing equipment:** Use respiratory protective device against the effects of fumes/dust/aerosol.
- **Recommended filter device for short term use:** Combination filter E-P2
- **Protection of hands:**  
Protective gloves  
Preventive skin protection by use of skin-protecting agents is recommended.  
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**  
Nitrile rubber, NBR  
Recommended thickness of the material: ≥ 0.11 mm

(Contd. on page 4)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 02/05/2019

Reviewed on 02/05/2019

**Trade name: Hydrochloric acid 1:1 Catalysed (Betz Reagent)**

(Contd. of page 3)

- **Penetration time of glove material**  
Value for the permeation: Level  $\leq$  1 (10 min)  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment:**  
Do not allow product to reach sewage system or any water course.

## 9 Physical and chemical properties

· <b>Information on basic physical and chemical properties</b>	
· <b>Appearance:</b>	
Form / Physical state:	Fluid
Color:	Colorless
· <b>Odor:</b> Pungent	
· <b>Odor threshold:</b> Not determined.	
· <b>pH-value at 20°C (68°F):</b> <1 Strongly acidic	
· <b>Melting point/freezing point:</b> Not determined.	
· <b>Initial boiling point and boiling range:</b> Not applicable.	
· <b>Flash point:</b> Not applicable.	
· <b>Flammability (solid, gas):</b> Not applicable.	
· <b>Decomposition temperature:</b> Not determined.	
· <b>Auto-ignition temperature:</b> Product is not self-igniting.	
· <b>Danger of explosion:</b> Product does not present an explosion hazard.	
· <b>Flammability or explosive limits:</b>	
Lower:	Not applicable.
Upper:	Not applicable.
· <b>Oxidizing properties:</b> none	
· <b>Vapor Pressure:</b> Not determined.	
· <b>Density at 20°C (68°F):</b> ~1.04 g/cm <sup>3</sup> (~8.68 lbs/gal)	
· <b>Relative density:</b> Not determined.	
· <b>Vapor density:</b> Not determined.	
· <b>Evaporation rate:</b> Not determined.	
· <b>Solubility(ies)</b>	
Water:	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b> Not applicable.	
· <b>Viscosity:</b> Not determined.	
· <b>Solvent content:</b>	
Organic solvents:	0 %
Water:	> 80 %
Solids content:	< 1 %
· <b>Other information</b> No further relevant information available.	

## 10 Stability and reactivity

- **Reactivity** see section "Possibility of hazardous reactions"
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions**  
Corrosive action on metals.  
Reacts with metals forming hydrogen (Danger of explosion!)  
Reacts with alkali (lyes).
- **Conditions to avoid** No further relevant information available.

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 02/05/2019

Reviewed on 02/05/2019

Trade name: Hydrochloric acid 1:1 Catalysed (Betz Reagent)

(Contd. of page 4)

- **Incompatible materials:**
  - metals
  - alkali metals
  - aluminum
- **Hazardous decomposition products:** see section 5

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>CAS: 7647-01-0 hydrochloric acid</b>		
Inhalative	LC50	3124 ppm / 1h (rat) (RTECS,V, pure)

- **Primary irritant effect:**
- **on the skin:** Causes skin irritation.
- **on the eye:** Causes serious eye irritation.

· <b>Information on components:</b>		
<b>CAS: 7647-01-0 hydrochloric acid</b>		
Irritation of skin	OECD 404	(rabbit: burns)
Irritation of eyes	OECD 405	(rabbit: burns)

- **Sensitization:** Based on available data, the classification criteria are not met.

· <b>Information on components:</b>		
<b>CAS: 7647-01-0 hydrochloric acid</b>		
Sensitization	OECD 406	(negative) (EPA OPP 81-6: Guinea pig maximisation test)

- **Carcinogenic categories**

· <b>IARC (International Agency for Research on Cancer)</b>		
CAS: 7647-01-0	hydrochloric acid	3

· <b>NTP (National Toxicology Program)</b>		
None of the ingredients is listed.		

· <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>		
None of the ingredients is listed.		

- **Other information:** see section 8 / 15

- **Synergistic Products:** None

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):** The following statements refer to the mixture:

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT (specific target organ toxicity) -single exposure** May cause respiratory irritation.

- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

## 12 Ecological information

- **Toxicity**

· <b>Aquatic toxicity:</b>		
<b>CAS: 7647-01-0 hydrochloric acid</b>		
EC50	20.5 mg/l/96h (bluegill) (OECD 203)	
	(Merck)	

- **Other information:**

- Toxic for fish:

- HCl > 25 mg/l

- **Persistence and degradability .**

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 02/05/2019

Reviewed on 02/05/2019

Trade name: **Hydrochloric acid 1:1 Catalysed (Betz Reagent)**

(Contd. of page 5)

· **Other information:**

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Other adverse effects**

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Avoid transfer into the environment.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.


Hand over to hazardous waste disposers.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

<ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>	<p style="margin: 0;">UN1789</p>
<ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>IMDG, IATA</b></li> </ul>	<p style="margin: 0;">Hydrochloric acid mixture HYDROCHLORIC ACID mixture</p>
<ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>	<div style="text-align: center;">  <p style="margin: 0;">8</p> </div>
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	<p style="margin: 0;">8 Corrosive substances 8</p>
<ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>	<p style="margin: 0;">II</p>
<ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> </ul>	<p style="margin: 0;">Not applicable.</p>
<ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> <li>· <b>Danger code (Kemler):</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Segregation groups</b></li> <li>· <b>Stowage Category</b></li> </ul>	<p style="margin: 0;">Warning: Corrosive substances 80 F-A,S-B Acids E</p>
<ul style="list-style-type: none"> <li>· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b></li> </ul>	<p style="margin: 0;">Not applicable.</p>
<ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> <li>· <b>DOT</b></li> <li>· <b>Quantity limitations</b></li> </ul>	<p style="margin: 0;">On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L</p>
<ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> </ul>	<p style="margin: 0;">1L</p>

(Contd. on page 7)

— US —

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 02/05/2019

Reviewed on 02/05/2019

Trade name: Hydrochloric acid 1:1 Catalysed (Betz Reagent)

(Contd. of page 6)

<b>· Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
-----------------------------------	---

### \*15 Regulatory information

**· Safety, health and environmental regulations/legislation specific for the substance or mixture**

**· Sara**

**· Section 355 (Extremely hazardous substances):**

CAS: 7647-01-0	hydrochloric acid
----------------	-------------------

**· Section 313 (Specific toxic chemical listings):**

CAS: 7647-01-0	hydrochloric acid
----------------	-------------------

**· TSCA (Toxic Substances Control Act):**

All ingredients are listed.
-----------------------------

**· Proposition 65**

**· Chemicals known to cause cancer:**

None of the ingredients is listed.
------------------------------------

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.
------------------------------------

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.
------------------------------------

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.
------------------------------------

**· New Jersey Right-to-Know List:**

CAS: 7647-01-0	hydrochloric acid
----------------	-------------------

**· New Jersey Special Hazardous Substance List:**

CAS: 7647-01-0	hydrochloric acid	
----------------	-------------------	--

CO, R1

**· Pennsylvania Right-to-Know List:**

CAS: 7647-01-0	hydrochloric acid
----------------	-------------------

**· Pennsylvania Special Hazardous Substance List:**

CAS: 7647-01-0	hydrochloric acid	
----------------	-------------------	--

E

**· EPA (Environmental Protection Agency)**

None of the ingredients is listed.
------------------------------------

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.
------------------------------------

**· Information about limitation of use:** Employment restrictions concerning young persons must be observed.

**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Relevant phrases**

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

**· Date of preparation / last revision** 02/05/2019 / 1

**· Abbreviations and acronyms:**

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

(Contd. on page 8)

— US —

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 02/05/2019

Reviewed on 02/05/2019

---

**Trade name: Hydrochloric acid 1:1 Catalysed (Betz Reagent)**


---

(Contd. of page 7)

ACGIH® - American Conference of Governmental Industrial Hygienists

- A1 - Confirmed human carcinogen
- A2 - Suspected human carcinogen
- A3 - Confirmed animal carcinogen with unknown relevance to humans
- A4 - Not classifiable as a human carcinogen
- A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

- Group 1 - Carcinogenic to humans
- Group 2A - Probably carcinogenic to humans
- Group 2B - Possibly carcinogenic to humans
- Group 3 - Not classifiable as to carcinogenicity to humans
- Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services

- Group K - Known to be Human Carcinogens
- Group R - Reasonably Anticipated to be Human Carcinogens

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Met. Corr. 1: Corrosive to metals – Category 1

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **Sources**

Data arise from safety data sheets, reference works and literature.  
 RTECS (Registry of Toxic Effects of Chemical Substances )

· \* **Data compared to the previous version altered.**

---

 US