



Accessories: PFX*i*-195 Series

Genuine Lovibond® Colorimetry Cells

Series	W600 Optical		W600 Borosilicate	
Use	PFX <i>i</i> -195 Series			
Path Length	Order Code	Type	Order Code	Type
10 mm	605960	W600/OG/10	655960	W600/B/10
25 mm	605990	W600/OG/25	655990	W600/B/25
33 mm	606010	W600/OG/33	656010	W600/B/33
40 mm	606020	W600/OG/40	656020	W600/B/40
50 mm	606200	W600/OG/50	656200	W600/B/50
$\frac{1}{16}$ "	606040	W600/OG/ $\frac{1}{16}$ "	656044	W600/B/ $\frac{1}{16}$ " (10 Pack)
$\frac{1}{8}$ "	606050	W600/OG/ $\frac{1}{8}$ "	656054	W600/B/ $\frac{1}{8}$ " (10 Pack)
$\frac{1}{4}$ "	606060	W600/OG/ $\frac{1}{4}$ "	656064	W600/B/ $\frac{1}{4}$ " (10 Pack)
$\frac{1}{2}$ "	606070	W600/OG/ $\frac{1}{2}$ "	656074	W600/B/ $\frac{1}{2}$ " (10 Pack)
1"	606080	W600/OG/1"	656080	W600/B/1"

See website for other available path lengths (1mm - 50mm are available) – www.tintometer.com

Genuine Lovibond® Colour Scale Upgrades

Colour Scale Upgrades (include required cell)	Order Code
ASTM Colour upgrade	132840
Chinese Pharmacopoeia upgrade	132850
Hunterlab	132855
Gardner Colour upgrade	132860
Hess-Ives Colour Units upgrade	132870
Pt-Co/Hazen/APHA Colour upgrade	132880
Rosin, US Naval Stores upgrade	132890
Saybolt Colour upgrade	132900
Yellowness Index upgrade	132910
CIE L*C*h upgrade	132920
Klett Colour (blue filter KS-42) upgrade PFX195 (new instrument only)	132930
Acid Wash Test (ASTM D 848) upgrade	132950
ICUMSA Colour (420 nm, 560 nm, 710 nm) upgrade	132960
FAC Colour upgrade	132970
EBC (CIE & 430 nm) upgrade	132980
Iodine upgrade	132990
European Pharmacopoeia upgrade	133000
US Pharmacopoeia upgrade	133005
See website for all available scales	



Genuine Lovibond® Conformance Filters (Glass Standards)

Colour Scale (nominal values quoted) includes calibration certificate	Order Code
ASTM Color Filter Set - (3 filters: 0.5, 3.5, 5.0)	139510
EBC Filter Set - (5 Filters: 4, 9.5, 15, 18, 25)	139400
FAC Colour Filter Set - (5 filters: 7, 13, 15, 29, 39)	139700
Gardner Colour Filter Set - (4 filters: 2, 8, 12, 17)	139560
EP Red Series Filter Set - (2 filters: R2, R6)	139410
EP Yellow Series Filter Set - (2 filters: Y2, Y4)	139420
EP Brown Series Filter Set - (2 filters: B2, B5)	139430
EP Brown/Yellow Series Filter Set - (2 filters: BY3, BY5)	139440
EP Green/Yellow Series Filter Set - (2 filters: GY2, GY5)	139450
Honey Colour (Pfund Equivalents), set of 5 filters (15, 30, 60, 85, 100)	139370
Klett (blue filter KS-42), set of 5 filters (21, 66, 162, 318, 616)	139710
Saybolt Colour Filter Set - (5 filters: -8, 0, +10, +18, +25)	139390
US Pharmacopoeia Filter Set - (3 filters: G, H, P)	139460

Certified Colour Reference Standards

Colour Scale	Nominal Certified Value	Order Code	Accreditation
ASTM	<0.5	134290	ISO 17025
	1	134000	ISO 17025
	3	134010	ISO 17025
	5	134020	ISO 17025
	7	134030	ISO 17025
Gardner Color	2	134200	ISO 17025
	5	134210	ISO 17025
	8	134220	ISO 17025
Pt-Co/Hazen/APHA Color	5	134140	ISO 9001
	10	134150	ISO 9001
	15	134160	ISO 9001
	30	134170	ISO 9001
	50	134180	ISO 9001
	100	134190	ISO 9001
Saybolt Color	500	462803	ISO 17025
	-10	134040	ISO 17025
	0	134050	ISO 17025
	+12	134060	ISO 17025
	+25	134070	ISO 17025

Certified Colour Reference Standards- RCMS*i*

RCMS <i>i</i> Certified Calibration Pack- Full	134410
RCMS <i>i</i> Certified Calibration Pack- Conformance	134420
RCMS <i>i</i> Certified Calibration Pack- Starter	134430



Genuine Lovibond® Spares and Optional Accessories

Spares and Optional Accessories	
PFXi Lamp 5V	138180
Replacement Sample Chamber	133830
Holder for standard spectrophotometer cells (12.5 mm width)	131907
Adapter for 10.65 mm tubes	132800
Adapter for 33 mm tubes	132810
Tube, 10.65 mm diameter	352290
Tube, 33 mm diameter for ASTM Color	352300
Acid Wash Tube	352220
Dark sample cell for CIE Values, 1 mm path length (W600/OG/10 mm cell with a 9 mm spacer)	132820
Plastic, disposable cells, 10 mm path length, pack of 100*	132770
Plastic, disposable cells, 33 mm path length, pack of 50*	352091
Plastic, disposable cells, 50 mm path length, pack of 50*	352101
Flow through control software (for use with PC)	137690
Flow through cell, 50 mm path length*	658010
Flow through cell, 10 mm path length*	658020
PFXi IQ/OQ Documentation	137680
PFXi Thermal Printer	137890

(* for use with holder for standard spectrophotometer cells, 131907)