

# Lovibond® Water Testing

## Tintometer® Group



### AF 118 S Chlorine

More than 400 different test discs available



- More than 400 different test discs available
- Compensation for coloured and turbid samples
- Guaranteed constancy of the coloured glass standards
- Integrated prism

Part Number: 411181

#### Usable in different applications

The Comparator 2000+ is versatile: it is used in swimming pools as well as in research centers, universities or general drinking water treatment.

#### Daylight lamp

So that you can always measure safely and stably under unfavorable visibility conditions, we recommend the use of the (optional) mains or battery-powered daylight lamp. So the lighting conditions always remain the same. No matter where you are measuring.

#### Various analyses possible

For the Comparator 2000+, more than 400 color discs and numerous reagents are available. Your combination is guaranteed. And if you have to change them once, it works without opening the comparator.

#### Integrated prism

The integrated prism visually brings the glass standards of the color disc and the colored sample into view.

#### Industry

Chemical Industry | Food and Beverage Industry | Industries Others | Marine Industry | Municipalities | Oil and Gas | Pharmaceutical Industry | Pool Public | Power and Energy

#### Application

Boiler Water | Cooling Water | Disinfection Control | Pool Water Control | Waste Water Treatment

#### AF 118 S Chlorine

The Comparator 2000+ is a versatile colorimetric system for water analysis. Comfortable handling, no compromise on accuracy and reproducibility: The Comparator 2000+ can be used for many applications. Swimming pools, research or drinking water treatment are just a few examples.

#### Measuring Range

Test Name	Measuring Range	Chemical Method
Chlorine L	1.0 - 4.0 mg/L Cl <sub>2</sub>	DPD
Chlorine T	0.1 - 1.0 mg/L Cl <sub>2</sub>	DPD
pH value T	5.2 - 6.8 pH	Bromocresol Purple
pH value T	6.8 - 8.4 pH	Phenol Red

#### Title

#### Part Number

Plastic funnel with handle (white)

471007