

### Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 07/22/2024

Reviewed on 07/22/2024

#### 1 Identification

- **Product identifier**
- **Trade name: Polyacrylate Precipitant A2**
- **Catalogue number:**  
56Z025698, 56L025665, 56U025665, 56L025697, 56L025691, 56U025691, AD599, 56L025672, 56U025672, 56L025689, 56U025689, 56L025690, 56U025690, 56L025698, 56U025697, 56L025630, 56U025630, 56L0256, SDT083
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**  
Tintometer Inc.  
6456 Parkland Drive  
Sarasota, FL 34243  
USA  
phone: (941) 756-6410  
fax: (941) 727-9654  
www.lovibond.us  
Made in Germany
- **Emergency telephone number:** + 1 866 928 0789 (English, French, Spanish)

#### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).
- **Hazard pictograms** none
- **Signal word** none
- **Hazard statements**  
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**  
P273 Avoid release to the environment.
- **Other hazards** No further relevant information available.

#### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** aqueous solution
- **Composition and Information on Ingredients:**  
Percent ranges are used due to the confidential product information.

CAS: 121-54-0	Benzethonium chloride	0.25- <1%
EINECS: 204-479-9	☠ Acute Toxicity - Oral 3, H301; ☠ Skin Corrosion 1B, H314; Eye Damage 1, H318;	
RTECS: BO7175000	☠ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1)	

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

#### 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes (at least 15 min) under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink 1-2 glasses of water.

(Contd. on page 2)

US

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/22/2024

Reviewed on 07/22/2024

---

**Trade name: Polyacrylate Precipitant A2**


---

(Contd. of page 1)

If symptoms persist consult doctor.

- **Most important symptoms and effects, both acute and delayed** slight irritation may occur
  - **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.
- 

### 5 Fire-fighting measures

- **Extinguishing media**
  - **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
  - **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.  
In case of fire, the following can be released:  
nitrous gases  
Hydrogen chloride (HCl)
  - **Advice for firefighters**
  - **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
  - **Additional information**  
Collect contaminated fire fighting water separately. It must not enter the sewage system.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Ambient fire may liberate hazardous vapours.
- 

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
  - **Advice for non-emergency personnel:**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
  - **Advice for emergency responders:** Protective equipment: see section 8
  - **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.
  - **Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Absorb with liquid-binding material (sand, diatomite, universal binders).  
Dispose contaminated material as waste according to section 13.
  - **Reference to other sections**  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- 

### 7 Handling and storage

- **Precautions for safe handling**
- **Advice on safe handling:** No special precautions are necessary if used correctly.
- **Hygiene measures:**  
Take off immediately all contaminated clothing.  
Wash hands before breaks and at the end of work.  
Do not eat, drink or smoke when using this product.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Protect from heat and direct sunlight.  
Protect from exposure to the light.  
Protect from humidity and water.
- **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)

(Contd. on page 3)

— US —

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name: Polyacrylate Precipitant A2

(Contd. of page 2)

- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Engineering measures:**  
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.
- **Personal protective equipment:**  
Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.
- **Breathing equipment:** Use respiratory protective device against the effects of fume/dust/aerosol.
- **Recommended filter device for short term use:** Filter P1
- **Protection of hands:**  
Preventive skin protection by use of skin-protecting agents is recommended.  
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**  
Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.11$  mm
- **Penetration time of glove material**  
Value for the permeation: Level  $\leq 1$  (10 min)  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**  
Safety glasses  
use against the effects of fumes / dust  
Use protective goggles that have been tested and approved in accordance with government standards (like NIOSH).
- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment:**  
Do not allow product to reach sewage system or any water course.

### \* 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **Appearance:**
- **Form / Physical state:** Solution
- **Color:** Colorless
- **Odor:** Odorless
- **Odor threshold:** Not applicable.
- **pH-value at 20°C (68°F):** 6
- **Melting point/freezing point:** 0°C (32°F)
- **Initial boiling point and boiling range:** 100°C (212°F) (CAS: 7732-18-5 water)
- **Flash point:** Not applicable.
- **Flammability (solid, gas):** The product is not combustible.
- **Auto igniting:** Not applicable.
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Flammability or explosive limits:**
  - **Lower:** Not applicable.
  - **Upper:** Not applicable.
- **Oxidizing properties:** none
- **Vapor Pressure at 20°C (68°F):** 23 hPa (17.3 mm Hg)
- **Density at 20°C (68°F):** 1 g/cm<sup>3</sup> (8.35 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate:** Not determined.

(Contd. on page 4)

US

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name: Polyacrylate Precipitant A2

(Contd. of page 3)

· <b>Solubility(ies)</b>	
· <b>Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not applicable (mixture).
· <b>Viscosity:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.
· <b>Other information</b>	
· <b>Solids content:</b>	< 1 %
· <b>Solvent content:</b>	
· <b>Organic solvents:</b>	0.0 %
· <b>Water:</b>	> 99 %
· <b>Information with regard to physical hazard classes</b>	
· <b>Corrosive to metals</b>	Based on available data, the classification criteria are not met.

## 10 Stability and reactivity

- **Reactivity** see section "Possibility of hazardous reactions"
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions**  
Violent reactions possible with:  
The generally known reaction partners of water.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** see section 5

## \* 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

### · LD/LC50 values that are relevant for classification:

CAS: 121-54-0 Benzethonium chloride

Oral LD50 295 mg/kg (rat) (OECD 401)

### · Primary irritant effect:

- **on the skin:** Based on available data, the classification criteria are not met.
- **on the eye:** Based on available data, the classification criteria are not met.
- **Sensitization:** Based on available data, the classification criteria are not met.

### · Information on components:

CAS: 121-54-0 Benzethonium chloride

Sensitization OECD 406 (negative) (Magnusson / Klingman)

### · Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### · Other information: see section 8 / 15

### · Synergistic Products: None

### · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

### · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name: **Polyacrylate Precipitant A2**

(Contd. of page 4)

- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **Information on components:**

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

<b>CAS: 121-54-0 Benzethonium chloride</b>	
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test)
OECD 476	(negative) (In Vitro Mammalian Cell Gene Mutation Test)
OECD 473	(negative) (Mammalian Chromosomal Aberration Test)

- **Additional toxicological information:**

<b>CAS: 121-54-0 Benzethonium chloride</b>	
. (source: GESTIS)	
Main toxic effects	
Acute: Irritation through to corrosion to the eyes and the skin, potential to cause neurotoxic effects	
Chronic: Potential to damage the skin	

- **Other information** No further relevant information available.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

<b>CAS: 121-54-0 Benzethonium chloride</b>	
EC50	0.22 mg/l/48h (Daphnia magna) (OECD 202) (MERCK)
IC50	0.12 mg/l/72h (Desmodesmus subspicatus) (OECD) (MERCK)
LC50	1.15 mg/l/96h (rainbow trout) (OECD 203) (MERCK)

- **Persistence and degradability**

<b>CAS: 121-54-0 Benzethonium chloride</b>	
OECD 301 E	0 % / 28 d (not biodegradable) (CO2 Evolution Test)

- **Bioaccumulative potential**

Pow = n-octanol/wasser partition coefficient

log Pow 1-3 = Not worth-mentioning accumulating in organisms.

<b>CAS: 121-54-0 Benzethonium chloride</b>	
log Pow	1.08 (.) (OECD 107) (Merck)

- **Mobility in soil** No further relevant information available.

- **Other adverse effects** Avoid transfer into the environment.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

# Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name: Polyacrylate Precipitant A2

(Contd. of page 5)

## \* 14 Transport information

· UN-Number · DOT, IMDG, IATA	none
· UN proper shipping name · DOT, IMDG, IATA	none
· Transport hazard class(es) · DOT, IMDG, IATA · Class	none
· Packing group · DOT, IMDG, IATA	none
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

## \* 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara
· Section 355 (Extremely hazardous substances): None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings): None of the ingredients is listed.
· TSCA (Toxic Substances Control Act): All components have the value ACTIVE.
· Hazardous Air Pollutants None of the ingredients is listed.
· Proposition 65
· Chemicals known to cause cancer: None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.
· Chemicals known to cause developmental toxicity: None of the ingredients is listed.
· New Jersey Right-to-Know List: None of the ingredients is listed.
· New Jersey Special Hazardous Substance List: None of the ingredients is listed.
· Pennsylvania Right-to-Know List: None of the ingredients is listed.
· Pennsylvania Special Hazardous Substance List: None of the ingredients is listed.
· EPA (Environmental Protection Agency) None of the ingredients is listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.

(Contd. on page 7)

# Safety Data Sheet

## acc. to OSHA HCS (HazCom 2012)

Printing date 07/22/2024

Reviewed on 07/22/2024

---

**Trade name: Polyacrylate Precipitant A2**


---

(Contd. of page 6)

- **Information about limitation of use:** Not required.
  - **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.
- 

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H301 Toxic if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H318 Causes serious eye damage.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.

- **Version number / date of revision:** 6 / 07/22/2024

- **Abbreviations and acronyms:**

EC50: effective concentration, 50 percent (in vivo)  
 OECD: Organisation for Economic Co-operation and Development  
 STOT: specific target organ toxicity  
   SE: single exposure  
   RE: repeated exposure  
 EC50: half maximal effective concentration  
 IC50: half maximal inhibitory concentration  
 NOEL or NOEC: No Observed Effect Level or Concentration  
 ACGIH<sup>®</sup> - American Conference of Governmental Industrial Hygienists  
 •A1 - Confirmed human carcinogen  
 •A2 - Suspected human carcinogen  
 •A3 - Confirmed animal carcinogen with unknown relevance to humans  
 •A4 - Not classifiable as a human carcinogen  
 •A5 - Not suspected as a human carcinogen  
 IARC - International Agency for Research on Cancer  
 •Group 1 - Carcinogenic to humans  
 •Group 2A - Probably carcinogenic to humans  
 •Group 2B - Possibly carcinogenic to humans  
 •Group 3 - Not classifiable as to carcinogenicity to humans  
 •Group 4 - Probably not carcinogenic to humans  
 NTP - National Toxicology Program, U.S. Department of Health and Human Services  
 •Group K - Known to be Human Carcinogens  
 •Group R - Reasonably Anticipated to be Human Carcinogens  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 NIOSH: National Institute for Occupational Safety  
 OSHA: Occupational Safety & Health  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit  
 Acute Toxicity - Oral 3: Acute toxicity – Category 3  
 Skin Corrosion 1B: Skin corrosion/irritation – Category 1B  
 Eye Damage 1: Serious eye damage/eye irritation – Category 1  
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- **Sources**

Data arise from safety data sheets, reference works and literature.  
 ECHA: European CHemicals Agency <http://echa.europa.eu>  
 GESTIS- Stoffdatenbank (Substance Database, Germany)

- \* **Data compared to the previous version altered.**
-